

Cucumber Report

7 abr. 2025, 4:18:00 p. m.

Start : abr. 07, 4:17:23.406 p. m.

End : abr. 07, 4:18:00.139 p. m.

Duration : 36.733 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 1

SKIPPED - 0

PASSED - 3

FAILED - 1

SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Logear y Cerrar sesion</u>	36.733 s	1	0	1	0	5	3	1	1

#	Feature Name	Scenario Name
1	<u>Logear y Cerrar sesion</u>	<u>logear y cerrar sesion</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Logear_y_Cerrar_sesion	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Logear y Cerrar sesion</u>	1	0	1	0	36.733 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Logear y Cerrar sesion</u>	<u>logear y cerrar sesion</u>	5	3	1	1	36.729 s

Logear y Cerrar sesion

FAILED	DURATION - 36.733 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 4:17:23.406 p. m. // 4:18:00.139 p. m. /					

logear y cerrar sesion

<div>FAILED</div> <div>DURATION - 36.729 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:17:23.410 p. m. // 4:18:00.139 p. m. /</div>				
<div>Logear y Cerrar sesion</div>				
<div>@Logear_y_Cerrar_sesion</div>				

#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.927 s
2	When guest select MR services	PASSED	10.242 s
3	And user enters credentials "backus@gmail.com" and "Vuce0424."	PASSED	4.774 s
4	And user close sesion org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#profileCircle"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '25-ea' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5eb01d7ab80a6fe5f69f2360b7d0f04, findElement {using=id, value=profileCircle}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\Admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55138}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55138/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5eb01d7ab80a6fe5f69f2360b7d0f04 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	FAILED	20.047 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.authenticacion.pages.MercanciaPage.closeSesion(MercanciaPage.java:43) at com.authenticacion.steps.StepsGeneralUser.user_close_sesion(StepsGeneralUser.java:68) at ?.user close sesion(file:///C:/Workspace/SeleniumWebDriver/SeleniumAutenticacionBDD/src/test/resources/features/5-loginClose.feature:12) * Not displayable characters are replaced by '?'. </pre>		
5	Then user can see MR2 page	SKIPPED	0.001 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario) logear y cerrar sesion	PASSED	0.716 s
	