

Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
<u>Login User</u>	6.100 s	1	1	0	0	4	4	0	0
Profile User	5.246 s	1	0	1	0	3	0	1	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Profile User	select a profile


TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@scenario1	1	1	0	0	1	1	0	0	
@scenario2	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Login User</u>	1	1	0	0	6.100 s
2	Profile User	1	0	1	0	5.246 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login User	<u>login a user</u>	4	4	0	0	6.095 s
2	Profile User	select a profile	3	0	1	2	5.246 s

DETAILED SECTION -- 7 --

Login User


PASSED	DURATION - 6.100 s	Scenarios		Steps		
		Total - 1		Total - 4		
/ 9:50:56.689 PM // 9	:51:02.789 PM /	Pass - 1	1	Pass - 4	4	
		Fail - 0	· /	Fail - 0	7	
		Skip - 0		Skip - 0		7

login a user




#	Step / Hook Details	Status	Duration
1	Given page of autenticacion is all ready	PASSED	0.694 s
2	When guest select MR services	PASSED	5.152 s
3	And user enters credentials "andres_v13@hotmail.com" and "Vuce0424."	PASSED	0.219 s
4	Then user can see MR2 page	PASSED	0.000 s

Profile User



select a profile

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given page of MR2 is all ready	FAILED	5.097 s
	java.lang.AssertionError: Resultado expected [Mercancías Restringidas] but found [] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.authenticacion.steps.StepsGeneralUser.page_of_mr2_is_all_ready(StepsGeneralUser.java:77) at ?.page of MR2 is all ready(file:///C:/Workspace/SeleniumWebDriver/ProyectoAutenticacion/src/test/resources/features/2-profile.feature:9) * Not displayable characters are replaced by '?'.		
2	When user select option a profile	SKIPPED	0.000 s
3	Then user can see profile list	SKIPPED	0.000 s
	AFTER - com.authenticacion.utils.Hooks.tearDown(io.cucumber.java.Scenario) select a profile NOT FOUND	PASSED	0.142 s