
# 1. Getting started

1.7 The statistical forecasting perspective OTexts.org/fpp3/


#### Rob J Hyndman George Athanasopoulos


# FORECASTING PRINCIPLES AND PRACTICE





A forecast is an estimate of the probabilities of possible futures.


A forecast is an estimate of the probabilities of possible futures.

















A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.



A forecast is an estimate of the probabilities of possible futures.





# Statistical forecasting

- Thing to be forecast: a random variable,  $y_t$ .
- Forecast distribution: If  $\mathcal{I}$  is all observations, then  $y_t|\mathcal{I}$  means "the random variable  $y_t$  given what we know in  $\mathcal{I}$ .
- The "point forecast" is the mean (or median) of  $y_t | \mathcal{I}$
- The "forecast variance" is  $var[y_t|\mathcal{I}]$
- A prediction interval or "interval forecast" is a range of values of  $y_t$  with high probability.
- With time series,  $y_{t|t-1} = y_t | \{y_1, y_2, \dots, y_{t-1}\}.$
- $\hat{y}_{T+h|T} = E[y_{T+h}|y_1, \dots, y_T]$  (an *h*-step forecast taking account of all observations up to time *T*).