

2. Time series graphics

2.3 Time series patterns

OTexts.org/fpp3/

Rob J Hyndman
George Athanasopoulos

FORECASTING

PRINCIPLES AND PRACTICE

A comprehensive introduction to the latest forecasting methods using R. Learn to improve your forecast accuracy using dozens of real data examples.



3RD EDITION

oTexts
OPEN TEXTS FOR PRACTICE

Time series patterns

Trend pattern exists when there is a long-term increase or decrease in the data.

Seasonal pattern exists when a series is influenced by seasonal factors (e.g., the quarter of the year, the month, or day of the week).

Cyclic pattern exists when data exhibit rises and falls that are *not of fixed period* (duration usually of at least 2 years).


Time series components

Differences between seasonal and cyclic patterns:

- seasonal pattern constant length; cyclic pattern variable length
- average length of cycle longer than length of seasonal pattern
- magnitude of cycle more variable than magnitude of seasonal pattern


Time series patterns

```
aus_production |>  
  filter(year(Quarter) >= 1980) |>  
  autoplot(Electricity) +  
  labs(y = "GWh", title = "Australian electricity production")
```




Time series patterns

```
aus_production |>  
  autoplot(Bricks) +  
  labs(y = "million units", title = "Australian clay brick production")
```




Time series patterns

```
us_employment |>  
  filter(Title == "Retail Trade", year(Month) >= 1980) |>  
  autoplot(Employed / 1e3) +  
  labs(y = "Million people", title = "Retail employment, USA")
```




Time series patterns

```
gafa_stock |>  
  filter(Symbol == "AMZN", year(Date) >= 2018) |>  
  autoplot(Close) +  
  labs(y = "$US", title = "Amazon closing stock price")
```



Time series patterns

```
pelt |>  
  autoplot(Lynx) +  
  labs(y = "Number trapped", title = "Annual Canadian Lynx Trappings")
```



Seasonal or cyclic?

Differences between seasonal and cyclic patterns:

- seasonal pattern constant length; cyclic pattern variable length
- average length of cycle longer than length of seasonal pattern
- magnitude of cycle more variable than magnitude of seasonal pattern

Seasonal or cyclic?

Differences between seasonal and cyclic patterns:

- seasonal pattern constant length; cyclic pattern variable length
- average length of cycle longer than length of seasonal pattern
- magnitude of cycle more variable than magnitude of seasonal pattern

The timing of peaks and troughs is predictable with seasonal data, but unpredictable in the long term with cyclic data.