Open Sales

API Documentation

API Documentation

Version History:

Date of revision	Ver.	Author	Description of change & Reason for change	Reviewed On	Reviewed By	Approved By
15-04-24	V1.0	Sangeetha	Initial release	15-04-24	Raghu Badde	N.A.
15-11-24	V2.0	Sangeetha	Added Run time combo info	15-11-24	Swetha	
25-11-24	V3.0	Sangeetha	Added Modifiers info,Forex Details and Tender Code,	25-11-24	Raghu Pulla	
06-11-24	V4.0	Sangeetha	Added Card Details			
20-08-25	V5.0	Sangeetha	1) Removed tax calculation for Complimentary bills 2) Terminal ID will now reflect both terminal number and serial number 3) Bill Sync Date 4) Remarks for Complimentary Bills			

			5) Return Amount Redundancy Fixed 6) Charges info			

Table of Contents

1 Introduction: 5
1.1 Objective: 5
1.2 Scope: 5
2 Communicating with Nukkad Shops API 5
3 Sales and Inventory Integration - Open API's 6
3.1 Get Sales With Items 6
3.1.1 Data Parameters 6
3.1.2 Data Parameters with Values 10
3.1.3 Description of keys - Request Parameters 20
3.1.4 Description of keys - Response Parameters 21

1 Introduction:

This API's Document will enable third parties to integrate with Nukkad Shops POS systems via API's with their existing / new software / websites. This document assumes familiarity with web services in general, and with the programming language you will be using.

This document provides detailed information on how to integrate the Nukkad Shops Cloud system with the Client server System.

1.1 Objective:

The objective of the document is to define and describe API integration methodology between Client server and Nukkad Shops sales application POS cloud server system

1.2 Scope:

The scope of the document is to define and describe the following action points and outcomes at the end of the project completion:

- Gather and organize the requirement of the client integrations
- Develop the APIs for integration based on the requirement as outlined by clients.
- Install and test the APIs.

2 Communicating with Nukkad Shops API

- All Api's from client should be invoked with an API Token (again embedded in HTTP request as custom header X-Nukkad-API-Token) generated by Nukkad Shops and shared with client

baseurl = ***https://integrations.fnb.posifly.in/v1/***

3 Sales and Inventory Integration - Open API's

No.	Product	Feature	API name
1	F&B	Sales	GetSaleswithItem API

3.1 Get Sales With Items

This API will be used to get sales between dates or all sales. Below are the sample request and response formats. If dateTime and from/to are sent together then only dateTime will be considered. So if dateTime is sent then from/to are not considered and if dateTime is not sent then from/to will be considered. If none is sent then bills will be sent from starting.

URL: {{baseurl}}sales/getSalesWithItems

3.1.1 Data Parameters

Request	Response

{
"cin" : "Store identification number",
"from" : Unix timestamp,
"to" : Unix timestamp,
"pageNo" : Page number ,
}
	{
	"response" : true/false,
	"statusCode" : 200/400…,
	"message" : "message",
	"data" : {
	"ndcin": "Store Id",
	"billNo": "Bill Number",

	"tenantId": "Store Tenant ID", “billRefNo": "Bill Reference Number" "staffId": "Cashier ID", “staffName": "Cashier Name", "terminalName": "Store Terminal Number", "billType": "Bill Mode", "syncDateTime": "Bill Sync date & time", "billDate": "Bill Date", "billTime": "Bill Time", "tblName": "Table Name", "tblCode": "Table Code", "tokenNum": Token Number, "tempBillNum": "Temporary bill Numer", "waiterName": "Waiter Name", "consumerName": "End Consumer Name", "consumerMobile": "End Consumer Mobile Number", "isComplementary": "Complementary Bill or Not", "paxCnt": Pax count, "status": "Bill Status", "dealData": [{ "Deal No": "Combo Deal ID", "Deal Name": "Combo Deal Name", "Deal Total Amount": Total Amount of Combo Deal, "Tax Amount": [{ "category": "GST/VAT", "type": Percentage /Flat, "tax": "Tax Percentage", "taxableAmt": Taxable AMount, "taxAmt": Tax amount, "cgst": CGST Amount, "sgst": SGST Amount, "igst": IGST AMount, "ugst": UGST Amount,

	}
	],
	"Deal Items": [
	{
	"combo_id": Tagged Item Id under the Run time combo,
	"combo_name": "Tagged Item Name under the Run time combo",
	"item_id": Menu Item Code,
	"name": "Menu Item Name",
	"brand": "Brand Name",
	"item_code": "Menu Product code",
	"hsn_code": "HSN code",
	"price": Sale Price,
	"txbl_amt": Taxable Amount,
	"tax_amt": Tax amount,
	"tax": Tax Percentage,
	"vat": VAT Amount,
	"variant_id":Variant Id,
	"uom": "Unit of Measurement",
	"cat_id": Category Id,
	"amt": Total Amount,
	"bill_date": "Bill Date",
	"subcat_id": Sub category Id,
	"consume_type": Department Name,
	"disc_amt": DIscount amount
	},
	],
	"modifierInfo": [
	{
	"name": "Modifier Item Name",
	"itemCode": Item code,
	"qty": Modifier Qty,
	"price":Selling Price
	},
	],
	"billAmt": Total Bill Amount,
	"discAmt": Total Bill Discount AMount,

	"returnAmt": Returned Amount,
	"netSale": Payable amount - Tax amount,
	"tipAmt": Tip amount,
	"payModes": [
	{
	"mode": "Tender Type",
	"amt": Paid Amount,
	“code”:”Tender Code”,
	“cnvRate”:Exchange Rate,
	“currency”:Paid Foreign currency,
	"cardNo": "Card Number",
	"approvalCode": "Authentication code",
	"returnAmt": Return amount,
	}
	],
	"taxBreakup": [
	{
	"category": "GST/VAT",
	"type": Percentage /Flat,
	"tax": "Tax Percentage",
	"taxableAmt": Taxable AMount,
	"taxAmt": Tax amount,
	"cgst": CGST Amount,
	"sgst": SGST Amount,
	"igst": IGST AMount,
	"ugst": UGST Amount,
	}
	],
	"cancelDate": "Bill Cancel date",
	"cancelTime": "Bill Cancel Time",
	"voidReason": "",
	"charges": [],
	"complementaryRemarks": ""

	},

3.1.2 Data Parameters with Values

Request	Response

{
“cin” : “NSCINTEST5”,
“from” : Unix timestamp,
“to” : Unix timestamp,
“pageNo” : Page number ,
}
	{
	"response": true,
	"statusCode": 200,
	"message": "Api request success",
	"data": {
	"pageCount": 1,
	"pageNo": 1,
	"bills": [
	{
	"ndcin": "NDCIN1280",
	"billNo": "A/2526/025",
	"billRefNo": "",
	"tenantId": "",
	"staffId": "",
	"staffName": "",
	"terminalName": "POS 1-",
	"billType": "Dine In",
	"syncDateTime": "2025-08-06 16:27:32",
	"billDate": "2025-08-06",
	"billTime": "16:27:14",
	"tblName": "T1",

```
"tblCode": 0,
"tokenNum": 0,
"tempBillNum": "",
"cashierName": "Testing",
"waiterName": "",
"consumerName": "",
"consumerMobile": "",
"consumerCode": "",
"isComplementary": "Yes",
"paxCnt": 0,
"status": "Completed",
"dealData": [
  {
    "Deal No": "76767687",
    "Deal Name": "fruite combo",
    "Price": 300,
    "Deal Total Amount": 0,
    "dealDiscount": 600,
    "dealQty": 2,
    "Tax Amount": [],
    "Deal Items": [
      {
        "combo_id": 13254,
        "combo_name": "moosambi",
        "item_id": 11727,
        "name": "moosambi",
        "brand": "Fruite",
```

"item_code": "98765430",
"hsn_code": "9888888",
"price": 88.18,
"itemQty": 2,
"txbl_amt": 0,
"tax_amt": 0,
"tax": 5,
"vat": 0,
"variant_id": 13254,
"uom": "1 Kg",
"cat_id": 2936,
"amt": 0,
"bill_date": "2025-08-06 16:27:14",
"subcat_id": null,
"consume_type": 1,
"disc_amt": 0
},
{
"combo_id": 13268,
"combo_name": "promegranate",
"item_id": 11743,
"name": "promegranate",
"brand": "fruite",
"item_code": "23456789",
"hsn_code": "98877887",

"price": 109.09,
"itemQty": 2,
"txbl_amt": 0,
"tax_amt": 0,
"tax": 0,
"vat": 0,
"variant_id": 13268,
"uom": "1 kg",
"cat_id": 2926,
"amt": 0,
"bill_date": "2025-08-06 16:27:14",
"subcat_id": null,
"consume_type": 1,
"disc_amt": 0
},
{
"combo_id": 13269,
"combo_name": "apple",
"item_id": 11744,
"name": "apple",
"brand": "fruite",
"item_code": "75167565",
"hsn_code": "7767877878",
"price": 122.72999999999999,
"itemQty": 2,
"txbl_amt": 0,

```
                "tax_amt": 0,
                "tax": 5,
                "vat": 0,
                "variant_id": 13269,
                "uom": "1 kg",
                "cat_id": 2931,
                "amt": 0,
                "bill_date": "2025-08-06
16:27:14",
                "subcat_id": null,
                "consume_type": 1,
                "disc_amt": 0
            }
        ]
    }
],
"items": [
    {
        "name": "dum biryani",
        "brand": "velvet",
        "category": "Biryani",
        "subcategory": "Biryani",
        "consumeType": "Miscellaneous",
        "itemCode": "98058817",
        "DealCode": "",
        "hsnCode": "987394",
        "uom": "1 kg",
```

```
            "qty": 1,
            "isComplementary": "No",
            "price": 1700,
            "discount": 1700,
            "totAmt": 0,
            "offerName": "",
            "offerDesc": "",
            "offerType": "",
            "offerDiscount": 0,
            "taxType": "Exclusive",
            "tax": 0,
            "vat": 0,
            "taxBreakup": [],
            "modifierInfo": []
        },
        {
            "name": "large4(25+)",
            "brand": "",
            "category": "Mocktail",
            "subcategory": "",
            "consumeType": "Miscellaneous",
            "itemCode": "MMC00051",
            "DealCode": "",
            "hsnCode": "",
            "uom": "1 kg",
            "qty": 1,
            "isComplementary": "No",
```

```
        "price": 250,
        "discount": 250,
        "totAmt": 0,
        "offerName": "",
        "offerDesc": "",
        "offerType": "",
        "offerDiscount": 0,
        "taxType": "Inclusive",
        "tax": 0,
        "vat": 0,
        "taxBreakup": [],
        "modifierInfo": []
    },
    {
        "name": "waffle",
        "brand": "",
        "category": "Waffles",
        "subcategory": "",
        "consumeType": "Veg",
        "itemCode": "MMC00003",
        "DealCode": "",
        "hsnCode": "",
        "uom": "1 waff",
        "qty": 1,
        "isComplementary": "No",
        "price": 130,
        "discount": 130,
```

```
            "totAmt": 0,
            "offerName": "",
            "offerDesc": "",
            "offerType": "",
            "offerDiscount": 0,
            "taxType": "Exclusive",
            "tax": 0,
            "vat": 0,
            "taxBreakup": [],
            "modifierInfo": []
        },
        {
            "name": "medium(7-20 kg)",
            "brand": "",
            "category": "Mocktail",
            "subcategory": "",
            "consumeType": "Miscellaneous",
            "itemCode": "MMC00050",
            "DealCode": "",
            "hsnCode": "",
            "uom": "1 kg",
            "qty": 1,
            "isComplementary": "No",
            "price": 150,
            "discount": 150,
            "totAmt": 0,
            "offerName": "",
```

```
"offerDesc": "",
"offerType": "",
"offerDiscount": 0,
"taxType": "Inclusive",
"tax": 0,
"vat": 0,
"taxBreakup": [],
"modifierInfo": []
},
{
"name": "fruite combo",
"brand": "combo",
"category": "Combo",
"subcategory": "Deal",
"consumeType": "Veg",
"itemCode": "",
"DealCode": "76767687",
"hsnCode": "2342233331",
"uom": "1 Packet",
"qty": 2,
"isComplementary": "No",
"price": 300,
"discount": 600,
"totAmt": 0,
"offerName": "",
"offerDesc": "",
"offerType": "",
```

```
            "offerDiscount": 0,
            "taxType": "Exclusive",
            "tax": 0,
            "vat": 0,
            "taxBreakup": [],
            "modifierInfo": []
        }
    ],
    "billAmt": 0,
    "discAmt": 2830,
    "returnAmt": 0,
    "netSale": 0,
    "actualBillAmt": 2830,
    "offerName": "",
    "offerDesc": "",
    "offerType": "",
    "offerDiscount": 0,
    "tipAmt": 0,
    "payModes": [
        {
            "mode": "Comple",
            "code": 0,
            "amt": 0,
            "cnvRate": 0,
            "currency": 0,
            "returnAmt": 0
        }
```

```
            ],
            "taxBreakup": [],
            "cancelDate": "",
            "cancelTime": "",
            "voidReason": "",
            "charges": [
                {
                    "chargeName": "Service
charge(5%)",
                    "amount": 11
                },
                {
                    "chargeName": "Delivery Charges",
                    "amount": 50
                }
            ],
            "complementaryRemarks": ""
        }
    ]
  }
}
```


3.1.3 Description of keys - Request Parameters

Key/Parameters	Data Type	Description

cin	String	Identification number of the store which can be found in Nukkad Shops Dino app. It is mandatory.
dateTime	timestamp	Latest date and time which you will get in bill details. By using this you will get data updates. This is optional. If you are not passing this then you will get the bill from starting.
from	Int	Unix timestamp of date and time from which you want to retrieve bills. This is optional.
to	Int	Unix timestamp of date and time till which you want to retrieve bills. This is optional.
pageNo	Int	Page number. Default is 1. This is optional. Every page will give you a maximum of 100 bills.

3.1.4 Description of keys - Response Parameters

billNo	String	Bill number
billRefNo	string	If any bill is refunded this key provides the reference to the original punched bill.

tenantId	String	Store Tenant ID
staffId	String	Cashier ID-This field gives information on who has punched the bill
staffName	string	Cashier Name -This field gives the staff name who punched the bill
billType	String	Type of bill. Possible values are Dine In, Takeaway and Delivery
syncDateTime	String	BIll Sync date and time
billDate	String	Billed Date in the format of yyyy-mm-dd
billTime	String	Billed Time in the format of HH:ii:ss
tblName	String	Table Name
tokenNum	String	Token Number
tempBillNum	string	Temporary Bill Number
waiterName	string	Waiter Name
consumerName	string	Consumer Name
consumerMobile	string	Consumer Mobile
isComplementary	string	Is a Complementary Bill. possible values are Yes/No
paxCnt	int	Consumers Count

status	string	Bill Status. Possible Values are Completed / Printed / Pending / Cancelled
Deal Name	string	Run time Combo Item name
Deal No	string	Run time Combo Item unique code
combo_name	String	Tagged Item Name under the Run time combo
combo_id	string	Tagged Item code under the Run time combo
items	Array of Objects	Array of objects with items information as described below
name	string	Name of the Product
brand	string	Brand Name
category	string	Category Name
subcategory	string	Subcategory Name
itemCode	string	ItemCode
hsnCode	string	HSN Code
Deal Code	string	Tagged Run Time Combo ID
uom	string	Unit of Measurement. Values like are KG,PC,PKT and etc
qty	float	No.of products sold

price	float	Selling Price
totAmt	float	Total Amount (qty*price)
taxType	string	GST Type. possible values are Inclusive / Exclusive
tax	float	TAX Percentage
vat	float	VAT Percentage
taxBreakup	Array of Objects	Array of objects with tax details
category	string	TAX Types. Possible values like GST / VAT
tax	float	Tax percentage
taxableAmt	float	Taxable Amount
taxAmt	float	Tax Amount
cgst	float	CGST Amount. Applicable for only GST Type
sgst	float	SGST Amount. Applicable for only GST Type
igst	float	IGST Amount. Applicable for only GST Type
ugst	float	UGST Amount. Applicable for only GST

		Type
modifierInfo	Array of Objects	Array of objects with Modifier Name ,Item Code , Qty and Price
name	string	Modifier Item Name
qty	float	Qty
price	float	Selling price
billAmt	float	Net Sale Amount in rupees.
discAmt	float	Discount Amount in rupees.
returnAmt	float	Return Amount in rupees.
netSale	float	Net sales amount in rupees.
tipAmt	float	Tip amount in rupees.
payModes	Array of Objects	Array of objects with tax information of mode and amt
mode	string	Mode of Payments. Possible values are Cash/Card etc.
code	Integer	Each Tender has a unique cod number. Tender Codes (1,2,3,4,5…)
amt	float	Amount

cnvRate	Float	Conversion Rate Foreign Currency to INR
currency	Float	Paid currency Value
cardNo	string	Card last 4 digits
approvalCode	string	Card authentication code
taxBreakup	Array of Objects	Array of objects with tax details
category	string	TAX Types. Possible values like GST / VAT
tax	float	Tax percentage
taxableAmt	float	Taxable Amount
taxAmt	float	Tax Amount
cgst	float	CGST Amount. Applicable for only GST Type
sgst	float	SGST Amount. Applicable for only GST Type
igst	float	IGST Amount. Applicable for only GST Type
ugst	float	UGST Amount. Applicable for only GST Type

cancelDate	string	Cancel Date in the format of yyyy-mm-dd. Only for cancel bills
cancelTime	string	Cancel Time in the format of HH:ii:ss. Only for cancel bills
voidReason	string	A reason for making a bill void
dealQty	int	Sold quantity of the deal.
itemQty	int	It describes total sale qty i.e., (itemQty = dealQty * item qty).
charges	Array of Objects	Service Charges Information
complementaryRemarks	String	Complementary remarks