Open Sales

API Documentation

Version History:

Date of revision	Ver.	Author	Description of change & Reason for change	Reviewed On	Reviewed By	Approved By
15-04-24	v1.0	Sangeetha	Initial release	15-04-24	Raghu Badde	N.A.
20-08-24	v2.0	Sangeetha	Added Item wise Tax details	20-08-24	Raghu Badde	
29-10-24	v3.0	Sangeetha	Added Offers details	29-10-24	Raghu Pulla	
25-11-24	v4.0	Sangeetha	Added Batch info, Forex details, Tenant ID and Tender code.	25-11-24		

Table of Contents

1 Introduction: **4**
1.1 Objective: 4
1.2 Scope: 4
2 Communicating with Nukkad Shops API **4**
3 Sales Integration - Open API's **5**
3.1 Get Sales With Item 5
3.1.1 Data Parameters 5
3.1.2 Data Parameters with Values 11
3.1.3 Description of Keys - Request Parameters 17
3.1.4 Description of Keys - Response Parameters 17

1 Introduction:

This API's Document will enable third parties to integrate with Nukkad Shops POS systems via API's with their existing / new software / websites. This document assumes familiarity with web services in general, and with the programming language you will be using.

This document provides detailed information on how to integrate the Nukkad Shops Cloud system with the Client server System.

1.1 Objective:

The objective of the document is to define and describe API integration methodology between Client server and Nukkad Shops sales application POS cloud server system

1.2 Scope:

The scope of the document is to define and describe the following action points and outcomes at the end of the project completion:

- Gather and organize the requirement of the client integrations
- Develop the APIs for integration based on the requirement as outlined by clients.
- Install and test the APIs.

2 Communicating with Nukkad Shops API

- All Api's from client should be invoked with an API Token (again embedded in HTTP request as custom header X-Nukkad-API-Token) generated by Nukkad Shops and shared with client

baseurl = ***https://openapis.nukkadshops.com/v1***

3 Sales Integration - Open API's

No.	Product	Feature	API name
1	Retail	Sales	GetSaleswithItem API

3.1 Get Sales With Item

This API will be used to get sales between dates or all sales with item information. Below are the sample request and response formats. If from/to are sent together then only date range filters will be considered. If none is sent then bills will be sent from starting.

URL: ***{{baseurl}}/sales/getSalesWithItems***

3.1.1 Data Parameters

Request	Response

{
"cin" : "Store identification number",
"from" : Unix timestamp,
"to" : Unix timestamp,
"pageNo" : Page number ,
}
	{
	"response": true/false,
	"status_code": 200/400….,
	"message": "message",
	"data": {
	"bills": [
	{
	"nscin": "Store Id",

	“tenantId”:”Store Tenant ID“, "billNo": "Bill Number", "consumerName": "Customer Name", "consumerMobile": "Customer Mobile Number", "billType": "Bill Type", "billSource": "Billed From", "billDate": "Bill Date in YYYY-mm-dd", "billTime": "Bill Time in HH:ii:ss", "items": [{ "id": "Item Id", "name": "Item name", "brand": "Item Brand Name", "category": "Item Category Name", "subcategory": "Sub Category Name", "productCode": "Product Code", "skuCode": "SKU code", "hsnCode": "HSN Code", "barcode": "Barcode",

	"pluNumber": "PLU Number", “batchNumber”:”Item Batch Number”, “expirydate”:”Item Expiry Date”, "uom": "Unit Of Measurement", "uomValue": Unit Weight, "qty": Item sold Qty, "sp": Sale Price, "netSP": SP Exclusive Tax , "mrp": Item MRP "discount": Item Discount Amount, "discountPer": Item Discount Percentage, "taxType": "VAT/GST", "tax": GST Tax Percentage, "vat": VAT Tax Percentage, "cess": Cess Value, "cessOn": "On Taxable Amount", "cessType": "Percentage/Flat", "additionalCess": [Type : “Percentage /Flat “,Value : “additional Cess value”], "taxBreakUp": [

	{
	"type": "VAT",
	"tax":Tax Percentage,
	"taxableAmt": Taxable Amount,
	"taxAmt": Tax amount
	},
	{
	"type": "GST",
	"tax": Tax Percentage,
	"taxableAmt": Taxable Amount,
	"taxAmt": Tax amount,
	"cgst": CGST Tax amount,
	"sgst": SGST Tax amount,
	"igst": IGDT Tax amount,
	"ugst": UGST Tax amount
	}
	],
	"offerName": "Item Level Offer Name",
	"offerDesc": "Item Level Offer Description",

	"offerType": "Item Level Offer Type",
	
	"offerDiscount": Item Level Offer Discount amount
	
	}
	
	],
	
	"saleAmt": Total Amount,
	
	"roundingAmnt": Round off amount,
	
	"discAmt": Additional Discount amount,
	
	"totalDiscAmt": Sum of Item Discount and Additional DIscount Amount,
	
	"totalDiscPercent":Total Discount percentage ,
	
	"netSaleAmt": Payable AMount,
	
	"exclusiveAmnt": Payable Amount - (Total Tax amount +rounding amount),
	
	"taxAmnt": Bill Total Tax amount,
	
	"taxBreakup": [
	
	{
	
	"type": "GST",
	
	"tax": Tax Percentage,
	
	"taxableAmt": Taxable Amount,
	
	"taxAmt": Tax amount,

	"cgst": CGST Tax amount,
	"sgst": SGST Tax amount,
	"igst": IGDT Tax amount,
	"ugst": UGST Tax amount
	},
	{
	"type": "VAT",
	"tax":Tax Percentage,
	"taxableAmt": Taxable Amount,
	"taxAmt": Tax amount
	}
	],
	"payModes": [
	{
	"mode": "Tender Mode",
	“code”:”Tender Code”,
	"amt": Paid Amount,
	“cnvRate”:Exchange Rate,
	“currency”:paid Foreign Currency value
	},

	], "terminalNo": "POS Terminal Number", "offerName": "Bill Level Offer Name", "offerDesc": "Bill Level Offer Description", "offerType": "Bill Level Offer Type", "offerDiscount": Bill Level Offer Discount Amount }] } }

3.1.2 Data Parameters with Values

Request	Response

{
“cin” : “NSCINTEST5”,
“from” : Unix timestamp,
“to” : Unix timestamp,
“pageNo” : Page number ,
}
	{
	"response": true,
	"status_code": 200,
	"message": "Api request success",
	"data": {
	"bills": [

{

"nscin": "NSCINTEST5",

“tenantId”:” “,

"billNo": "ACF/2425/001",

"consumerName": "Sangeetha",

"consumerMobile": "7889988888",

"billType": "Sale",

"billSource": "",

"billDate": "2024-10-28",

"billTime": "15:05:05",

"items": [

{

"id": "670fafea07d695662c4ce0b2",

"name": "AppleTest",

"brand": "APPLE",

"category": "Miscellaneous",

"subcategory": "Miscellaneous",

"productCode": "123456",

"skuCode": "",

"hsnCode": "",

	"barcode": "8901030713880", "pluNumber": "PLU0001", “batchNumber”:”B123”, “expirydate”:”2024-12-31”, "uom": "pc", "uomValue": 1, "qty": 5, "sp": 31.5, "netSP": 31.5, "mrp": 35, "discount": 17.5, "discountPer": 10, "taxType": "VAT", "tax": 0, "vat": 0, "cess": 0, "cessOn": "On Base Amount", "cessType": "Percentage", "additionalCess": [], "taxBreakUp": [

```
            {
                "type": "VAT",
                "tax": 0,
                "taxableAmt": 157.5,
                "taxAmt": 0
            },
            {
                "type": "GST",
                "tax": 0,
                "taxableAmt": 157.5,
                "taxAmt": 0,
                "cgst": 0,
                "sgst": 0,
                "igst": 0,
                "ugst": 0
            }
        ],
        "offerName": "BOGD",
        "offerDesc": "BOGD",
        "offerType": "Buy One Get Discount",
```

"offerDiscount": 17.5
}
],
"saleAmt": 157.5,
"roundingAmnt": 0.5,
"discAmt": 0,
"totalDiscAmt": 17.5,
"totalDiscPercent": 10,
"netSaleAmt": 57.5,
"exclusiveAmnt": 57,
"taxAmnt": 0,
"taxBreakup": [
{
"type": "GST",
"tax": 0,
"taxableAmt": 157.5,
"taxAmt": 0,
"cgst": 0,
"sgst": 0,
"igst": 0,

```
            "ugst": 0
        },
        {
            "type": "VAT",
            "tax": 0,
            "taxableAmt": 157.5,
            "taxAmt": 0
        }
    ],
    "payModes": [
        {
            "mode": "Cash-AUD",
             “code”: 11,
            "amt": 58,
            “cnvRate”:54.92,
            “currency”:2
        },
        {
            "mode": "Return Amount",
            "amt": 51.84
```

```
                }
            ],
            "terminalNo": "POS760",
            "offerName": "DOB",
            "offerDesc": "DOB",
            "offerType": "Discount On Bill",
            "offerDiscount": 100
        }
    ]
  }
}
```


3.1.3 Description of Keys - Request Parameters

Key / Parameters	Data Type	Description	Mandatory
cin	string	Identification number of the store which can be found in Nukkad Shops Retail app.	Yes
from	Int	Unix timestamp of date and time from which you want to retrieve bills	No

to	Int	Unix timestamp of date and time till which you want to retrieve bills	No
pageNo	Int	Page number. Every page will give you a maximum of 100 bills. Default is 1.	No

3.1.4 Description of Keys - Response Parameters

Key / Parameters	**Data Type**	**Description**
nscin	string	Identification number of the store which can be found in Nukkad Shops Retail app.
tenantId	String	Store Tenant ID
billNo	string	Bill Number
consumerName	string	End Consumer Name
consumerMobile	Int	End Consumer Mobile Number
billType	string	Type of bill. Possible values are Sale, Cancel
billSource	string	Source of the bill happened. Possible values are POS, MPOS
billDate	string	Billed Date in the format of yyyy-mm-dd
billTime	string	Billed Time in the format of HH:ii:ss
Items	Array of Objects	Array of objects with items information as described below

id	string	Item Unique Id . It is generated by Nukkadshops software
name	string	Name of Product
brand	string	Product Brand Name
category	string	Product Category Name
subcategory	string	Product Sub Category Name
productCode	string	Product Code
skuCode	string	SKU Code
hsnCode	string	HSN Code
barcode	string	Barcode
pluNumber	string	PLU ID
batchNumber	string	Item Batch Number
expirydate	string	Item Exiry Date
uom	string	Unit of Measurement. Values like are KG,PC,PKT and etc
uomValue	Float	UOM Value. Like 1, 2, … etc
qty	Float	No.Of Sold Qty
sp	Float	Selling Price(Incl Tax)
netSP	Float	Selling Price Exclusive Tax
mrp	Float	MRP of Item
discount	Float	Item Discount AMount (Formula : MRP - SP)

discountPer	Float	Item Discount Percentage
taxType	Integer	Tax Type. possible values are 'CGST + SGST', 'CGST + UGST/UTGST', 'IGST', 'VAT'
tax	Float	Tax percentage
cess	Float	Cess Value
cessOn	Integer	CESS Applied On. possible values are On Base Amount / On Tax Amount / On Total Amount
cessType	Integer	Cess Value Type . Possible values are Percentage / Amount
additionalCess	Array of objects	Additional CESS Information (Addl Cess value and Type)
taxBreakUp	Array of object	Item Level -Array of objects with tax details Objects
type	string	Item Level - Tax Type - ”GST/VAT”
tax	Float	Item Level - Tax Percentage
taxableAmt	Float	Item Level - Taxable Amount
taxAmt	Float	Item Level - Tax AMount
cgst	Float	Item Level - CGST Amount
sgst	Float	Item Level - SGST Amount
igst	Float	Item Level - IGST Amount
ugst	Float	Item Level - UGST Amount
offerName	string	On SKU - Offer Name

offerDesc	string	On SKU - Offer Description
offerType	string	On SKU - Offer Type Name . Like : BuyOneGetOne, BuyOneGetDiscount , ItemDiscount…etc
offerDiscount	Float	On SKU - Offer discount amount
saleAmt	Float	Total Bill Amount (Gross Value)
roundingAmnt	Float	Total Round Off amount
discAmt	Float	Additional Discount amount
totalDiscAmt	Float	Item Discount Amount + Additional Discount amount
totalDiscPercent	Float	Total Item + Bill discount percentage
netSaleAmt	Float	Payable Amount (Inclusive Tax)
exclusiveAmnt	Float	Payable Amount - (Total Tax amount +rounding amount)
taxAmnt	Float	Total Bill Tax amount
taxBreakUp	Array of Objects	Array of objects with tax details Objects
type	string	Bill Level - Tax Type - ”GST/VAT”
tax	Float	Bil Level - Tax Percentage
taxableAmt	Float	Bill Level - Taxable Amount
taxAmt	Float	Bill Level - Tax AMount
cgst	Float	Bill Level - CGST Amount
sgst	Float	Bill Level - SGST Amount

igst	Float	Bill Level - IGST Amount
ugst	Float	Bill Level - UGST Amount
payModes	Array of objects	Array of objects with tax information of mode and amt Objects
mode	string	Tender Type (like : Cash- INR , CASH -USD…)
code	Integer	Each Tender has a unique cod number. Tender Codes (1,2,3,4,5…)
amt	Float	Paid Amount (Rupees)
cnvRate	Float	Conversion Rate Foreign Currency to INR
currency	Float	Paid currency Value
terminalNo	string	Terminal Number (POS 1, POS 2….)
offerName	string	On Bill - Offer Name
offerDesc	string	On Bill - Offer Description
offerType	string	On Bill - Offer Type Name . Like : Discount On Billl
offerDiscount	Float	On Bill - Offer discount amount