

THE STACK

Third-Party Tools & Services

Every external service the Deal Command Center platform depends on — what each one does, where it lives in the code, and what we've retired along the way.

FundLocators LLC · Internal reference
Prepared from a full codebase inventory

AT A GLANCE

Overview

The Deal Command Center runs on a tight set of external services — roughly fourteen active dependencies, organized below by what they do. Just about every external API call is gated behind a Supabase edge function, so secrets stay server-side. The only third-party URLs the browser touches directly are Google Fonts, the JS CDNs, and Supabase itself.

Active services: 15 · **Retired:** 7

01 / INFRASTRUCTURE

Infrastructure & Hosting

GitHub

Source control for the deal-command-center, ohio-intel, and refundlocators-next repos. Powers auto-deploy via GitHub Pages and CI rebuilds through GitHub Actions.

github.com

GitHub Pages

Production hosting for the DCC team app + client / attorney / partner / investor portals. Any push to main goes live in ~30 seconds.

app.refundlocators.com

Vercel

Hosts the public refundlocators.com marketing site (separate Next.js repo). Holds the NEXT_PUBLIC_LAUREN_DISABLED env var that gates the public chat widget.

vercel.com

Cloudflare

DNS for refundlocators.com and defenderha.com. Manages DKIM records for outbound email and proxies the apex CNAME to the Pages marketing site.

cloudflare.com

02 / BACKEND

Database & Backend

Supabase

The entire backend. Postgres database with 4-tier row-level security, magic-link auth, realtime WebSocket sync, storage (deal-docs bucket), Vault for secrets, and Edge Functions runtime (Deno). Project ID: rcfaashkfpurkvtmsmeb.

supabase.com

03 / ARTIFICIAL INTELLIGENCE

AI

Anthropic Claude API

The AI layer across the platform. Powers document OCR (Claude Vision), case summary generation, listing copy, outreach drafting, the morning sweep digest, the Monday memo, and the entire Lauren assistant family (chat, internal, event router, EOD polish, team respond, recording summary). Key: ANTHROPIC_API_KEY.

anthropic.com

04 / EMAIL

Email

Resend

All transactional outbound email — magic-link auth, morning sweep digest, docket notifications, Monday memo, claim / intake / offer alerts. Sender: hello@refundlocators.com (DKIM-verified). Key: resend_api_key in Supabase Vault.

resend.com

Google Workspace (Gmail)

Company inbox at @fundlocators.com. The gmail-sync edge function uses domain-wide delegation to pull the last 7 days of mail for Justin and Nathan, summarizes it with Claude, and feeds it into the Monday memo.

workspace.google.com

05 / VOICE & MESSAGING

SMS, Voice & Communication

Nathan's iPhone via mac_bridge

Primary outbound SMS + iMessage gateway. A Node daemon on the Defender Mini polls Supabase for queued messages and sends them via AppleScript through Messages.app. Inbound is read from local SQLite chat.db every 5 seconds.

Mac Mini · com.refundlocators.bridge

Twilio

Inbound voice routing (active): handles incoming calls, recording, and status callbacks via the twilio-voice and twilio-voice-status edge functions. Outbound SMS is legacy fallback only — superseded by mac_bridge.

twilio.com

Fish Audio

Text-to-speech that generates the actual voicemail audio. The drop-rvm edge function sends a script + voice-clone reference ID to api.fish.audio/v1/tts, gets back an MP3, and uploads it to the rvm-audio Supabase storage bucket. Key: FISH_AUDIO_API_KEY.

fish.audio

Slybroadcast

Ringless voicemail delivery. Takes the Fish Audio MP3 from storage and drops it to the recipient's voicemail box. Posts to mobile-sphere.com/gateway/vmb.php; delivery status returns via the slybroadcast-callback edge function. Keys: SLYBROADCAST_USER, SLYBROADCAST_API_PASSWORD, SLYBROADCAST_CALLER_ID.

slybroadcast.com

06 / MEETINGS

Meetings & Productivity

Jitsi Meet

Ad-hoc video meeting rooms. Deep links generated client-side and embedded in the activity log. No API integration — just URL minting.

meet.jit.si

Granola

Meeting transcripts. The gmail-sync edge function pulls Granola summaries for the Monday memo context. Key: GRANOLA_API_KEY.

granola.so

07 / DOCUMENTS

E-Signature & Documents

DocuSign

Engagement template / e-signature integration. Template plumbing exists in `library_documents.docusign_template_id`, but the send flow is not yet wired into edge functions. Planned Phase 3 work.

docusign.com · planned

08 / BUILD & CDN

Build & CDN Assets

esbuild

Bundles `src/app.jsx` down to a ~670KB minified `app.js`. Runs locally via `npm run build` and in GitHub Actions when the source is stale.

esbuild.github.io

Google Fonts

Fraunces (display), Inter (body), DM Sans, DM Mono. Loaded by every portal page.

fonts.google.com

unpkg / jsDelivr

CDN delivery of React 18, ReactDOM, supabase-js, and heic2any (iPhone HEIC → JPEG conversion for uploads).

unpkg.com · cdn.jsdelivr.net

09 / SUNSET

Retired / Legacy

Services we used to depend on. The code paths may still exist for fallback or historical compatibility, but none of these are part of the active production flow.

GoHighLevel (GHL)

Retired April 22, 2026. Was the white-labeled CRM + automation platform that ran outreach before the migration. CSV importer still reads GHL exports for bulk lead upload; no live API integration.

Twilio Outbound SMS

Retired April 22, 2026. Replaced by Nathan's iPhone via mac_bridge. Code path kept in send-sms as a fallback for any non-bridge number.

AWS SES

Retired April 22, 2026. DNS records (MX send, TXT send with amazonses.com) deleted. Replaced by Resend.

Babel-Standalone (in-browser)

Retired April 26, 2026. Was transpiling JSX in the browser, which pushed cold loads to 10–15 seconds once the file passed the 500KB deopt threshold. Replaced by esbuild pre-build.

daily-digest-nathan (legacy pg cron)

Retired April 27, 2026. Replaced by the morning-sweep edge function. Migration 20260428000000_retire_daily_digest_nathan.sql removed the duplicate job.

Drop Cowboy

Retired May 5, 2026. Was the ringless voicemail provider. Replaced by the Fish Audio + Slybroadcast pipeline — Fish Audio for TTS, Slybroadcast for delivery. The drop-rvm edge function was rewritten in the same release.

Quo (formerly OpenPhone)

Retired. Was wired as an inbound webhook receiver for call events. The quo-webhook edge function has been removed from the codebase. Historical call_recordings rows retain quo_call_id values but no new ones are written.

Inventory generated from a full scan of supabase/functions/, src/app.jsx, every HTML entry point, the mac-bridge daemon, GitHub workflows, and project docs. No service is listed without evidence in the code.