

NEXT — running handoff log (append-only)

Sprint B — Track B (M1-M3) · branch `agent/abacus-sovereign-sprint-v4`

Milestones M1-M3 built, verified, committed and pushed. M4-M8 intentionally NOT started (separate later subtasks: A5 intake engine, A3 Intelligence section, A4 Wompi/GPS, A2 §3 Nostr binding).

M1 — Identity spine + rename · commit `a5f808f`

- Migration **026** (additive): `subject_id` on 26 domain tables + `users`, backfilled + indexed; `solaris_subjects.entity_type`; widened `solaris_identity_bindings.binding_type` CHECK to the full A2 set; `audit_logs.actor_subject_id` + `purpose` + `consent_scope`; re-backfilled subjects/email-bindings for users created since migration 023.
- `audit()` now records `purpose` + `consent_scope` + `actor_subject_id`.
- JWT carries `sub` = permanent Solaris `public_ref` (userId kept for compat).
- Domain writes (check-in) stamp `subject_id`.
- Rename sweep: “LUCA Passport” → “Digital Sovereign Passport” everywhere user-facing; admin “users” → “members”.
- Tests: `identity-spine.test.js` (+3). Backend 147/147, frontend 32/32.

M2 — Platform reliability · commit `a3ffff0`

- Structured LUCA JSON `{reply, suggestions:[{label,action,target}]}` with `JSON.parse` + graceful fallback, action from the typed A1 §5 enum — already in place from Sprint A; **added** rule-derived fallback chips (`buildTriggerSuggestions` in `luca-triggers.js`) so fallback suggestions come from fired A1 §6 rules first, then static defaults.
- Rule-based trigger engine in `buildContext` driving dashboard cards — verified.
- Widget + Coach share ONE persisted thread (`AppContext` + `sessionStorage`) — verified (Sprint A).
- Orientation grounding in `SYSTEM_PROMPT` (`ORIENTATION_PACK`) — verified.
- Idempotent seed + scoped `npm run seed:reset -- --email=<email>` that wipes only ONE member’s journey data and reseeds them (keeps everyone else); `seed / seed:reset` npm scripts now point at the canonical `seed_solaris.js`.

M3 — Member journey · commit `767d6f9`

- Role model (everyone a member; “Become a Practitioner” upgrade; existing practitioner accounts keep working) — verified in place.
- Passport hub actions (“Update my intake”, “Add health data”, “Book more tests” → Explore filtered to diagnostics) — verified in place.
- Daily check-in v2 (Mind/Body/Heart/Spirit sliders, rotating LUCA questions, weekly strip, habits, LOVE points + streaks, plus Sprint A sleep/water/meal) — verified in place.
- Explore “Curate for me” + curated rail — verified in place.

- Media player v2 (queue, seek, $\pm 15s$, playback speed, persistent mini-player, local file import) — verified in place (AudioProvider).
- Sign-out button bottom-left of the sidebar — verified in place.
- **NEW work (closing the cross-cutting invariant gap):** “Add health data” now stamps the four mandatory provenance columns on every shared fact.
- Migration **027** (additive): `provenance_level` (0–5 CHECK) , `source` , `observed_at` , `consent_scope` on `health_documents` (subject_id from 026); backfill + index.
- Backend `health-documents.js` : **de-identifies** the free text (emails, phones, long ID runs, the member’s own name/email) BEFORE the AI call; stamps `subject_id` + provenance; accepts level/source/observedAt/consentScope. A member self-note = L0/self; a marked lab result = L4/self (pending verification).
- `export.js` now serializes the provenance columns (vault roundtrip green).
- Frontend: data-type selector (Personal note L0 / Lab result L4) + observed date; `ProvenanceBadge` (L0–L5) on each shared document.
- Tests: `health-data-provenance.test.js` (+4).

Final verification

- Backend `npm test` **151/151** (20 suites); frontend `npx vitest run` **32/32**; `npm run build clean`; roundtrip `node tests/roundtrip.cjs` 9/9 structural assertions.
- `public/sw.js` cache bumped **solaris-v8** → **solaris-v9**.
- `docker compose build frontend backend` && `docker compose up -d` — all containers healthy; migrations current (“No migrations to run”); seed restored demo data.
- Live site <https://solaris-health.abacusai.cloud> returns 200; login/session works; zero console errors on dashboard; trigger-driven cards render; “Curate for me” present; “Sovereign Passport” branding. Provenance verified end-to-end via live API: L4 stamped, email scrubbed from LUCA summary.

Follow-ups / deferred

- M4–M8 not started by design (later subtasks).
- Provenance UI currently exposes L0 (note) and L4 (lab) self-submissions; L1–L3/L5 upgrade paths (observed/peer/institution/governed) arrive with the A3 Intelligence section (M5) and practitioner attestations.

Sprint C — Track B (M4–M5) · branch `agent/abacus-sovereign-sprint-v4`

M4 (A5 intake engine + messages inbox) and M5 (A3 Intelligence section, beta) built, verified, committed and pushed.

M4 — Messages inbox + intake engine · commit `c6e3efa`

- Part A: foundational intake captured through the engine, stamped at **L2** (peer-attested) + `subject_id`, summarized into LUCA context.

- Part B: intake variants/templates + prefill collapse (answered fields fold into a compact recap).
- Bilingual EN/ES intake copy; 48h reminders for incomplete intake; messages inbox surface for LUCA-initiated prompts/nudges.

M5 — Intelligence section (beta) · commit `bfd4cd`

- Migration **029** (additive, applied live): `intelligence_exclusions` (`subject_id`, `excluded_source`, `toggled_at`; UNIQUE `subject+source`).
- `backend/src/lib/intelligence.js` : `EXCLUDABLE_SOURCES` (8), `NEVER_LIST` (5 honest boundaries), `getExclusions` / `setExclusion` keyed by `subject_id`.
- `buildContext` refactor (`luca.js`): all 8 excludable sources emitted through one `emit()` helper — always records source + count for the view, injects text into the prompt only when NOT excluded. Chat handler loads exclusions first; `buildContext` exposed on the router.
- `backend/src/routes/intelligence.js` mounted at `/api/intelligence` : `GET /context` (Natural 7 shelves + Artificial “what LUCA can see now” with live counts/NEVER list/last AI call/fired rules/last 8 actions — no PHI + Enhanced 4 card types), `GET|PUT /exclusions` (per-source opt-out, validated, audited).
- Frontend: **Intelligence** tab (Salud, Brain icon); `IntelligencePage` + `SourceRow` toggles; `api.js` +3 methods.
- Tests: `intelligence.test.js` (+4) — 3 panes/warm empty states; no raw PHI in Artificial; exclusion persists + drops source from prompt; non-excludable source → 400.

Final verification (Sprint C)

- Backend `npx jest --silent` **161/161** (+4); frontend `npx vitest run` **32/32**; `npx vite build clean`; roundtrip 9/9. Migrations current through **029**. `public/sw.js` **solaris-v9 → solaris-v10**. Docker rebuilt + up; `/api/health` ok. Live site 200; `/api/intelligence/context` returns 3 panes with real counts; exclusion toggle verified via live API + in-browser.

Follow-ups / deferred

- **A3 §4.1 mandatory four provenance columns — full rollout DEFERRED.** Present on `health_documents` (M3) + foundational/intake tables (M4); NOT yet on `daily_checkins` / `journal_entries` — documented as beta scoping. Intelligence view shows best-available provenance per shelf meanwhile.
- Enhanced patterns are simple 7-day averages (hedged; need ≥ 3 check-ins).
- Artificial recentActions capped at last 8 receipts (metadata only, no PHI).
- Remaining Track B milestones (A4 Wompi/GPS, A2 §3 Nostr binding) not started — separate later subtasks.

Sprint D — Track B (M6-M8) · branch `agent/abacus-sovereign-sprint-v4`

Sovereign payments + GPS shadow receipts + working Identity Key (Nostr).
Commit+push after every milestone.

M6 — Payments MVP (Wompi sandbox) · commit 7d4b4f7

- PaymentProvider port + Wompi-sandbox/mock adapters; idempotent webhook; A4 allocation ledger (lib/payments/allocation-policy.js , gps:policy:aura-consultation:v0.1 ; earned 9000 = aura 8600 + coord 400; envelope 1000 bps four buckets; largest-remainder; no referral leg); inbox receipt. Migration 030. Backend 164/164.

M7 — GPS shadow receipts · commit 877c3f7

- Migration 031 gps_shadow_receipts . lib/gps-shadow.js builds gps-receipt/1.0 (A4 §3.4), invariants enforced, idempotent, SCHEDULED ≥ \$500. GET /api/gps/receipts(/:id) ; vault payments/gps-receipts.jsonl ; member panel PaymentReceipts.jsx . Backend 166/166, frontend 32/32, roundtrip 9/9.

M8 — Identity Key (Nostr) + NIP-05 + login · commit 31100df

- Client-side BIP-39 → NIP-06 npub (src/lib/identity-key.js); nsec in sessionStorage only, never sent up. POST /api/identity/nostr stores public npub + NIP-05 handle (migration 032 nostr_handles). Working challenge/response login: /api/auth/nostr/challenge (single-use 5-min nonce) + /api/auth/nostr/login (BIP-340 Schnorr verify → JWT). flows/Auth.jsx now has a real create/existing Identity Key flow (replaced “coming soon”). .well-known/nostr.json resolves handle→pubkey; lnurl returns “not configured”. Renamed “Nostr” → “Identity Key” in UI + ⓘ info popover with exact sovereignty copy; IdentityCard generate/bind flow. Fixed latent M7 PaymentReceipts import build bug. Backend 170/170 (+4), frontend 32/32, roundtrip 9/9, vite build clean.

Final verification (Sprint D)

- Migrations through 032. sw.js solaris-v10 → v11. Docker rebuilt + up; /api/health ok; live site 200. Live E2E: create → challenge → sign → login 200 + JWT → bind npub+handle → nostr.json resolves → lnurl “not configured”. nginx /.well-known/ proxied to backend. Test data cleaned up. Tag sprint-d-complete .

Follow-ups / deferred

- Signing is direct (nsec in sessionStorage), not NIP-46 bunker (A2 §3.2.4 ideal; scope note says ship NIP-05 + npub first). Key never leaves device.
- Payments/GPS settlement simulated (Wompi sandbox; allocations SIMULATED). Lightning address returns “not configured”.
- A4 payments policy runs alongside the legacy lib/gps engine; not merged.

Sprint E — Quality Hardening

Nine items closing production-readiness gaps from a live-demo walkthrough (branch agent/abacus-sovereign-sprint-v4 , one commit + push per item):

- **0** Identity Key login button contrast — solid green + white text. bd56b1a
- **1** Postgres-backed rate-limit store (mig 033); preserves trust proxy=2 + failed-attempts-only keying; test-mode memory fallback. 0c84c19
- **2** Email adapter (Resend/SMTP/console), bilingual ES/EN, lazy nodemailer. 18a0726

- **3** GPS shadow-receipt demo data — 3 SETTLED + 2 SCHEDULED, idempotent. 769c27c
- **4** Provenance rollout (mig 034) to `daily_checkins` + `journal_entries` ; Natural shelves show real source-level-date. 3e63b08
- **5** Booking payment UI (mig 035) — `payment_intents.booking_id` + `bookings.payment_status` ; `/checkout` takes `bookingId` , derives amount, validates ownership, marks pending→paid on webhook; BookingFlow “Pay to confirm” + BookingCard pills (Wompi sandbox). 23ef111
- **6** Demo gaps — `seedAlejandroProfile()` (bookable integrative-nutrition profile: 3 services, Mon/Wed/Fri slots → appears in Explore + Curate) and `seedSarahAssessment()` (3 historical snapshots 30/60/90d → real vitality trend line, plus answer backfill). Idempotent; `--demo-gaps` flag + full seed. 78abac9
- **7** Identity Key flow UX — verified complete (bundled into item 0).
- **8** Mobile — check-in sliders $\geq 44\text{px}$ touch target; Intelligence panes `minmax(min(320|280px,100%),1fr)` (no $\leq 375\text{px}$ overflow); booking modal padding 96vh at $\leq 520\text{px}$. e7b072a

Final verification (Sprint E)

- Migrations through **035**. `sw.js` solaris-v11 → **v12**.
- Backend **183/183**, frontend **32/32**, roundtrip **9/9**, vite build clean.
- Docker frontend+backend+seed rebuilt; `up -d` ; `/api/health` ok; live site 200.
- Verified live: alejandro bookable (active/approved, 3 services/3 slots); sarah has 4 trending responses (vitality 55→60→63→67).

Gotcha

- The `seed` compose service runs a **full reset** on every `up` . It now includes the item-6 demo-gap functions, but the `seed` image must be rebuilt with `backend / frontend` — a stale seed image wipes the demo-gap data (hit + fixed during deploy by rebuilding `seed` and re-running `--demo-gaps`).