










Generators

Model	Image	Name	Description	Compatible Models	Price
GX-390		Generator Conversion Kit GX-390 Dual Fuel Manual Choke Carburetor (LPG/CNG, Petrol)	Dual Fuel Carburetor for Generators Automatic change over gas to petrol petrol to gas LPG/CNG conversion kit is used for 4.5-8KW Generating sets Rated Output (Watts): 4000Max Output (Watts): 8,500 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs	Honda and Honda clone Generators: GX340 GX360 GX390 GX420 188F 11HP 13HP 16HP 4.5KW-8KW	P1,740.00
GX-390-BAC		Autochoke GX-390-BAC Dual Fuel Carburetor for Generators (LPG/CNG, Petrol)	Autochoke Dual Fuel Carburetor for Generators LPG/CNG conversion kit is used for 4.5-8KW Generating sets Rated Output (Watts): 4000Max Output (Watts): 5,500 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs	Honda and Honda clone Generators: GX340 GX360 GX390 GX420 188F 11HP 13HP 16HP 4.5KW-8KW	P1,740.00
GX-160		Generator Conversion Kit GX-160 Dual Fuel Carburetor (LPG/CNG, Petrol)	Dual Fuel Carburetor for Generator LPG/CNG conversion kit is used for 2KW to 4.8KW Generating sets Rated Output (Watts): 4,000 Max Output (Watts): 5,000 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs	Honda GX160 5.5HP / GX200 6.5HP / 168F 6.5HP / 170F 7.5HP Engine Harbor Freight Predator 212cc 6.5HP OHV Horizontal Engine 4000 Generator Champion 100307 100397 100401 76533 Generators 224cc Engine	P1,620.00

GX-390B		Generator Conversion Kit GX-390B Dual Fuel Manual Choke Carburetor (LPG/CNG, Petrol)	Dual Fuel Carburetor for Generators Automatic change over gas to petrol petrol to gas LPG/CNG conversion kit is used for 4.5-8KW Generating sets Rated Output (Watts): 4000Max Output (Watts): 8,500 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs	Honda and Honda clone Generators: GX340 GX360 GX390 GX420 188F 11HP 13HP 16HP 4.5KW-8KW	P1,020.00
GX-100		Generator Conversion Kit GX-100 Dual Fuel Carburetor (LPG/CNG, Petrol)	Dual Fuel Carburettor for Generators LPG/CNG conversion kit is used for 950W to 1.9KW Generators Weight: 500g / 1.0lbs		P1,140.00
YM-950		Generator Conversion Kit YM-950 Dual Fuel Carburetor (LPG/CNG, Petrol)	Dual Fuel Carburettor for 4 Stroke and Smaller Generators LPG/CNG conversion kit is used for 950 - 1.9Kva Generating sets	Fits 4 stroke generators 950watts to 2000watts	P1,260.00

Water Pumps

GX-390-WP		GX-390-WP Dual Fuel Carburetor for Water Pumps and Stationary engines (LPG/CNG, Petrol)	Dual Fuel Carburetor for Water Pumps and Stationary Engines LPG/CNG conversion kit is used for water pump motors Rated Output (Watts): 4000Max Output (Watts): 5,500 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs		P1,980.00
GX-160-WPBC		GX-160-WPBC Dual Fuel Carburetor for Water Pumps and Stationary engines (Black Choke Lever)	Dual Fuel Carburetor for Water Pumps and Stationary Engines LPG/CNG conversion kit is used for 2KW to 4.8KW Generating sets Rated Output (Watts): 4,000 Max Output (Watts): 5,000 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs		P1,860.00
GX-160-WPWC		GX-160-WPWC Dual Fuel Carburetor for Water Pumps and Stationary Engines (Automatic Change Over)	Dual Fuel Carburetor for Water Pumps with Autochoke LPG/CNG conversion kit is used for 2KW to 4.8KW Generating sets Rated Output (Watts): 4,000 Max Output (Watts): 5,000 LPG (liquefied gas) pressure range: 2.8 KPA - 3.8 KPA CNG (compressed natural gas) pressure range: 2.0 KPA - 2.6 KPA Pressure-regulating valve output pressure: 0.03 - 1.56KPA Pressure-regulating valve closing pressure: 3.50KPA Weight: 880g / 1.9lbs		P2,040.00

Accessories

Bullnose



Bullnose Gas
Regulator with
Pressure Gauge

5/8" BSP left-hand thread
Single stage regulator
Suitable for 9kg to 48kg gas cylinders
Operating Pressure: 700kPa @ 2.8kPa output
Gas Delivery Capacity: 1.0kg/hour
Approved in accordance with SANS 1237
Dimensions: 17cm (L) x 6.5cm (W) x 6.5cm (H)

P246.00