## Discrete Element Modeling of a Vibratory Subsoiler

by

John Doe

Thesis presented in partial fulfilment of the requirements for the degree of Master of Engineering (Mechanical) in the Faculty of Engineering at Stellenbosch University

Supervisor: Dr. D.N.J. Els

Co-supervisor: Prof. J. Smith

March 2023

## **Declaration**

By submitting this thesis electronically, I declare that the entirety of the work contained therein is my own, original work, that I am the sole author thereof (save to the extent explicitly otherwise stated), that reproduction and publication thereof by Stellenbosch University will not infringe any third party rights and that I have not previously in its entirety or in part submitted it for obtaining any qualification.

Date:	2023/02/10
Date.	

Copyright © 2023 Stellenbosch University All rights reserved.

## **Abstract**

### Discrete Element Modeling of a Vibratory Subsoiler

J. Doe

Department of Mechanical and Mechatronic Engineering, Stellenbosch University, Private Bag X1, Matieland 7602, South Africa.

Thesis: MEng (Mech)
March 2023

Vibrating a tillage tool is an effective way of reducing the draft force required to pull it through the soil. The degree of draft force reduction is dependent on the combination of operating parameters and soil conditions. It is thus necessary to optimize the vibratory implement for different conditions.

Numerical modelling is more flexible than experimental testing and analytical models, and less costly than experimental testing. The Discrete Element Method (DEM) was specifically developed for granular materials such as soils and can be used to model a vibrating tillage tool for its design and optimization. The goal was thus to evaluate the ability of DEM to model a vibratory subsoiler and to investigate the cause of the draft force reduction.

The DEM model was evaluated against data ...

## **Uittreksel**

#### Diskrete Element Modellering van 'n Vibrerende Skeurploeg

("Discrete Element Modeling of a Vibratory Subsoiler")

J. Doe

Departement Meganiese en Megatroniese Ingenieurswese, Stellenbosch Universiteit, Privaatsak X1, Matieland 7602, Suid Afrika.

Tesis: MIng (Meg)
Maart 2023

Om 'n tand implement te vibreer is 'n effektiewe manier om die trekkrag, wat benodig word om dit deur die grond te trek, te verminder. Die graad van krag vermindering is afhanklik van die kombinasie van werks parameters en die grond toestand. Dus is dit nodig om die vibrerende implement te optimeer vir verskillende omstandighede.

Numeriese modulering is meer buigsaam en goedkoper as eksperimentele opstellings en analitiese modelle. Die Diskrete Element Metode (DEM) was spesifiek vir korrelrige materiaal, soos grond, ontwikkel en kan gebruik word vir die modellering van 'n vibrerende implement vir die ontwerp en optimering daarvan. Die doel was dus om die vermoë van DEM om 'n vibrerende skeurploeg the modelleer, te evalueer, en om die oorsaak van die krag vermindering te ondersoek.

Die DEM model was geïvalueer teen data ...

# Acknowledgments

## **Dedication**

# **Table of contents**

De	elaration	i
Aŀ	rtract	ii
Ui	creksel	iii
Ac	nowledgments	iv
Dε	lication	v
Ta	le of contents	vi
Lis	of figures	viii
Lis	of tables	ix
Lis	of symbols	x
1	Introduction         1.1 Background	. 1
2	Literature review 2.1 Discrete element method	. 2 . 2
3	Content chapter 3.1 Heading level 2	3 . 3 . 3
4	Conclusions	5
A	Mathematical proofs  A.1 Euler's equation	

TABLE OF CONTENTS	vii
B Experimental results	7
List of references	8

# List of figures

3.1	Water plants		4
-----	--------------	--	---

## List of tables

3.1	Standard ISO paper sizes	 4
	o tarrada de o paper erres	•

# List of symbols

#### **Constants**

 $L_0 = 300 \, \text{mm}$ 

#### **Variables**

$Re_{\mathrm{D}}$	Reynolds number (diameter) [ ]
X	Coordinate [ m ]
χ̈́	Acceleration [ m/s <sup>2</sup> ]
$\theta$	Rotation angle [ rad ]
au	Moment [N·m]

#### **Vectors and Tensors**

 $\overrightarrow{v}$  Physical vector, see equation ...

#### **Subscripts**

a Adiabatic

a Coordinate

#### **Abreviations**

DEM Discrete Element Method

FEA Finite Element Analysis

## Introduction

## 1.1 Background

Starting from the big picture, gradually narrow focus down to this project and where this report fits in.

## 1.2 Objectives

The objectives of the project (in some cases the objectives of the report). If necessary describe limitations to the scope.

#### 1.3 Motivation

Why this specific project/report is worthwhile.

## Literature review

## 2.1 Discrete element method

The Discrete Element Method (DEM) analysis (Cundall and Strack, 1979) uses spherical objects. Lin and Ng (1997) developed a DEM model for ellipsoids.

## **Content chapter**

Unless the chapter heading already makes it clear, an introductory paragraph that explains how this chapter contributes to the objectives of the report/project.

## 3.1 Heading level 2

#### 3.1.1 Heading level 3

#### 3.1.1.1 Deepest heading, only if you cannot do without it

**Equations:** An equation must read like part of the text. The solution of the quadratic equation  $ax^2 + bx + c = 0$  given by the following expression (note the full stop after the equation to indicate the end of the sentence):

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2b}. (3.1)$$

In other cases the equation is in the middle of the sentence. Then the paragraph following the equation should start with a small letter. Euler's identity is

$$e^{i\pi} + 1 = 0, (3.2)$$

where *e* is Euler's number, the base of natural logarithms.

The amsmath has a wealth of structure and information on formatting of mathematical equations.

**Symbols and numbers:** Symbols that represent values of properties should be printed in italics, but SI units and names of functions (e.g. sin, cos and tan) must not be printed in italics. There must be a small hard space between a number and its unit, e.g. 120 km. Use the siunitx package to typeset numbers, angles and quantities with units:

```
\begin{array}{lll} \text{\colored} & \text{\colored} \\ \text{\colored} & \rightarrow & 1.23 \times 10^3 \\ \text{\colored} & \rightarrow & 30^\circ \\ \text{\colored} & \rightarrow & 20 \, \text{N} \cdot \text{m} \end{array}
```

**Figures and tables:** The graphicx package can import PDF, PNG and JPG graphic files.

Paper	Sizes	
	W	Н
	[mm]	[mm]
A0	841	1189
A1	594	841
A2	420	594
A3	297	420
A4	210	297
A5	148	210



Figure 3.1: Water plants

# **Conclusions**

# Appendix A

# **Mathematical proofs**

- A.1 Euler's equation
- A.2 Navier Stokes equation

# Appendix B Experimental results

## List of references

Cundall, P.A. and Strack, O.D.L. (1979). A discrete numerical model for granular assemblies. *Géotechnique*, vol. 29, no. 1, pp. 47–65.

Lin, X. and Ng, T.T. (1997). A three-dimensional discrete element model using arrays of ellipsoids. *Géotechnique*, vol. 47, no. 2, pp. 319–329.