Home (/) > Tutorials (/TUTORIALS/) > Linux vs DOS Commands (/TUTORIALS/unix_for_dos_users.html)



UNIX For DOS Users

The following table shows a comparison between DOS (COMMAND. COM and MS/Windows NT CMD. EXE shell commands) and the equivalent Linux/Unix or Bash shell commands.



FALL SWEATERS

Discover new oversized, fluffy, and cardigan styles.

Starting at \$29.90

search


Search

| Home Page (/) | Linux Tutorials (/TUTORIALS/) | Terms (/YoLinux-Terms.html) | Privacy Policy (/privacy.html) | Advertising (/YoLinux-Advertising.html) | Contact (/YoLinuxEmailForm.html) |

Related YoLinux Tutorials:

- ° MS/Windows integration (LinuxTutorialMicrosoftWindom)
- ° Run MS/Windows software (LinuxTutorialRunMicrosoftE
- ° Using DOS floppies on Lin (LinuxTutorialUsingDOSFlor
- °YoLinux Tutorials Index (/T

DOS Command	UNIX or Bash Command	Action
DIR	Is (http://man.yolinux.com/cgi- bin/man2html? cgi_command=ls) -l (or use Is -lF)(-a all files) (df -k Space remaining on filesystem)	List directory contents
DIR *.* /o-d	ls -tr	List directory contents by reverse time of modif
DIR *.* /v /os	ls -ls	List files and size
DIR /s	ls -R	List directory/sub-directory contents recursively
DIR /aa	ls -a	List hidden files.
TREE	ls -R (http://man.yolinux.com/cgi- bin/man2html? cgi_command=ls)	List directory recursivly
CD	cd (http://man.yolinux.com/cgi- bin/man2html? cgi_command=cd)	Change directory
MKDIR MD	mkdir (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mkdir)	Make a new directory
ASSIGN	In (http://man.yolinux.com/cgi- bin/man2html? cgi_command=In)	Create a file or directory link
RMDIR RD	rmdir (http://man.yolinux.com/cgi- bin/man2html? cgi_command=rmdir)	Remove a directory
CHDIR	pwd (http://man.yolinux.com/cgi- bin/man2html? cgi_command=pwd)	Display directory location



▶ AdChoices

Windows VS Linux

Linux Ubuntu

Free Information Technolo

Magazines and Document

Downloads



(http://yolinux.tradepub.cor

Free Information
Technology **Software and Development** Magazine
Subscriptions and

DEL ERASE	rm (http://man.yolinux.com/cgi- bin/man2html? cgi_command=rm) -iv	Remove a file
RMDIR /S (NT) DELTREE (Win 95)	rm -R	Remove all directories and files below given dire
COPY	cp (http://man.yolinux.com/cgi- bin/man2html? cgi_command=cp) -piv	Copy a file
XCOPY	cp (http://man.yolinux.com/cgi- bin/man2html? cgi_command=cp) -R	Copy all file of directory recursivly
RENAME or MOVE	mv (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mv) -iv	Rename/move a file
TYPE	cat (http://man.yolinux.com/cgi- bin/man2html? cgi_command=cat)	Dump contents of a file to users screen
MORE	more (http://man.yolinux.com/cgi-bin/man2html? cgi_command=more)	Pipe output a single page at a time
HELP or COMMAND /?	man (http://man.yolinux.com/cgi- bin/man2html? cgi_command=man)	Online manuals
CLS	clear (http://man.yolinux.com/cgi- bin/man2html? cgi_command=clear) ctrl-l	Clear screen
EXIT EXIT0	exit (http://man.yolinux.com/cgi-bin/man2html? cgi_command=exit) exit 0	Exit a shell
FIND FINDSTR	grep (http://man.yolinux.com/cgi- bin/man2html? cgi_command=grep)	Look for a word in files given in command line
COMP	diff (http://man.yolinux.com/cgi-bin/man2html? cgi_command=diff)	Compare two files and show differences. Also semgdiff and tkdiff.

Document Downloads (http://yolinux.tradepub.co m/?pt=cat&page=Infosoft)

FC	diff (http://man.yolinux.com/cgi- bin/man2html? cgi_command=diff)	Compare two files and show differences. Also semgdiff and tkdiff.
SET	set and env	List all environment variables
SET variable=value echo %variable%	set export <i>variable=value</i> echo \$ <i>variable</i>	Set environment variables Show environment variables
ECHO text	echo text	Echo text to screen
SET variable	setenv (for C shell) or export VAR=val (for Korn shell. Also VAR=val)	Set environment variables
PATH PATH % PATH%;C:\DIR	echo \$PATH PATH=\$PATH:/dir	Display search path for executables. Set PATH environment variable.
PROMPT \$p\$g	export PS1='\h(\u)\W> '	Set user command prompt.
DATE or TIME	date (http://man.yolinux.com/cgi-bin/man2html? cgi_command=date)	Show date. (also set date - DOS only)
DOSKEY /h	history (http://man.yolinux.com/cgi- bin/man2html? cgi_command=history)	List command history
DOSKEY NAME=command	alias (http://man.yolinux.com/cgi- bin/man2html? cgi_command=alias) NAME=command	Set command alias
BREAK ON	trap	Trap ctrl-break / Trap signals.
SORT	sort (http://man.yolinux.com/cgi-bin/man2html? cgi_command=sort)	Sort data alphabetically/numerically
EDLIN	ed (http://man.yolinux.com/cgi- bin/man2html? cgi_command=ed)	Line mode editor

F	<u>r</u>	
EDIT filename.txt	pico (http://man.yolinux.com/cgi- bin/man2html? cgi_command=pico), gnp (http://man.yolinux.com/cgi- bin/man2html? cgi_command=gnp), vi (http://man.yolinux.com/cgi- bin/man2html? cgi_command=vi), xedit (http://man.yolinux.com/cgi- bin/man2html? cgi_command=xedit), xemacs (http://man.yolinux.com/cgi- bin/man2html? cgi_command=xedit), xemacs (http://man.yolinux.com/cgi- bin/man2html? cgi_command=xemacs),dtpad	Edit a file. The Linux editor which looks most like probably Pico. (Not a recomendation!)
BACKUP files A:\	tar (http://man.yolinux.com/cgi- bin/man2html? cgi_command=tar) -cvf /dev/fd0 files mdir (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mdir), mcopy (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mcopy) doswrite -a file (AIX only)	Save files to floppy. See Using DOS floppies (LinuxTutorialUsingDOS
RESTORE A:\	tar -xvf /dev/fd0 files mdir (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mdir), mcopy (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mcopy) dosread -a file (AIX only)	Read files from floppy. See Using DOS floppies (LinuxTutorialUsingDOS
ATTRIB [+r -r] [+a -a] [+s -s] [path\file] /s	chmod (http://man.yolinux.com/cgi- bin/man2html? cgi_command=chmod)	Change file permissions. DOS: +:set to -:remove a:Archive s:System /s:recursively
ATTRIB +h or -h	mv file .file	Change file to a hidden file - rename file with pref
PRINT	lpr (http://man.yolinux.com/cgi- bin/man2html? cgi_command=lpr)	Print a file

CALL COMMAND /C (DOS), CMD (NT)	source (http://man.yolinux.com/cgi- bin/man2html? cgi_command=source) script (cshrc (http://man.yolinux.com/cgi- bin/man2html? cgi_command=cshrc)) . script (bash (http://man.yolinux.com/cgi- bin/man2html? cgi_command=bash)) sh script	Execute script from within batch shell.
MEM	free (http://man.yolinux.com/cgi- bin/man2html? cgi_command=free) top (http://man.yolinux.com/cgi- bin/man2html? cgi_command=top)	Show free memory on system
TASKLIST (WIN2K, XP)	ps -aux (http://man.yolinux.com/cgi- bin/man2html? cgi_command=ps) top (http://man.yolinux.com/cgi- bin/man2html? cgi_command=top)	List executable name, process ID number and in active processes
MSD	Isdev (http://man.yolinux.com/cgi-bin/man2html? cgi_command=Isdev)	Show system info (Command borrowed from A X
SCANDISK DEFRAG C:	fsck (http://man.yolinux.com/cgi- bin/man2html? cgi_command=fsck) debugfs (http://man.yolinux.com/cgi- bin/man2html? cgi_command=debugfs)	Check and repair hard drive file system
CHDISK	du (http://man.yolinux.com/cgi- bin/man2html? cgi_command=du) -s	Disk usage.
FDISK	fdisk (http://man.yolinux.com/cgi- bin/man2html? cgi_command=fdisk)	Tool to partition a hard drive.
SUBST V: C:\directory\path	mount (http://man.yolinux.com/cgi- bin/man2html? cgi_command=mount)	Mount a drive letter to a folder/directory on you

FORMAT	mke2fs (http://man.yolinux.com/cgi-	
	bin/man2html? cgi_command=mke2fs) See: fdformat (http://man.yolinux.com/cgi-bin/man2html? cgi_command=fdformat) and mformat	Format drive file system. For floppy drive use see YoLinux Tutorial Using Dinux (LinuxTutorialUsingDOSFloppies.html)
	(http://man.yolinux.com/cgi- bin/man2html? cgi_command=mformat) for floppies	
VER	uname (http://man.yolinux.com/cgi- bin/man2html? cgi_command=uname) -a echo \$SHELL cat /etc/issue	Operating system/shell version
pkzip	tar (http://man.yolinux.com/cgi- bin/man2html? cgi_command=tar) and zip (http://man.yolinux.com/cgi- bin/man2html? cgi_command=zip)	Compress and uncompress files/directories. Use compilation of a directory before compressing. Lin compress (http://man.yolinux.com/cgi-bin/man2ht cgi_command=compress), gzip (http://man.yolinubin/man2html?cgi_command=gzip)
HOSTNAME	hostname (http://man.yolinux.com/cgi- bin/man2html? cgi_command=hostname)	Print host name of computer
PING	ping (http://man.yolinux.com/cgi-bin/man2html? cgi_command=ping)	Send packets to a network host
TRACERT	traceroute (http://man.yolinux.com/cgi- bin/man2html? cgi_command=traceroute)	Show routes and router hops to given network de
IPCONFIG (NT) WINIPCFG (Win 95)	ifconfig (http://man.yolinux.com/cgi- bin/man2html? cgi_command=ifconfig)	Display/configure network interface
NBTSTAT (Netbios info: -n, -c) NBTSTAT -A IP- address	nslookup (http://man.yolinux.com/cgi- bin/man2html? cgi_command=nslookup) host-name host (http://man.yolinux.com/cgi- bin/man2html? cgi_command=host) host- name	Print DNS info for host.

NBTSTAT -a hostname	nmblookup (http://man.yolinux.com/cgi- bin/man2html? cgi_command=nmblookup) -A hostname	lookup NetBIOS names.
ROUTE PRINT	route (http://man.yolinux.com/cgi- bin/man2html? cgi_command=route) -n	Print routing table.
NET HELP START	chkconfig (http://man.yolinux.com/cgi- bin/man2html? cgi_command=chkconfig) list grep on	List services.
NET STARTservice- name NET STOPservice- name	service (http://man.yolinux.com/cgi- bin/man2html? cgi_command=service) service-name start service (http://man.yolinux.com/cgi- bin/man2html? cgi_command=service) service-name stop	Start/stop service/daemon.
NET SHARES	df (http://man.yolinux.com/cgi- bin/man2html? cgi_command=df)	Show mounted shares/filesystems.
NET SEND <node-name> <message> (NT)</message></node-name>	smbclient -M MS-Windows- host-name talk (http://man.yolinux.com/cgi- bin/man2html? cgi_command=talk)	Send pop-up to a MS/Windows PC Send message to another Unix/Linux user. See \((\)(LinuxTutorialMicrosoftWindowsNetworkIntegration)
WIN	startx (http://man.yolinux.com/cgi- bin/man2html? cgi_command=startx)	Start X-Windows.
REBOOT	shutdown (http://man.yolinux.com/cgi- bin/man2html? cgi_command=shutdown) -r now	Reboot system.

To find out how to do something on UNIX simply type "man -k subject_matter". This will do a key word search for all commands dealing with the subject matter. Then use the appropriate command. Online manuals are available on all the commands by typing "man command_name".

MS/Windows info:

- http://www.mcmcse.com/ (http://www.mcmcse.com/)
- http://www.techtutorials.net/ (http://www.techtutorials.net/)

DOS	UNIX or Bash	Description
Descriptor/Operator	Descriptor/Operator	Description

\	1	Directory path delimiter
.\	J	Current directory
\	/	Parent directory
ctrl-z	ctrl-d	End of file/close shell
ctrl-c	ctrl-c	Interrupt/process break
*	*	file name wild card
?	?	Single character wild card
%VAR%	\$VAR	Variable prefix
%1 %2 %3	\$1 \$2 \$3	First, second and third shell command line arguments.
/	-	Command line option flag prefix
I	I	Pipe
>	>	stdout redirection
>>	>>	stdout redirection overwrite
<	<	stdin redirection

Shell Script Operators:

DOS Operator	UNIX or Bash Operator	Description
@ ECHO OFF	set +v	Set verbose mode offv: Echo each line of shell script as it is executed.
%	\$	command line argument prefix. DOS: %1 Bash: \$1 for firs argument.
REM	#	Comment. (Not processed.)
==	=	string "equal to" comparison
!==!	!=	string "not equal to" comparison
NOT	!	negative of test expression
CHOICE	case	case/switch statement
IF IF EXIST C:\filename IF NOT EXIST C:\filename	if [[test-resulting-in-bool]]; then elif; then else fi if [-e /dir/filename]; then if [! -e /dir/filename];	if-test If file exists If file does not exist.
GOTO ABC	goto ABC	Branch
:ABC	:ABC	

FOR IN DO FOR %%fff IN (C:\din*.*) DO echo %%fff	for ffiillee in Iliisstt; do; done for ((expr1; expr2; expr3;)) do; done	For loop
ERRORLEVEL	\$?	exit status/return code
PAUSE	sleep	sleep for specified interval

Bash shell aliases for DOS users:

The following are bash shell aliases which can be added to the system profile or the user's personal profile (\$HOME/.bashrc) to correct and help DOS users on Linux.

```
alias dir="echo 'Use the command: ls -lF'"
alias tree="echo 'Use the command: ls -R'"
alias del="echo 'Use the command: rm -iv'"
alias move="echo 'Use the command: mv -iv'"
alias rename="echo 'Use the command: mv -iv'"
alias copy="echo 'Use the command: cp -piv'"
alias type="echo 'Use the command: cat'"
alias cls="echo 'Use the command: clear'"
alias mem="echo 'Use the command: free'"
alias ver="echo 'Use the command: uname -a'"
alias A:="echo 'Use the command: mdir a:'"
alias a:="A:"
alias C:="echo 'No C drive in Linux. Go to your home directory with the command: cd'"
alias c:="C:"
```

Devices:

DOS Device	Linux Device	Description
NUL	/dev/null	Send into nothingness
CON	stdin	stdin from console
PRN LPT1	/dev/lp0	First printer device
COM1	/dev/ttyS0	Firsst serial port

Equivalent Linux and MS/Windows GUI Applications:

MS/Windows Command	Linux Command	Description
C:\WINDOWS\cmd	gnome-terminal konsole	Command Text Terminal
C:\WINDOWS\explorer	nautilusno- desktop	File browser
c:\Program Files\Internet Explorer\iexplore	firefox mozilla	Web browser
C:\WINDOWS\notepad C:\Program Files\Windows NT\Accessories\wordpad	gedit	Text editor

C:\Program Files\Microsoft Office\Office10	oowriter	MS/Office and Open Office
\winword	oocalc	suites (ooffice)
excel	ooimpress	
powerpnt		
C:\Program Files\Adobe\Acrobat 7.0 \Reader\acrord32	acroread	Adobe PDF viewer
mspaint	tuxpaint xfig gimp	Graphics and painting program
C:\Program Files\WinZip\winzip32	file-roller	File compress / decompress / pack / unpack
taskmgr	ksysguard qps gnome-system- monitor xosview	Process and system load monitor

Links:

YoLinux Tutorials:

- Microsoft Windows Network integration tutorial (LinuxTutorialMicrosoftWindowsNetworkIntegration.html)
- Running Microsoft Windows programs on Linux (LinuxTutorialRunMicrosoftExe.html)

Links:

• bash (http://man.yolinux.com/cgi-bin/man2html?cgi_command=bash) - Bash man page







G+1 39

🟮 воокмакк 🚜 😭 🛐 ... (http://www.addthis.com/bookmark.php?v=250&pub=yolinux)