# CubeSkills

OLL Algorithms (Orientation of Last Layer)

Developed by Feliks Zemdegs
and Andy Klise

## Algorithm Presentation Format

Suggested algorithm here
Alternative algorithms here

OLL Case Name - Probability = 1/x

Round brackets are used to segment algorithms to assist memorisation and group move triggers.

It is recommended to learn the algorithms in the order presented.

All Edges Oriented Correctly

R U2 R' U' R U' R'
y' R' U' R U' R' U2 R

OCLL6 - 26 - Probability = 1/54

(R U2 R') (U' R U R') (U' R U' R')
y (R U R' U) (R U' R' U) (R U2' R')

OCLL1 - 21 - Probability = 1/108

(r U R' U') (r' F R F')
y (R U R D) (R' U' R D') R2'

OCLL4 - 24 - Probability = 1/54

R2 D (R' U2 R) D' (R' U2 R')
y2 R2' D' (R U2 R') D (R U2 R)

OCLL3 - 23 - Probability = 1/54

R U R' U R U2' R'
y' R' U2' R U R' U R

OCLL7 - 27 - Probability = 1/54

R U2' R2' U' R2 U' R2' U2' R

OCLL2 - 22 - Probability = 1/54

y F' (r U R' U') r' F R
x (R' U R) D' (R' U' R) D x'

**OCLL5 - 25** - Probability = 1/54

T-Shapes

(R U R' U') (R' F R F')

T1 - 33 - Probability = 1/54

F (R U R' U') F'

**T2 - 45** - Probability = 1/54

Squares

(r' U2' R U R' U r)

S1 - 5 - Probability = 1/54

(r U2 R' U' R U' r')

S2 - 6 - Probability = 1/54

C-Shapes

(R U R2' U') (R' F R U) R U' F'

C1 - 34 - Probability = 1/54

R' U' (R' F R F') U R

**C2 - 46** - Probability = 1/54

W-Shapes

(R' U' R U') (R' U R U) l U' R' U x
y2 (R U R' F') (R U R' U') (R' F R U') (R' F R F')

W1 - 36 - Probability = 1/54

(R U R' U) (R U' R' U') (R' F R F')

**W2 - 38** - Probability = 1/54

## Corners Correct, Edges Flipped

(r U R' U') M (U R U' R')

E1 - 28 - Probability = 1/54

(R U R' U') M' (U R U' r')

**E2 - 57** - Probability = 1/108

P-Shapes

(R' U' F) (U R U' R') F' R

P1 - 31 - Probability = 1/54

R U B' (U' R' U) (R B R')
S (R U R' U') (R' F R f')

P2 - 32 - Probability = 1/54

y R' U' F' U F R
f' (L' U' L U) f

P3 - 43 - Probability = 1/54

f (R U R' U') f'
y2 F (U R U' R') F'

P4 - 44 - Probability = 1/54

I-Shapes

f (R U R' U') (R U R' U') f'
y2 F (U R U' R') (U R U' R') F'

I1 - 51 - Probability = 1/54

**r' U' r (U' R' U R) (U' R' U R) r' U r**

I4 - 56 - Probability = 1/108

**(R' U' R U' R' U) y' (R' U R) B**
(R U R' U R U') y (R U' R') F'

I2 - 52 - Probability = 1/54

y (R' F R U) (R U' R2' F') R2 U' R' (U R U R')

**I3 - 55** - Probability = 1/108

Fish Shapes

(R U R' U') R' F (R2 U R' U') F'
(R' U' R) y r U' r' U r U r'

F1 - 9 - Probability = 1/54

(R U R' U) (R' F R F') (R U2' R')
(R U R') y (R' F R U') (R' F' R)

F2 - 10 - Probability = 1/54

(R U2') (R2' F R F') (R U2' R')

F3 - 35 - Probability = 1/54

F (R U' R' U') (R U R' F')

**F4 - 37** - Probability = 1/54

Knight Move Shapes

(r U' r') (U' r U r') y' (R' U R)
F U R U' R2' F' R U (R U' R')

K1 - 13 - Probability = 1/54

(R' F R) (U R' F' R) (F U' F')

K2 - 14 - Probability = 1/54

**(r U r') (R U R' U') (r U' r')**

K4 - 16 - Probability = 1/54

(r' U' r) (R' U' R U) (r' U r)

K3 - 15 - Probability = 1/54

Awkward Shapes

y (R U R' U') (R U' R') (F' U' F) (R U R')
M U (R U R' U')(R' F R F') M'

A1 - 29 - Probability = 1/54

y' F U (R U2 R' U') (R U2 R' U') F'
y' (F R' F) (R2 U' R' U') (R U R') F2

A2 - 30 - Probability = 1/54

(R U R' U R U2' R') F (R U R' U') F'

A3 - 41 - Probability = 1/54

(R' U' R U' R' U2 R) F (R U R' U') F'
y (R' F R F') (R' F R F') (R U R' U') (R U R')

A4 - 42 - Probability = 1/54

L-Shapes

F (R U R' U') (R U R' U') F'

L2 - 48 - Probability = 1/54

F' (L' U' L U) (L' U' L U) F
R' U' (R' F R F') (R' F R F') U R

L1 - 47 - Probability = 1/54

r U' r2' U r2 U r2' U' r

L3 - 49 - Probability = 1/54

r' U r2 U' r2' U' r2 U r'
y' (R U2 R' U' R U' R') F (R U R' U') F'

L4 - 50 - Probability = 1/54

(r' U' R U') (R' U R U') R' U2 r
y r' U2' R (U R' U' R) (U R' U r)

L5 - 53 - Probability = 1/54

(r U R' U) (R U' R' U) R U2' r'
y' (r U2 R' U') (R U R' U') R U' r'

L6 - 54 - Probability = 1/54

Lightning Bolts

(r U R' U R U2' r')

B1 - 7 - Probability = 1/54

(r' U' R U' R' U2 r)
y2 l' U' L U' L' U2 l

B2 - 8 - Probability = 1/54

r' (R2 U R' U R U2 R') U M'

B3 - 11 - Probability = 1/54

M' (R' U' R U' R' U2 R) U' M
y F (R U R' U') F' U F (R U R' U') F'

B4 - 12 - Probability = 1/54

(L F') (L' U' L U) F U' L'
F (R U R' U') F' (R' U' R U' R' U2 R)

B5 - 39 - Probability = 1/54

**(R' F) (R U R' U') F' U R**

B6 - 40 - Probability = 1/54

No Edges Flipped Correctly

(R U2') (R2' F R F') U2' (R' F R F')

O1 - 1 - Probability = 1/108

F (R U R' U') F' f (R U R' U') f'
y (r U r') U2 R U2' R' U2 (r U' r')

O2 - 2 - Probability = 1/54

**f (R U R' U') f' U' F (R U R' U') F'**

O3 - 3 - Probability = 1/54

f (R U R' U') f' U F (R U R' U') F'

O4 - 4 - Probability = 1/54

y R U2' (R2' F R F') U2' M' (U R U' r')
(r U R' U R U2 r') (r' U' R U' R' U2 r)

O6 - 18 - Probability = 1/54

M U (R U R' U') M' (R' F R F')

O7 - 19 - Probability = 1/54

(R U R' U) (R' F R F') U2' (R' F R F')

O5 - 17 - Probability = 1/54

M U (R U R' U') M2' (U R U' r')
(r U R' U') M2' (U R U' R') U' M'

O8 - 20 - Probability = 1/216