## CS305 - Programming Languages HW2

```
<elementList> ==> <element> <elementList> | <element> | \epsilon
<element> ==> <beginCourse> <classList> <endCourse> | <beginConstraint>
<itemList> <endConstraint>
<beginCourse> ==> tOPEN tCOURSE <courseAttrList> tCLOSE
<courseAttrList> ==> <courseAttr> <courseAttrList> | <courseAttr>
<courseAttr> ==> tCODE tSTRING | tNAME tSTRING | tTYPE tSTRING
<classList> ==> <class> <classList> | <class>
<class> ==> <beginClass> <meetingList> <endClass>
<beginClass> ==> tOPEN tCLASS <classAttrList> tCLOSE
<classAttrList> ==> <classAttr> <classAttrList> | <classAttr>
<classAttr> ==> tSECTION tSTRING | tINSTRUCTOR tSTRING | tCRN tNUM |
tCAPACITY tNUM
<meetingList> ==> <meeting> <meetingList> | <meeting>
<meeting> ==> <beginMeeting> <meetingAttrList> <endMeeting>
<beginMeeting> ==> tOPEN tMEETING
<meetingAttrList> ==> <meetingAttr> <meetingAttrList> | <meetingAttr>
<meetingAttr> ==> tSTART tTIME | tEND A tTIME | tDAY <day>
<day> ==> tMON | tTUE | tWED | tTHU | tFRI
<endMeeting> ==> tSELF
<endClass> ==> tEND tCLASS tCLOSE
<endCourse> ==> tEND tCOURSE tCLOSE
<beginConstraint> ==> tOPEN tCONSTRAINT tCLOSE
<itemList> ==> <item> <itemList> | <item>
<item> ==> <beginItem> <itemAttr> <endItem>
<beginItem> ==> tOPEN tITEM
<itemAttr> ==> tCODE tSTRING | tCRN tNUM
<endItem> ==> tSELF
<endConstraint> ==> tEND tCONSTRAINT tCLOSE
```