

# Tiki v0.95: Shaula



**Documentation and User Manual**

## What is Tiki?

Tiki is a CMS system based on a Wiki, if you are not familiar with CMS systems or Wikis just keep reading we'll explain. Tiki is designed to be international, clean and extensible.

## About this version



This is version 0.95 codename: Shaula. This is a beta version close to the 1.0 release this version corrects many bugs in the 0.9 version and adds new features requested by users and beta-testers. The application was tested but not in the level of detail that we would have want. Please help us by testing the application and reporting

bugs/errors/features and suggestions to the author: [lrargerich@yahoo.com](mailto:lrargerich@yahoo.com). The home page of Tiki where you can find downloads, report bugs or request features is <http://tikiwiki.sourceforge.net/>

Tiki versions are named after popular stars. Shaula is the second brightest star in Scorpius and the brighter from the pair that form the sting (the other one is Lesath). Shaula is named lambda-scorpius. It is the 26<sup>th</sup> brightest star and only Castor in Gemini is brighter as the 2<sup>nd</sup> brightest star in a constellation. Shaula is a double star (suspected triple) that slightly varies its magnitude. It's a blue star, spectral type B and it's absolute magnitude is 1.63. You can find this nice star at 700 light years from earth.

## New features and changes in version 0.95

- [NEW FEATURE] User preferences screen where users can set-up personal info, choose a theme and they can also view their pages/blogs/articles.
- [FIX] Changed several layout problems specific to some browsers, fixed layout now would work ok with mozilla, IE and Netscape
- [CHANGE] Re-designed the admin screen to make it modular and clear
- [CHANGE] Allow HTML is now turned on unless checked out if the user has tiki\_p\_allow\_HTML permission
- [FIX] Fixed bugs in the modules administration screen that prevented editing & removing user modules
- [FIX] Fixed a bug with `==titlebars==` in wiki pages, now they work using the titlebar style from CSS
- [NEW FEATURE] Added featured links as a feature that can be disabled from the admin screen
- Modules for galleries and images are now not shown if the image galleries feature is disabled
- [FIX] Fixed several bugs regarding the appearance of ' characters in pages
- [NEW FEATURE] Added an option in the admin screen to turn off caching external pages
- [NEW FEATURE] Added an option in the admin screen to turn off caching external images
- [NEW FEATURE] Added the option to set-up modules for specific groups
- [NEW FEATURE] Added an option in the admin screen to show modules to all users ignoring groups
- [NEW FEATURE] Added hotwords allowing you to make some words appear as a link to a URL
- [NEW FEATURE] Added an option to turn on/off hotwords from the admin screen
- [NEW FEATURE] Added a SandBox a wiki page where no versions are stored to be used as a practice page
- [NEW FEATURE] Added an option to turn on/off the SandBox
- [FIX] Changed thumbnail generation to a new bicubic function producing better quality thumbnails (Jen Jensen)
- [FIX] Fixed a bug when links contain a question mark "?"
- [FIX] Fixed a bug when uploading images without entering any data
- [FIX] Fixed a bug with thumbnails
- [FIX] Fixed errors with unescaped characters in Wiki pages

## **Introduction**

Welcome to Tiki 0.95! the most advanced Wiki-System ever. The Tiki-Wiki incorporates all the features present in several excellent wiki systems available today plus a lot of new features and options allowing your wiki application to be whatever you want it to be, from a simple wiki to a complex weblog for a whole user community.

What is Tiki? .....	2
About this version.....	2
New features and changes in version 0.95.....	3
Introduction.....	4
Features .....	7
Requirements .....	8
Optional .....	8
Installation .....	8
Understanding directories .....	9
Configuring the database .....	9
Upgrading the database from version 0.9 to version 0.95 .....	10
Installation Troubleshooting .....	10
Initial Configuration .....	10
The Wiki .....	12
Using the wiki.....	12
Creating and Editing Pages.....	12
Backlinks .....	15
Search engine .....	15
Ranking.....	16
Like Pages.....	16
Managing page versions .....	16
View.....	17
Remove .....	17
Diff.....	17
Rollback .....	17
Removing Pages .....	17
Pritntable version.....	17
The Wiki Tag System .....	17
Normal text .....	18
References to other wiki pages .....	18
Links to external pages .....	18
Bold and italic text .....	18
Lists.....	19
Bullet lists .....	19
Numbered lists .....	19
Definitions .....	19
Monospaced text.....	19
Using tables .....	19
Including images in your pages .....	20
Full HTML editing .....	20
Personal User Pages.....	21
The SandBox .....	21
Dumps .....	21
Galleries .....	21
Creating and Editing Galleries.....	22

Populating galleries .....	23
Featured Links .....	24
Administration functions .....	24
Understanding users and groups .....	24
User administration.....	24
Group administration .....	25
Assigning users to groups.....	26
Assigning permissions to groups. ....	26
Permissions .....	26
Permissions for individual users .....	27
Permissions for individual pages .....	27
The general administration panel.....	28
Features .....	28
General preferences and settings .....	29
Wiki settings .....	31
Image Galleries settings.....	33
CMS settings.....	33
Blog settings .....	33
Modules .....	34
User modules .....	34
Assign module .....	35
Assigned modules .....	36
Edit/Create user module .....	37
Featured Links .....	38
The cache .....	38
Hotwords.....	39
The Wiki RSS feed .....	40
Customizing the application (Tiki for programmers) .....	40
Style, themes and look and feel .....	40
Internationalization and languages .....	41
Creating a new language (this is easy!) .....	41
Appendix A: List of application templates .....	41

## Features

- Works with PHP4 even if register globals is off
- Uses CSS to define the look and feel, themes are CSS files
- The generated code is valid XHTML 1.0 transitional
- Uses PEAR to allow the application to use any database
- Windows & Unix compatible
- Easy installation and configuration
- PEAR:DB is used, you can use this application with your favourite DBMs without changing the code
- Templates allow the user to change the look and feel of the whole application (Smarty the PHP template engine is used)
- Automatic – internationalization, translate a language file and use it, language files are automatically generated by a provided script.
- Edit pages using wiki-tags including the following:
  - Bold text
  - Italic text
  - Headings
  - Bullet lists
  - Monospaced text
  - Images\*
  - Tables\*
- Administrators can edit pages using full HTML tags
- Manage permissions using groups (permissions are assigned to groups)
- Image galleries
- Configurable boxes
- Auto-Caching system for URLs
- Auto capture for images.
- Last Changes to pages
- Versioning system for pages where you can
  - Review a page version
  - Rollback a page to a given version
  - Remove unwanted versions or pages
  - Diff different versions of a Page
- Backlinks
- Lock/unlock pages
- Individual permissions for pages can be set-up optionally
- Search engine
- Page ranking
- Dump to XHTML
- Integrated RSS feed describing last changes to the wiki

## Requirements

- PHP 4.2+ [Should work with 4.1+ but not tested]
- A database

## Optional

- GD library > 1.5 and PHP compiled to use GD (for thumbnails), not needed if you use PHP 4.3+ since GD is bundled.

## Installation

Installing Tiki is easy, first of all you should obtain a distribution of the application, you should already have one if you are reading this file. Tiki can be distributed in several formats, zip, bz, tgz, etc. Unzip, untar or uncompress the Tiki distribution in a directory that can be accessed from your web server. For example /www/htdocs, Tiki will create a tiki directory and put all the files and directories of the application under that directory.

This is the directory structure used by Tiki





## ***Understanding directories***

(you can skip this section if you just want to install and use Tiki)

You can install tiki in any directory and you can name the tiki directory as you want, but you have to respect the internal directory structure of the application since Tiki relies on certain directory names to find modules, images and language files.

The directories contain the following information:

Directory	Description
db	This is where the database connection script is included and the SQL script to create the database is found.
dump	In this directory is where Tiki generates the xhtml dump of the pages to allow users/admins to download a locally browseable version of the Wiki
img	Images used by Tiki
lang	Root for languages
lang/en, lang/sp, etc	Each directory contains a language.php file with the translation of the application strings to the language.
lib	Library files used by Tiki (The Tiki API)
modules	PHP code for modules
modules/cache	This is where Tiki stores cached results from modules
Smarty	The Smarty distribution used with Tiki
styles	CSS files used by the application, each CSS file defines a « Theme » that can be used
templates	Smarty templates for the application
templates/modules	Smarty templates for modules
templates_c	This is where Smarty stores compiled templates (Smarty compiles templates as php scripts)

## ***Configuring the database***

Once all the files are in-place you should create a database for Tiki tables, we'll use MySQL in this example but since Tiki uses PEAR you can use Tiki with any DBMS supported by PEAR: Oracle, Postgress, etc.

Create a database

```
mysqladmin create tiki
```

And then run the tiki.sql script that creates and inits the tables.

```
mysql tiki < tiki.sql
```

You can create a user that will be used by the application to access the database in such a case don't forget to give the database user permission to select, read and write to the tiki database.

NOTE: Tiki tables are named tiki-name and users-\* thus you can make tiki share the database with another application without name-collisions between tables, this is particularly useful when installing the application in a hosting.

Now point your browser to <http://yoursite.com/something/tiki/tiki-index.php> and you should see some page displaying an error message since you won't have permission to access the Wiki yet. If you see a page generated by Tiki then congratulations, you have successfully installed Tiki.

### ***Upgrading the database from version 0.9 to version 0.95***

If you have a working version 0.9 –Spica- you may want to update the database without losing the information already stored there, if so use the tiki-0.9to0.95.sql file instead of tiki.sql this file incorporates to the 0.9 database the changes needed for version 0.95

### ***Installation Troubleshooting***


If tiki-index.php fails complaining about not being able to include "DB.php" then PEAR is not visible from your PHP installation, Tiki needs PEAR to use PEAR::DB, the database abstraction layer used in PHP. Find the "pear" directory included in your PHP installation and make sure that you have that directory in the include\_path in your php.ini file.

## **Initial Configuration**

Once installed you are ready to configure Tiki to meet your needs, this is the initial screen that will be displayed when you access Tiki:



This page is displaying the Application menu, the login box and an error message since initially anonymous (not logged) users can't view the Wiki pages, the first step in order to be able to configure Tiki is to be logged as admin, log in using the login box as 'admin' using password 'admin'.



You may need to refresh the browser in order to see the Admin menu on the left bar.

Now you can see the HomePage of the Wiki (blank) and you can also see a new module on the left navigation bar displaying the admin menu.

Tiki is now installed and ready to be configured and used, Jump to administration functions in order to learn how to configure users, groups, permissions, modules and features if you want.

## **The Wiki**

### ***Using the wiki***

The Wiki is an environment where users can edit pages as they want adding information, links, lists and images that they find useful, you can use a Wiki as a feature of a users community, a club, a fan site, etc. The most important elements in the Wiki are the Wiki pages.

### ***Creating and Editing Pages***

If you have the appropriate permissions you will see a menu at the bottom of pages with several options and one of them will be “edit”, when you click “edit” you are able to edit the page that you are watching, you can try editing a page and writing some text on it. Use the “preview” feature as many times as you need it before clicking “save”.

In order to create a new Wiki you should first generate a “reference” to the page from an existing page, Wiki automatically generates a reference when you write a word using Capitalized words smashed together, for example ThisIsMyPage or TennisResults or VisitLondon, when Tiki first sees a reference the page will display the name followed by a “?”, let’s see an example.

We’ll edit the home page.

Access the home page and click “edit” at the bottom of the page.



Write some text making sure you use the word MyFirstPage, save the page using “save”. You will see something like this:




As you can see there's a “?” question mark following MyFirstPage, this indicates that MyFirstPage is referenced from this page but has no content (it was never edited) so the “?” question mark is a link to “edit” the page. Click the question mark and edit the page.



Save the page using the save button and you will see:



Click the "home" option in the menu to return to the HomePage, this will be displayed:



As you can see MyFirstPage is now displayed as a link, if you click on it you will access MyFirstPage viewing the content you just edited.

This is how new pages are created and edited and how the Wiki is navigated, as you can see creating pages is really easy and that's why Wiki's are populated at a very high speed rate by their users adding pages and content as they need.

If you want to know what kind of features you can use when you edit a page visit the Wiki Tag System section where you will learn how to use titles, lists, images etc.

## ***Backlinks***

The backlinks page shows pages that have a reference to the page you are viewing, this is particularly useful to know where is your content being used or referenced and it is a nice toy too.

## ***Search engine***

The search engine can be used once the search module is configured and placed on the left or right side bar of the application, if you are admin see the configuring modules section to learn how to configure modules.

If you see a search box, just enter some text and the search engine will find pages where the title or the content match the text you entered, results are ordered by relevance.

## Ranking

The ranking shows the “Top n” most accessed pages in the wiki, each time a page is visited a counter is incremented, unless you have modified the index page the HomePage will be always the most accessed page of your site.

## Like Pages

This option shows pages where the page name contains some word used in the name of the page you are visiting, for example, MyPage and MyCar share the word “My” so will be displayed as “Like pages”.

## Managing page versions

One of the most interesting features of the Wiki is that each time you edit a page the previous version is not discarded but stored in the history. If you have the right permissions you can view previous versions and rollback a page to a previous version if needed. This is how vandalizing is prevented/countered if a page is vandalized it will stay in that state only until a user restores a previous version.

You can see the history of a page using the “history” button at the bottom of a page. A table will be displayed showing the last versions of the page and several options for each version.

This is Tiki v0.9 Arcurus (c) 2002 by Fwazonga Industries

**Menu**

- home
- last changes
- dump
- ranking
- list pages
- my galleries
- upload images

**Admin**

- admin
- users
- groups
- cache
- modules
- links
- system gallery

### History of: [HomePage](#)

Date	Version	User	Ip	Comment	Action
Fri 04 of Oct, 2002 [14:37:26]	4	admin	192.168.0.54	fixes	[current version]
Fri 04 of Oct, 2002 [14:37:14]	3	admin	192.168.0.54	Added content	<a href="#">view</a> <a href="#">remove</a> <a href="#">rollback</a> <a href="#">diff</a>
Fri 04 of Oct, 2002 [14:20:57]	2	admin	192.168.0.54		<a href="#">view</a> <a href="#">remove</a> <a href="#">rollback</a> <a href="#">diff</a>
Thu 03 of Oct, 2002 [12:14:43]	1	system	0.0.0.0	Tiki initialization	<a href="#">view</a> <a href="#">remove</a> <a href="#">rollback</a> <a href="#">diff</a>

[printable](#) [edit](#) [remove page](#) [lock](#) [permissions](#) [history](#) [backlinks](#) [like pages](#)

**Login**

logged as: admin

[Logout](#)

W3C CSS

MADE WITH CASCADING STYLE SHEETS

W3C HTML 4.0

MySQL

PHP

smarty

RSS

For each version the following actions are available:



## **View**

View will show you that version of the Page 17 of 12

## **Remove**

Remove can be used to remove a version, you will be asked for confirmation before removing a version.

## **Diff**

Diff shows a diff between the actual version of the page and the version you selected.

## **Rollback**

Rollback is used to revert a page to a given version. You will be asked for confirmation before rolling back a page to a previous version.

## ***Removing Pages***

The “remove” button at the page bar can be used (if you have permission) to remove a page, you will be asked for confirmation and you can also remove all the previous versions if you want to remove a page permanently.

## ***Printable version***

The “print” button can be used to view a printer-friendly version of the page without the side bars, bottom bar and the top-bar.

The wiki-tag system

## ***The Wiki Tag System***

The wiki-tag system is the “language” you can use when you edit wiki pages, there’s a common set of features that are usually present at all wikis that Tiki maintains and some special features not frequently found in Wikis that Tiki adds.

You have a quick-reference to the wiki-tag system available at the bottom when you edit a page in the Wiki.

#### TextFormattingRules

**Emphasis:** " for *italics*, \_\_ for **bold**, \_\_\_ for ***both***

**Lists:** \* for bullet lists, # for numbered lists, ;term:definition for definition lists

**References:** JoinCapitalizedWords or use square brackets for an external link: [URL] or [URL|link\_description].

**Misc** "|", "||", "!!!" make \_headings, "----" makes a horizontal rule

**Title\_bar** "-=title=-" creates a title bar.

**Images** "img src=http://example.com/foo.jpg width=200 height=100 align=center link=http://www.yahoo.com desc=foo}" displays an image height width desc link and align are optional

**Tables** "%row1-col1&row1-col2&row1-col3'row2-col1&row2-col2&row3-col3%" creates a table

## Normal text

Normal text is just entered as-is.

## References to other wiki pages

References are created when you use capitalized words smashed together, if the page exists a link to the page will be shown, if not a link to edit the page will be displayed.

ThisIsaReference

## Links to external pages

Links to external pages can be entered using one of the following formats:

```
[http://www.somesite.com]
[http://www.somesite.com|This is a nice site to visit]
```

The first format will display the URL as a link while the second one will display the description as a link to the given URL.

Tiki will automatically cache references to external pages or sites and a link to the cache will be displayed following the link, this is particularly useful when you link to notes or sections that may change or that may disappear in a near future. (Very similar to the google cache when you see the results of a search in google). You can disable caching pages from the admin screen.

## Bold and italic text

Bold text can be entered using two underscores before and after the text.

```
__This is text in bold__
```

Italics are displayed using two quotes before and after the text

```
''this will be displayed in italics''
```

## Lists

### Bullet lists

Bullet lists are automatically created when you prefix a line of text with an asterisk "\*" (as you do when using Word for example)

### Numbered lists

Numbered lists can be entered prefixing each line in the line with a hash mark "#"

## Definitions

Definition lists can be entered using the following format:

```
;term1:definition1  
;term2:definition2  
etc...
```

## Monospaced text

Monospaced text can be used to show portions of code or text that needs to be properly aligned (ASCII art anyone?). To enter monospaced text prefix each line of text with a blank space. Lines starting with a blank are displayed in a courier monospaced font.

## Using tables

You can create rudimentary tables using Tiki, a table can be entered using the following notation:

```
%row1column1&rowcolumn2&row1column3\row2column1&row2column2
&row2column3%
```

Note: % delimites the table, & delimites cells and \ delimites rows.

## Including images in your pages

Images can be included in a Wiki page using the following syntax

```
{img src=http://www.something/image.jpg with=100 height=100
desc=foo align=center link=http://site.com}
```

Where only src is mandatory and the rest of the attributes are optional. Note that you mustn't use quotes for the attribute values. The attributes are:

src	URL for the image
height	Image height
width	Image width
align	can be center, right or left
desc	Image description to be displayed below the image
link	an URL to make the image link to that URL

If you include an image from a URL Tiki will automatically "capture" the image and replace the link to an internal database-stored version of the image, that allows images to persist in the pages even if they are removed from the remote servers that originally had them. (You can disable this feature from the admin screen)

## Full HTML editing

If you are admin or if you have the proper permission you can use full HTML when you edit a Wiki page, normally you don't want regular users to use HTML since they can use wrong HTML, alter the page layout or break pages that's why the Wiki-Tag system exists. However for admins or trusted editors full HTML editing is a powerful way to make a page look exactly as you want. Whenever you edit a page containing HTML code make sure that the "Allow HTML" checkbox is checked or the HTML tags will be eliminated. IF you accidentally destroy a page that previously contained HTML don't worry just rollback the page to the previous version using the rollback button from the page history.

## Personal User Pages

Each user with a login name and password in Tiki has its own personal page named “UserPage*name*” where name is the user login, for example “UserPageMitch003”. The personal user page is a special page in the Wiki since only admins or the user can edit the page even if anonymous users can edit the page. This is an easy way to provide users with a personal page to start publishing their interests.

## The SandBox

If enabled from the admin screen there will be a special page in the wiki named “SandBox” the SandBox behaves like a normal page with the following exceptions:

1. everybody can edit edit the SandBox bypassing permissions.
2. no versions of the SandBox will be stored, the page cannot be deleted, or rolled back.

The SandBox is useful as a practice page where users can practice their editing skills and get used to the WikiTiki editing syntax. Many wikis offer a SandBox as a way to get familiar with the Wiki.

## Dumps

If dumps are enabled you'll see link to “dump” in the application menu, this will allow the user to download an XHTML dump of the Wiki pages that can be browsed locally, this is useful to create CDs or a quickly on-the-go version of the Wiki. Note that images are not dumped in this version and no cache is available.

Dumps are generated by the administrator using the “generate” dump feature in the admin screen.

## Galleries

Galleries are collection of images, if you have the right permission you will be able to create galleries and upload images to the galleries.

## Creating and Editing Galleries

To create a gallery click the “my galleries” link in the application menu, you will see a list of the galleries that you can “access”, if you created the gallery you’ll see links to edit the gallery, remove it, etc. If you don’t own the gallery you’ll only be able to visit the gallery.

Note that all galleries can be accessed by all users, there’s not a way to make a gallery only accesible by some users, don’t include private photos in a gallery unless you can accept that everybody can see the images.

In the gallery list there's a link to “create gallery” if you have the permission to do it. The create gallery page is as follows:

This is Tiki v0.9 Arcturus (c) 2002 by Fwazonga Industries.

**Menu**  
home  
last changes  
dump  
ranking  
list pages  
my galleries  
upload image

**Admin**  
admin  
users  
groups  
cache  
modules  
links  
system gallery

## Galleries

Create or edit a gallery using this form

Name:

Description:

Max Rows per page:

Images per row:

Thumbnails size X:

Thumbnails size Y:

Other users can upload images to this gallery: ☐

**Available Galleries**

**Login**  
logged as: admin  
[Logout](#)

The fields are described as follow:

Field	Description
Name	The gallery name
Description	The gallery description
Max Rows per page	Maximum number of rows of thumbnails that will be displayed when someone visits the gallery.
Images per row	Maximum number of thumbnails per row when visiting the gallery.
Thumbnails size X	Width for Thumbnails
Thumbnails size Y	Height for Thumbnails
Other users can upload images to this gallery	If checked then other users can upload images to your gallery, they won't be

	able to delete images or change the gallery.
--	--

## ***Populating galleries***

Once a gallery is created you should start uploading images to the gallery, you'll see a link to 'upload image' in the application menu or as an option when listing galleries. The upload image screen is similar to this one:

This is Tiki v0.9.0 Arcurus (c) 2002 by Fwazonga Industries

**Menu**

- home
- last changes
- about
- contact
- help
- my galleries
- upload image

**Admin**

- admin
- users
- groups
- cache
- modules
- links
- system gallery

**Upload Image**

Image Name:

Image Description:

Gallery:

New enter the image URL or upload a local image from your disk

URL:

Upload from disk:

**Login**

logged as: admin

W3C CSS HTML 4.0 SQL PHP Smarty RSS

The fields are self-explanatory, note that you have to select a gallery where the image will be uploaded, you can upload images to galleries you created or public galleries created by other users(!).

There're two ways to upload images: entering the image URL or uploading an image from your disk, the upload screen admits both formats but you should use only one method for each image. (If you enter a URL you don't have to upload and if you upload you don't have to enter a URL).

If everything goes fine the image will be uploaded and you will see the image and the thumbnail displayed.

If you see the thumbnail with the same size as the image then: if the image was a GIF file this is normal, don't worry, if the image is not a GIF your PHP installation doesn't have the GD extension or the GD extension is too old, in such a case thumbnails will be generated resizing the original image.

## Featured Links

Featured links are links to sites/pages of special interest by the user community of the Wiki, when you click on a featured site link the site will be displayed as a Wiki page (as if it were framed). That's all, links to sites.

## Administration functions

So you are the admin user, you are the one that can decide what other users can or can't do and how the application will be used by your users, Tiki allows a lot of flexibility that requires just a little reading.

### *Understanding users and groups*

The most important part of the Tiki administration is understanding the permission system used by Tiki, basically the rules are:

- Administrators can create and edit groups.
- Users can be assigned to one or several groups.
- Permissions are assigned to groups, NOT users.

There're two pre-defined groups:

- Anonymous : Users that are not logged automatically belong to the anonymous group.
- Registered group: Users logged in automatically belong to this group.

Tiki has the option to allow users to register themselves using the application or not, so registered users can or can't be trusted depending on that setting.

## User administration

The user administration screen allows you to administer users:



This is Tiki v0.9 Archives (c) 2002 by Pwazonga Industries

**Menu**  
[home](#)  
[last changes](#)  
[dump](#)  
[ranking](#)  
[list pages](#)  
[my galleries](#)  
[upload image](#)

**Admin**  
[admin](#)  
[users](#)  
[groups](#)  
[cache](#)  
[modules](#)  
[links](#)  
[system gallery](#)

**Admin users**  

Find

name	email	last_login	Groups	action
admin		Friday 04 of October, 2002 [14:09:05]	Anonymous	<a href="#">delete</a> <a href="#">assign group</a>

Page: 1/1

**Login**  
 logged as: admin  
[Logout](#)

**Add a new user**  
 User:   
 Pass:   
 Again:   
 Email:

You can create new users (useful if users can't register themselves), you can remove users and you can assign groups to a particular users. You can find users by login name using the find button at the top of the listing (it will act as a filter)

## Group administration

The group administration screen is similar.

This is Tiki v0.9 Archives (c) 2002 by Pwazonga Industries

**Menu**  
[home](#)  
[last changes](#)  
[dump](#)  
[ranking](#)  
[list pages](#)  
[my galleries](#)  
[upload image](#)

**Admin**  
[admin](#)  
[users](#)  
[groups](#)  
[cache](#)  
[modules](#)  
[links](#)  
[system gallery](#)

**Admin groups**  

Find

name	desc	Permissions	action
Registered	Users logged into the system		<a href="#">delete</a> <a href="#">assign perms</a>
Anonymous	Public users not logged		<a href="#">delete</a> <a href="#">assign perms</a>

Page: 1/1

**Login**  
 logged as: admin  
[Logout](#)

**Add a new group**  
 Group:   
 Desc:

You can create groups, delete groups, find groups by name/description and you can assign permissions to a particular group clicking assign\_perms in the row of

the group. Note that by default the Registered and Anonymous groups are predefined.

## Assigning users to groups.

Create a group, for example test and create a user, for example foo, then from the user administration screen click assign\_groups for the user. You will be able to assign groups to that particular user a user can belong to as many groups as you want.

## Assigning permissions to groups.

From the group administration screen click on assign\_perms for a particular group and you will see a screen like this one:

This is Tiki v0.9 Archiver (c) 2002 by Fawazang Industries.

**Menu**

- home
- last changes
- about
- contact
- test pages
- my galleries
- upload image

**Admin**

- admin
- users
- groups
- cache
- modules
- links
- system gallery

**Assign permissions to group: Anonymous**

**Group Information**

Names: Anonymous

Desc: Public users not logged

Permissions:

Find		Find
name	desc	action
tiki_p_view	Can view page/pages	assign
tiki_p_upload_images	Can upload images	assign
tiki_p_rollback	Can rollback pages	assign
tiki_p_remove	Can remove	assign
tiki_p_edit	Can edit pages	assign
tiki_p_create_galleries	Can create image galleries	assign
tiki_p_admin	Administrator, can manage users groups and permissions and all the weblog features	assign

Page 1/1

W3C CSS MADE WITH CASCADING STYLE SHEETS W3C HTML 4.0 SQL PHP smarty RSS

**Login**

logged as: admin

[Logout](#)

From this screen you will be able to add or remove permissions from a group.

When a user belongs to more than one group the permissions are accumulated.

## Permissions

Permissions are what groups CAN do, note that permissions always ALLOW groups to do things, there're no restrictive permissions in Tiki because they can conflict if the user has more than one group.

The list of permissions that you can assign to groups are:

Permission	Description
tiki_p_view	Groups with this permission can visit and read the Wiki pages
tiki_p_upload_images	Allows users to upload images to their galleries or galleries that were created allowing other users to upload images
tiki_p_use_HTML	Allows the user to use HTML when editing a page (doesn't give edit permission to the group)
tiki_p_rollback	Allows the group to rollback a page to any previous version
tiki_p_remove	Allows the group to remove pages and versions of pages
tiki_p_edit	Allows the group to edit Wiki pages
tiki_p_create_galleries	Allows the group to create image galleries
tiki_p_admin	Makes the group 'admin' admins can do everything. This can be used to have more than one admin in the Wiki (the user named 'admin' is automatically assigned to this permission)
Other permissions	Other permissions are already present but not used in this version, they will be used in future versions of Tiki when new features such as blogs or a CMS system are added.

## Permissions for individual users

What if you want to give a specific user some permissions? Just create an artificial group, assign the user to that group and give the group the permissions that you need.

## Permissions for individual pages


The permission system explained above is what we call the GLOBAL permissions, if you are admin you can set INDIVIDUAL permissions for a page. You use the permissions button at the page bar. If the page has some individual permission then individual permissions apply, if not then global permissions apply. This is why a user that can edit pages may not be able to edit some particular pages. This is useful if you want only some users to be able to edit

some pages on the Wiki, for example the home page, you can set individual permissions to the page and that will be that.

The permission system allows you to make Tiki behave as you want.

## ***The general administration panel***

The admin panel is where several settings about Tiki can be set, only users with admin permission can enter this screen, you can access it using the admin link from the Admin menu box.



The admin panel is divided in sections which are:

- Features
- General preferences and settings
- Wiki settings
- Image Galleries settings
- CMS settings
- Blog settings

## **Features**



Features	
Search:	<input checked="" type="checkbox"/>
Image Galleries:	<input checked="" type="checkbox"/>
Featured links:	<input checked="" type="checkbox"/>
Hotwords:	<input checked="" type="checkbox"/>
User preferences screen:	<input checked="" type="checkbox"/>

The features panel can be used to set-up which features will be enabled and which features will be disabled in the application. When you disable a feature all the screens and modules related to the feature will produce an error screen if accessed. This allows you to use Tiki for your needs without configuring the rest of the application if you don't want to.

The features are:

- Search: Enables/disables the search box and search results screen.
- Image galleries: enables/disables image galleries, gallery creation, image uploading, image rankings etc.
- Featured links: enables/disables featured links.
- Hotwords: enables/disables hotwords, when hotwords is enabled the Wiki pages are parsed and some words are automatically converted to links, if you have admin permissions you can edit this words from the admin hotwords screen.
- User preferences: enables/disables a screen where the users can setup their preferences.

## General preferences and settings

General preferences and settings

Users can register:

☐

Open external links in new window:

☐

Display modules to all groups always:

☒

Use cache for external pages:

☒

Use cache for external images:

☒

Maximum number of versions for history:

Maximum number of records in listings:

Theme:

default.css ▾

Language:

en ▾

Change preferences

Change admin password:

Again:

change

This panel controls settings and preferences generic to Tiki. The settings are explained below:

*Users can register:*

If turned on then the login box will display a “register” link when the user is not logged and the user will have the option to register using a webform.

*Open external links in a new window:*

If checked then links to external pages will be opened in a new window (please note that featuredLinks and hotwords links don’t use this property. This property applies only to external links in wiki pages.

*Display modules to all groups always:*

In the admin modules screen when you assign a module to the left or right sidebar you can select which groups will be able to see the module. If this box is checked then modules will be always displayed to all users without considering their group. Use this feature if you are not interested in having modules that are displayed only to specific groups. (Note: The admin menu module is displayed only to admins)

*Use cache for external pages:*

If checked then Tiki will try to cache external links to make them available if the site goes offline or the page is changed. If you are running Tiki in an intranet or you don’t want the cache feature you can disable the feature here.

*Use cache for external images:*

When this option is checked Tiki will download images, store them in the database and replace their URLs by a local one. This allows you to always have images available even if they were taken from a external site and the site goes offline.

Note: You may need permission according to your local law to cache or download pages or images from external sites.

*Maximum number of versions for history:*

This option sets the maximum number of versions that will be stored for Wiki pages. This is a Wiki setting so it may be moved to the wiki settings panel in the next version.

*Maximum number of records in listings*

This option sets the maximum number of records that will be displayed in listings, there're several listings in Tiki, when the listing would show more than this number of rows then links to prev/next pages are displayed (pagination is used).

*Theme*

This option sets the theme of the application, please note that if the user preferences feature is enabled then users can choose their own theme overriding this setting.

*Language*

This option selects the language that the site will use.

## **Wiki settings**

Wiki settings

Dumps:  
[Generate dump](#)  
[Download last dump](#)

Create a tag for the current wiki  
Tag Name

Restore the wiki  
Tag Name:

Remove a tag  
Tag Name

Wiki Features:

Sandbox: ☒  
Last changes: ☒  
Dump: ☒  
Ranking: ☒  
History: ☒  
List pages: ☒  
Backlinks: ☒  
Like pages: ☒

This panel controls settings specific to the Wiki, there're three sections in this panel: Dumps, tags and Wiki Features.

#### *Dumps:*

In the Dumps section of the panel you can generate a dump for the wiki and you can also download the dump if you want.

#### *Tags:*

Create a tag for the current wiki

Tag Name

Restore the wiki

Tag Name

Remove a tag

Tag Name

A tag is a “mark” that you can create for the Wiki at any moment, when you create a tag all the current versions of the pages in the Wiki are marked under that name. Later you can restore all the pages in the Wiki to a specific state using the tag, for example you may want to tag your wiki before testing several features and then recover the state before the test. You can create a tag enetering a name and pressing the create tag button. You can also restore the Wiki to any tag using the restore button (selecting a tag first) and you can also select a tag



and remove it if you don't need it any more (tags uses some space in the database)

When you create a tag the pages are saved to a special table, they are not only "marked" so you can always recover a tag even if all the pages were removed using the remove feature and even if all the versions were removed too. The restore option will automatically recreate the pages from the versions saved under the tag.

### *Features*

Wiki Features:

- |               |                                     |
|---------------|-------------------------------------|
| Sandbox:      | <input checked="" type="checkbox"/> |
| Last changes: | <input checked="" type="checkbox"/> |
| Dump:         | <input checked="" type="checkbox"/> |
| Ranking:      | <input checked="" type="checkbox"/> |
| History:      | <input checked="" type="checkbox"/> |
| List pages:   | <input checked="" type="checkbox"/> |
| Backlinks:    | <input checked="" type="checkbox"/> |
| Like pages:   | <input checked="" type="checkbox"/> |

In this section you can set which features will be enabled in the Wiki and which features won't be enabled.

### **Image Galleries settings**

This panel is empty but will be used to configure Image Galleries settings in future versions.

### **CMS settings**

This panel is empty but will be used to configure CMS settings in future versions.

### **Blog settings**

This panel is empty but will be used to configure Blog settings in future versions.

## Modules

Modules are the boxes you see in the left and right side bars of the application, modules can be configured to appear on the left or right bar and you can also configure the order in which modules appear. Finally you can create your own modules using HTML content and they will be ready to be placed as regular Tiki modules.

The modules are administered from the module administration screen:

This is Tiki v0.9 Arcturus (c) 2002 by Fwazonga Industries.

**Menu**  
[home](#)  
[last changes](#)  
[dump](#)  
[ranking](#)  
[list pages](#)  
[my galleries](#)  
[upload image](#)

**Admin**  
[admin](#)  
[users](#)  
[groups](#)  
[cache](#)  
[modules](#)  
[links](#)  
[system gallery](#)

## Admin Modules

[assign module](#) [left modules](#) [right modules](#) [edit/create](#) [clear cache](#)

### User Modules

name	title	action
No records found		

### Assign module

Module Name

Position

Order

Cache Time(secs)

Rows

### Assigned Modules

**Login**  
logged as: admin  
[Logout](#)

The screen is divided in 4 parts:

- User modules
- Assign modules
- Assigned modules
- Create/edit modules


## User modules

### User Modules

name	title	action
Foo	Bar	<a href="#">delete</a> <a href="#">edit</a>

This shows a list of user modules and you have the option to edit or delete a module, user modules are created or edited in this same screen at the bottom.

## Assign module



The screenshot shows a web form titled "Assign module" with a light beige background. The form contains the following fields and controls:

- Module Name:** A dropdown menu with "Oso" selected.
- Position:** A dropdown menu with "left" selected.
- Order:** A dropdown menu with "1" selected.
- Cache Time(secs):** A text input field containing the value "0".
- Rows:** A text input field containing the value "10".
- Groups:** A list box containing two options: "Registered" and "Anonymous".
- assign:** A blue button with the text "assign" in white.

This is where you can assign a module to be displayed on the left or right side bar of the application, you have to select the module name, the position (left or right) and the order, modules will be displayed in an ascending order way so module 1 goes first then 2, etc. If two modules share the same order value they will be displayed in random order but never before a module with a lower number or before a module with a higher order.

Cache Time is the time that the module content can be in the cache (regardless of this number some modules are never cached), if a module can be cached then it will be refreshed after the indicated time passes. Use 0 if you don't want modules to be cached.

Rows are the maximum number of rows a module will display if that makes sense to the module, modules displaying rankings or listings will use this number.

Groups is used to select which groups will see the module if it is assigned. Note that if you don't select at list one group no one will be able to see the module. If more than one group is selected then the module will be displayed if the user belongs to ANY of the groups selected.

Note: There's a setting in the main admin panel called 'display modules to all groups always' when this setting is checked modules will be displayed always without examining the user group.

## Assigned modules

### Assigned Modules

#### Left Modules


name	order	cache	rows	groups	action
logo	1	0	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
application_menu	2	0	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
admin_menu	3	5	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
Un pato	3	0	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
top_images	4	25	7		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
top_images_th	5	120			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
last_modif	6	120			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
top_pages	7	30	5		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
dada	19	200			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>

#### Right Modules

name	order	cache	rows	groups	action
login_box	1	0			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
featured_links	2	30	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
Oso	3	0			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
prueb	4	120			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
search_box	5	0			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
top_galleries	6	120			<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
calendar	7	0	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
logged_users	8	0	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
last_galleries	9	60	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
user_pages	10	60	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>
user_galleries	11	1000	10		<a href="#">edit</a> <a href="#">up</a> <a href="#">down</a> <a href="#">x</a>

This part of the screen shows currently assigned modules and their order, cache, groups and number of rows. There're two tables, one for the modules at the left bar and other for the modules at the right bar. You can edit (assign) a module, remove it (it will only unassign the module, you can reassigned later) and you can also move the module up or down one position using the up/down links.

## Edit/Create user module



**Edit/Create user module**

Name

Title

Data

This allows the creation of a new user module, you need to indicate the name (used in the select box to assign the module), the title and the data that will be displayed, the data must be HTML (any since you are admin).

Some modules are already defined by Tiki, this is the list of modules distributed with this version of tiki.

Module	Uses Rows?	Cacheable?	Description
Top Images	Y	Y	Most accessed images from the galleries listing the image name.
Top Images th	Y	Y	Most accessed images from the galleries listing the image thumbnail.
Last Galleries	Y	Y	Last modified galleries
Top Galleries	Y	Y	Most accessed galleries
Top Pages	Y	Y	Most accessed pages
Last Modified	Y	Y	Last modified pages
Login Box	N	N	The login box
Search Box	N	N	The search box
Logo Box	N	N	Logo box, shows the tiki logo linking to tiki-index.php
Featured Links	Y	Y	Featured links
Logged users	N	N	Number of online users
Calendar	N	N	A calendar (doesn't do anything just a calendar)
My Pages	N	N	Pages created by the user

MyGalleries	N	N	Galleries created by the user
-------------	---	---	-------------------------------

## Featured Links

The featured links screen lets you enter links that will be displayed in the featured links module.



## The cache

Whenever Tiki finds a link to an external site in a Wiki page the link is cached in the Tiki cache, this allows the Wiki users to visit the page even if the site is offline or the page is removed or changed.


The “cache” option in the Admin menu lets you administer the Tiki cache:



You can list the cached pages, find pages using the find button and for each cache entry you can view it, remove it, or refresh it (will retrieve a fresh copy of the page). If the entry is removed it will no longer display a “cache” link from the Wiki page where the site is referenced.

## Hotwords

Hotwords is a feature that allows the admin to make some words in WikiPages appear as a link. If enabled as a feature hotwords can be administered from the hotwords administration screen:



Using this screen is simple, just add the word-link pairs as needed, remove them if you want, etc. The replacement will be case-insensitive if you add “PHP” you don’t need to add “php” as well. If you have a problem or don’t want this feature just disable it from the main admin screen.

## **The Wiki RSS feed**

Tiki provides an RSS feed listing the last changes made to the Wiki, the RSS feed can be accessed using the URL <http://yoursite.com/tiki/tiki-rss.php>, or by clicking the RSS button at the footer of the pages.

The feed can be used to display the last changes to your site in other sites or applications.

## **Customizing the application (Tiki for programmers)**

Tiki is an application designed to grow in a neat and usable way, there are several features that allow this application to be easily enhanced and customized by programmers.

- Smarty (the template engine) is used to separate content from presentation, all the logic is in the foo.php files and there’s a foo.tpl file that contains the template used to display what the php file generates.
- The whole layout of the application is present in only one file: tiki.tpl (the main template) so you can change the layout as you want by changing just this file
- CSS is used to define the presentation properties of all the elements in the Tiki pages, themes are defined creating new CSS files and putting them in the CSS directory.
- All the database-accessing functions are in library files in the lib directory as classes, the code in PHP files access/changes entities by calling the Tiki API. If you code new pages/modules/whatever please respect this, thanks!
- Tiki is really easy to customize/extend, please give it a chance!

## ***Style, themes and look and feel***

The look and feel and style of tiki is defined in CSS files, each CSS file defines a particular theme, you can copy a CSS file and change it to create a new theme, the CSS files are self-documented so you will know what are you changing when you edit it. If you think you can improve the CSS files or document them better please do it!



## ***Internationalization and languages***

Tiki supports multiple languages and defines a mechanism to easily make the application available in other languages. In the PHP scripts all the strings must be written as `tra("here goes the string")`; calling the “tra” function that translates the string. In templates you should use the Smarty `{tr}` block, for example `{tr}Hello world{/tr}`. This is how you write string in Tiki to be language-aware.

Once you have modified Tiki the “get\_strings.php” script can be used to scan all the .php and .tpl files in the application regenerating/changing the language files. New strings are added to language files untranslated.

### **Creating a new language (this is easy!)**

1. Create a new directory under the “lang” directory, please name it using a 2 letter convention, example: en=english, sp=spanish.
2. Copy a language file from some other language that you are familiar to this directory.
3. Edit/translate the language.php file.
4. The language is ready to use from Tiki (Tiki will automatically detect the new language)

When testing new languages keep in mind that modules can be cached so they may not change their language unless you clear the cache (in the module administration screen you have an option to clear the cache)

## **Appendix A: List of application templates**

### Wiki Templates

Name	Description
error.tpl	Error template, displays the layout and an error message.
tiki.tpl	Main template all non-error pages use this template, the mid area of the template is replaced by another template depending of the page.
tiki-admin.tpl	Administration screen
tiki-admin_links.tpl	Featured links administration
tiki-admin_modules.tpl	Module administration
tiki-admingroups.tpl	Group administration

tiki-adminusers.tpl	User administration
tiki-assignpermission.tpl	Assign permission to a group
tiki-assignuser.tpl	Assign a user to a group
tiki-backlinks.tpl	Displays backlinks to a page
tiki-bot_bar.tpl	Footer
tiki-browse_gallery.tpl	Browse gallery
tiki-browse_image.tpl	Browse an image
tiki-editpage.tpl	Edit a page
tiki-featured_link.tpl	Displays a featured link
tiki-galleries.tpl	Admin galleries (not only admins)
tiki-lastchanges.tpl	Last changes to the wiki
tiki-likepages.tpl	Shows pages similar to the current page
tiki-list_cache.tpl	Lists the cache
tiki-list_gallery.tpl	Lists a gallery (non-graphical browsing)
tiki-listpages.tpl	List pages
tiki-page_bar.tpl	Page menu (history,lock,etc)
tiki-pagehistory.tpl	Displays page history
tiki-pagepermissions.tpl	Assign permissions to a page
tiki-preview.tpl	Preview of a page
tiki-print.tpl	Printable version of a page
tiki-register.tpl	Register a new user
tiki-tanking.tpl	Ranking of pages
tiki-removepage.tpl	Remove a page
tiki-rollback.tpl	Rollback a page
tiki-searchresults.tpl	Displays search results
tiki-show_page.tpl	Shows a wiki-page (used in other templates)
tiki-top_bar.tpl	Header
tiki-upload_image.tpl	Upload an image
tiki-view_cache.tpl	View a cached page
tiki-admin-hotwords.tpl	Admin hotwords
tiki-user_preferences.tpl	User preferences screen