

| Top         |                  |                  |            |                  |                  |              |              |
|-------------|------------------|------------------|------------|------------------|------------------|--------------|--------------|
| 1           | 2                | 3                | 4          | 5                | 6                | 7            | 8            |
| Kick<br>USC | Snare Top<br>USC | Snare Btm<br>USC | Aux<br>USC | SL Overhd<br>USC | SR Overhd<br>USC | Tom 1<br>USC | Tom 2<br>USC |

|----- Drums -----|

| Bottom              |                     |                     |                     |                     |                     |    |    |
|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----|----|
| 17                  | 18                  | 19                  | 20                  | 21                  | 22                  | 23 | 24 |
| Guitar 1 (E)<br>DCL | Guitar 2 (E)<br>DCL | Guitar 3 (A)<br>DCL | Guitar 4 (E)<br>DSR | Guitar 5 (E)<br>DSR | Guitar 6 (A)<br>DSR |    |    |

|----- Guitars -----|

The column width needs to be set to 12 so each cell can accurately occupy a single XLR port spacing on the 4816-O.

The group sections below the cells appear excessive when viewed in Excel, but are correct during Print Preview.

| Top          |              |    |    |             |    |              |                 |
|--------------|--------------|----|----|-------------|----|--------------|-----------------|
| 9            | 10           | 11 | 12 | 13          | 14 | 15           | 16              |
| Tom 3<br>USC | Tom 4<br>USC |    |    | Bass<br>USR |    | Piano<br>DSL | Keyboard<br>DSL |

-----| |--- Bass ---| |----- Keys -----|

| Bottom          |                 |                 |                 |                 |                   |    |    |
|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|----|----|
| 25              | 26              | 27              | 28              | 29              | 30                | 31 | 32 |
| Vocals 1<br>DSR | Vocals 2<br>DCR | Vocals 3<br>DCL | Vocals 4<br>DSL | Vocals 5<br>USC | Vocals 6<br>Guest |    |    |

|----- Vocals -----|

-----

| 1                 | 2                  | 3                   | 4                    | 5                | 6                 | 7                 | 8                  |
|-------------------|--------------------|---------------------|----------------------|------------------|-------------------|-------------------|--------------------|
| Billy IEM<br>Left | Billy IEM<br>Right | Jessica IEM<br>Left | Jessica IEM<br>Right | Paul IEM<br>Left | Paul IEM<br>Right | Kenzi IEM<br>Left | Kenzi IEM<br>Right |

The column width needs to be set to 12.5 so each cell can accurately occupy a single XLR port spacing on the DL32.

| 9                | 10                | 11      | 12      | 13           | 14            | 15           | 16            |
|------------------|-------------------|---------|---------|--------------|---------------|--------------|---------------|
| Mike IEM<br>Left | Mike IEM<br>Right | Wedge 1 | Wedge 2 | Subs<br>Left | Subs<br>Right | Main<br>Left | Main<br>Right |