### Python Arithmetic Operators

%

\*\*

Multiplication

Exponentiation

Floor division

Division

Modulus

Arithmetic operators are used with numeric values to perform common mathematical operations:				
+	Addition	x + y	Try it »	
	Subtraction	x - y	Try it »	

x \* y

x/y

x % y

x \*\* y

x // y

Try it »

## Python Assignment Operators

Assignment operators are used to assign values to variables:

<b>3</b>			
Operator	Example	Same As	Try it
=	x = 5	x = 5	Try it »
+=	x += 3	x = x + 3	Try it »
-=	x -= 3	x = x - 3	Try it »
*=	x *= 3	x = x * 3	Try it »
/=	x /= 3	x = x / 3	Try it »
%=	x %= 3	x = x % 3	Try it »
//=	x //= 3	x = x // 3	Try it »
**=	x **= 3	x = x ** 3	Try it »
&=	x &= 3	x = x & 3	Try it »
[=	x  = 3	x = x   3	Try it »
^=	x ^= 3	x = x ^ 3	Try it »
>>=	x >>= 3	x = x >> 3	Try it »
<<=	x <<= 3	x = x << 3	Try it »

### Python Comparison Operators

Tython companion operators

==

!=

>=

<=

Equal

Not equal

Less than

Greater than

Greater than or equal to

Less than or equal to

Comparison operators are used to compare two values:				
Operator	Name	Example	Try it	

x == y

x != y

x > y

x < y

x >= y

x <= y

Try it »

#### Python Logical Operators

Logical operators are used to combine conditional statements:

Operator	Description	Example	Try it
and	Returns True if both statements are true	x < 5 and x < 10	Try it »
or	Returns True if one of the statements is true	x < 5 or x < 4	Try it »
not	Reverse the result, returns False if the result is true	not(x < 5  and  x < 10)	Try it »

## Python Identity Operators

Identity operators are used to compare the objects, not if they are equal, but if they are actually the same object, with the same memory location:

Operator	Description	Example	Try it
is	Returns True if both variables are the same object	x is y	Try it »
is not	Returns True if both variables are not the same object	x is not y	Try it »

# Python Membership Operators

Membership operators are used to test if a sequence is presented in an obj

Membership operators are used to test if a sequence is presented in an object:			
Operator	Description	Example	Try it
in	Returns True if a sequence with the specified value is present in the object	e x in y	Try it »
not in	Returns True if a sequence with the specified value is not present in the object	n x not in y	Try it »