PHP Version 5.6.24



| Windows NT GRIFFC8W541 6.3 build 9200 (Windows 8.1 Enterprise Edition) i586 | |
|---|--|
| Jul 20 2016 21:11:57 | |
| MSVC11 (Visual C++ 2012) | |
| x86 | |
| cscript /nologo configure.js "enable-snapshot-build" "disable-isapi" "enable-debug-pack" "without-mssql" "without-pdo-mssql" "without-pi3web" "with-pdo-oci=c:\php-sdk\oracle\x86\instantclient_12_1\sdk,shared" "with-oci8-12c=c:\php-sdk\oracle\x86\instantclient_12_1\sdk,shared" "enable-object-out-dir=/obj/" "enable-comdotnet=shared" "with-mcrypt=static" "without-analyzer" "with-pgo" | |
| Apache 2.0 Handler | |
| enabled | |
| C:\Windows | |
| C:\xampp\php\php.ini | |
| (none) | |
| (none) | |
| 20131106 | |
| 20131226 | |
| 220131226 | |
| API220131226,TS,VC11 | |
| API20131226,TS,VC11 | |
| no | |
| enabled | |
| disabled | |
| enabled | |
| provided by mbstring | |
| enabled | |
| disabled | |
| php, file, glob, data, http, ftp, zip, compress.zlib, compress.bzip2, https, ftps, phar tcp, udp, ssl, sslv3, tls, tlsv1.0, tlsv1.1, tlsv1.2 | |
| | |
| | |

This program makes use of the Zend Scripting Language Engine: Zend Engine v2.6.0, Copyright (c) 1998-2016 Zend Technologies



Configuration

apache2handler

| Apache Version | Apache/2.4.23 (Win32) OpenSSL/1.0.2h PHP/5.6.24 |
|----------------------|---|
| Apache API Version | 20120211 |
| Server Administrator | griffc8@rpi.edu |
| Hostname:Port | lab1.websys:0 |
| Max Requests | Per Child: 0 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 300 - Keep-Alive: 5 |

| Virtual Server | Yes C:/xampp/apache | |
|----------------|---|--|
| Server Root | | |
| Loaded Modules | core mod_win32 mpm_winnt http_core mod_so mod_access_compat mod_actions mod_alias mod_allowmethods mod_asis mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav_lock mod_dir mod_env mod_headers mod_include mod_info mod_isapi mod_log_config mod_cache_disk mod_mime mod_negotiation mod_proxy mod_proxy_ajp mod_rewrite mod_setenvif mod_socache_shmcb mod_ssl mod_status mod_version mod_php5 | |

| Directive | Local Value | Master Value |
|---------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | Value | |
|--------------------------------|--|--|
| MIBDIRS | C:/xampp/php/extras/mibs | |
| MYSQL_HOME | \xampp\mysql\bin | |
| OPENSSL_CONF | C:/xampp/apache/bin/openssl.cnf | |
| PHP_PEAR_SYSCONF_DIR | \xampp\php | |
| PHPRC | \xampp\php | |
| TMP | \xampp\tmp | |
| HTTP_HOST | lab1.websys | |
| HTTP_CONNECTION | keep-alive | |
| HTTP_CACHE_CONTROL | max-age=0 | |
| HTTP_UPGRADE_INSECURE_REQUESTS | 1 | |
| HTTP_USER_AGENT | Mozilla/5.0 (Windows NT 6.3; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/52.0.2743.116 Safari/537.36 | |
| HTTP_ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 | |
| HTTP_REFERER | http://lab1.websys/ | |
| HTTP_ACCEPT_ENCODING | gzip, deflate, sdch | |
| HTTP_ACCEPT_LANGUAGE | en-US,en;q=0.8 | |
| PATH | C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Python27\;C:\Python27\Scripts;C:\Program Files (x86)\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\Program Files\Intel\intel\iCLS Client\;C:\Program Files\Intel\int | |
| SystemRoot | C:\Windows | |
| COMSPEC | C:\Windows\system32\cmd.exe | |
| PATHEXT | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC | |
| WINDIR | C:\Windows | |
| SERVER_SIGNATURE | <address>Apache/2.4.23 (Win32) OpenSSL/1.0.2h PHP/5.6.24 Server at lab1.websys Port 80</address> | |
| SERVER_SOFTWARE | Apache/2.4.23 (Win32) OpenSSL/1.0.2h PHP/5.6.24 | |
| SERVER_NAME | lab1.websys | |
| SERVER_ADDR | 127.0.0.1 | |
| SERVER_PORT | 80 | |

| REMOTE_ADDR | 127.0.0.1 |
|-----------------------|--|
| DOCUMENT_ROOT | C:/Users/griffc8/Documents/websys/lab1 |
| REQUEST_SCHEME | http |
| CONTEXT_PREFIX | no value |
| CONTEXT_DOCUMENT_ROOT | C:/Users/griffc8/Documents/websys/lab1 |
| SERVER_ADMIN | griffc8@rpi.edu |
| SCRIPT_FILENAME | C:/Users/griffc8/Documents/websys/lab1/index.php |
| REMOTE_PORT | 55290 |
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.1 |
| REQUEST_METHOD | GET |
| QUERY_STRING | no value |
| REQUEST_URI | |
| SCRIPT_NAME | /index.php |

HTTP Headers Information

| HTTP Request Headers | | |
|---------------------------|---|--|
| HTTP Request | GET / HTTP/1.1 | |
| Host | lab1.websys | |
| Connection | keep-alive | |
| Cache-Control | max-age=0 | |
| Upgrade-Insecure-Requests | 1 | |
| User-Agent | Mozilla/5.0 (Windows NT 6.3; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/52.0.2743.116 Safari/537.36 | |
| Accept | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 | |
| Referer | http://lab1.websys/ | |
| Accept-Encoding | gzip, deflate, sdch | |
| Accept-Language | en-US,en;q=0.8 | |
| HTTP Response Headers | | |
| X-Powered-By | PHP/5.6.24 | |

bcmath

| BCMath support | enabled | |
|-----------------------|---------|--------------|
| Directive Local Value | | Master Value |
| bcmath.scale | 0 | 0 |

bz2

| BZip2 Support | Enabled |
|------------------------|----------------------------------|
| Stream Wrapper support | compress.bzip2:// |
| Stream Filter support | bzip2.decompress, bzip2.compress |
| BZip2 Version | 1.0.6, 6-Sept-2010 |

calendar

| Calendar supp | ort | enabled |
|---------------|-----|---------|
| | | |

Core

| - 1 | | |
|-----|-------------|--------|
| | PHP Version | 5.6.24 |
| | FUL AGISION | 0.0.24 |

| Directive | Local Value | Master Value |
|-------------------------------|----------------------------------|----------------------------------|
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | 0 | 0 |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |
| auto_append_file | no value | no value |
| auto_globals_jit | On | On |
| auto_prepend_file | no value | no value |
| browscap | C:\xampp\php\extras\browscap.ini | C:\xampp\php\extras\browscap.ini |
| default_charset | UTF-8 | UTF-8 |
| default_mimetype | text/html | text/html |
| disable_classes | no value | no value |
| disable_functions | no value | no value |
| display_errors | On | On |
| display_startup_errors | On | On |
| doc_root | no value | no value |
| docref_ext | no value | no value |
| docref_root | no value | no value |
| enable_dl | Off | Off |
| enable_post_data_reading | On | On |
| error_append_string | no value | no value |
| error_log | C:\xampp\php\logs\php_error_log | C:\xampp\php\logs\php_error_log |
| error_prepend_string | no value | no value |
| error_reporting | 22527 | 22527 |
| exit_on_timeout | Off | Off |
| expose_php | On | On |
| extension_dir | C:\xampp\php\ext | C:\xampp\php\ext |
| file_uploads | On | On |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | On | On |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | C:\xampp\php\PEAR | C:\xampp\php\PEAR |
| input_encoding | no value | no value |
| internal_encoding | no value | no value |

| log_errors | On | On |
|-----------------------------|--------------|--------------|
| log_errors_max_len | 1024 | 1024 |
| mail.add_x_header | On | On |
| mail.force_extra_parameters | no value | no value |
| mail.log | no value | no value |
| max_execution_time | 30 | 30 |
| max_file_uploads | 20 | 20 |
| max_input_nesting_level | 64 | 64 |
| max_input_time | 60 | 60 |
| | 1000 | 1000 |
| max_input_vars memory_limit | 128M | 128M |
| | no value | no value |
| open_basedir | | |
| output_buffering | 4096 | 4096 |
| output_encoding | no value | no value |
| output_handler | no value | no value |
| post_max_size | 8M | 8M |
| precision | 14 | 14 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | Off | Off |
| report_memleaks | On | On |
| report_zend_debug | On | On |
| request_order | GP | GP |
| sendmail_from | no value | no value |
| sendmail_path | no value | no value |
| serialize_precision | 17 | 17 |
| short_open_tag | Off | Off |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| sys_temp_dir | no value | no value |
| track_errors | Off | Off |
| unserialize_callback_func | no value | no value |
| upload_max_filesize | 2M | 2M |
| upload_tmp_dir | C:\xampp\tmp | C:\xampp\tmp |
| user_dir | no value | no value |
| user_ini.cache_ttl | 300 | 300 |
| user_ini.filename | .user.ini | .user.ini |
| variables_order | GPCS | GPCS |
| windows.show_crt_warning | Off | Off |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| zend.detect_unicode | On | On |
| zend.enable_gc | On | On |
| zend.multibyte | Off | Off |
| zend.script_encoding | no value | no value |
| | | |

ctype

| ctype functions | enabled |
|-----------------|---------|

curl

| cURL support | enabled |
|------------------|--|
| cURL Information | 7.49.1 |
| Age | 3 |
| Features | |
| AsynchDNS | Yes |
| CharConv | No |
| Debug | No |
| GSS-Negotiate | No |
| IDN | Yes |
| IPv6 | Yes |
| krb4 | No |
| Largefile | Yes |
| libz | Yes |
| NTLM | Yes |
| NTLMWB | No |
| SPNEGO | Yes |
| SSL | Yes |
| SSPI | Yes |
| TLS-SRP | No |
| Protocols | dict, file, ftp, ftps, gopher, https, imap, imaps, Idap, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp |
| Host | i386-pc-win32 |
| SSL Version | OpenSSL/1.0.2h |
| ZLib Version | 1.2.7.3 |
| libSSH Version | libssh2/1.7.0 |

date

| date/time support | enabled |
|-----------------------------------|---------------|
| "Olson" Timezone Database Version | 2016.6 |
| Timezone Database | internal |
| Default timezone | Europe/Berlin |

| Directive | Local Value | Master Value |
|------------------------|---------------|---------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | Europe/Berlin | Europe/Berlin |

dom

| DOM/XML | enabled |
|---------------------|----------|
| DOM/XML API Version | 20031129 |

| libxml Version | 2.9.4 |
|------------------|---------|
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

ereg

| Regex Library | Bundled library enabled |
|---------------|-------------------------|
|---------------|-------------------------|

exif

| EXIF Support | enabled |
|------------------------|---|
| EXIF Version | 1.4 \$Id: 5564de4b4a8fd6b32ae8bd44debf9f13b18c7768 \$ |
| Supported EXIF Version | 0220 |
| Supported filetypes | JPEG,TIFF |

| Directive | Local Value | Master Value |
|------------------------------|-------------|--------------|
| exif.decode_jis_intel | JIS | JIS |
| exif.decode_jis_motorola | JIS | JIS |
| exif.decode_unicode_intel | UCS-2LE | UCS-2LE |
| exif.decode_unicode_motorola | UCS-2BE | UCS-2BE |
| exif.encode_jis | no value | no value |
| exif.encode_unicode | ISO-8859-15 | ISO-8859-15 |

fileinfo

| fileinfo support | enabled |
|------------------|---------|
| version | 1.0.5 |
| libmagic | 517 |

filter

| Input Validation and Filtering | enabled |
|--------------------------------|---|
| Revision | \$Id: 0a967738ca580e8bfdacb06853749743fc79b969 \$ |

| Directive | Local Value | Master Value |
|----------------------|-------------|--------------|
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | no value | no value |

ftp

| FTP support | enabled | |
|--------------|---------|--|
| i ii suppoit | Chapica | |

gd

| GD Support | enabled |
|------------------|----------------------------|
| GD Version | bundled (2.1.0 compatible) |
| FreeType Support | enabled |
| FreeType Linkage | with freetype |
| | |

| FreeType Version | 2.6.2 |
|--------------------|--------------|
| GIF Read Support | enabled |
| GIF Create Support | enabled |
| JPEG Support | enabled |
| libJPEG Version | 9 compatible |
| PNG Support | enabled |
| libPNG Version | 1.5.26 |
| WBMP Support | enabled |
| XPM Support | enabled |
| libXpm Version | 30411 |
| XBM Support | enabled |
| WebP Support | enabled |

| Directive | Local Value | Master Value |
|------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0 | 0 |

gettext

| | GetText Support | enabled |
|-----|-----------------|---------|
| - 1 | • • | |

hash

| hash support | enabled | |
|--------------|--|--|
| | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv1a64 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval226,4 haval256,5 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 | |

iconv

| iconv support | enabled |
|-----------------------|------------|
| iconv implementation | "libiconv" |
| iconv library version | 1.14 |

| Directive | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding | no value | no value |
| iconv.internal_encoding | no value | no value |
| iconv.output_encoding | no value | no value |

json

| json support | enabled |
|--------------|---------|
| json version | 1.2.1 |

libxml

| libXML support | active |
|-------------------------|---------|
| libXML Compiled Version | 2.9.4 |
| libXML Loaded Version | 20904 |
| libXML streams | enabled |

mbstring

| Multibyte Support | enabled |
|---------------------------------|----------|
| Multibyte string engine | libmbfl |
| HTTP input encoding translation | disabled |
| libmbfl version | 1.3.2 |

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

| Multibyte (japanese) regex support | enabled |
|-------------------------------------|---------|
| Multibyte regex (oniguruma) version | 5.9.5 |

| Directive | Local Value | Master Value |
|-------------------------------------|---------------------------------|---------------------------------|
| mbstring.detect_order | no value | no value |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | no value | no value |
| mbstring.http_output | no value | no value |
| mbstring.http_output_conv_mimetypes | ^(text/ application/xhtml\+xml) | ^(text/ application/xhtml\+xml) |
| mbstring.internal_encoding | no value | no value |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | no value | no value |

mcrypt

| mcrypt support | enabled | |
|-----------------------|--|--|
| mcrypt_filter support | enabled | |
| Version | 2.5.8 | |
| Api No | 20021217 | |
| Supported ciphers | cast-128 gost rijndael-128 twofish cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes arcfour | |
| Supported modes | cbc cfb ctr ecb ncfb nofb ofb stream | |

| Directive | Local Value | Master Value |
|-----------------------|-------------|--------------|
| mcrypt.algorithms_dir | no value | no value |
| mcrypt.modes_dir | no value | no value |

mhash

| MHASH support | Enabled |
|-------------------|------------------|
| MHASH API Version | Emulated Support |

mysql

| MySQL Support | enabled | |
|-------------------------|---|--|
| Active Persistent Links | 0 | |
| Active Links | | |
| Client API version | mysqlnd 5.0.11-dev - 20120503 - \$ld: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ | |

| Directive | Local Value | Master Value |
|--------------------------|-------------|--------------|
| mysql.allow_local_infile | On | On |

| mysql.allow_persistent | On | On |
|------------------------|-----------|-----------|
| mysql.connect_timeout | 3 | 3 |
| mysql.default_host | no value | no value |
| mysql.default_password | no value | no value |
| mysql.default_port | 3306 | 3306 |
| mysql.default_socket | MySQL | MySQL |
| mysql.default_user | no value | no value |
| mysql.max_links | Unlimited | Unlimited |
| mysql.max_persistent | Unlimited | Unlimited |
| mysql.trace_mode | Off | Off |

mysqli

| Mysqll Support | enabled |
|----------------------------|---|
| Client API library version | mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |
| Active Persistent Links | 0 |
| Inactive Persistent Links | 0 |
| Active Links | 0 |

| Directive | Local Value | Master Value |
|---------------------------------|-------------|--------------|
| mysqli.allow_local_infile | On | On |
| mysqli.allow_persistent | On | On |
| mysqli.default_host | no value | no value |
| mysqli.default_port | 3306 | 3306 |
| mysqli.default_pw | no value | no value |
| mysqli.default_socket | no value | no value |
| mysqli.default_user | no value | no value |
| mysqli.max_links | Unlimited | Unlimited |
| mysqli.max_persistent | Unlimited | Unlimited |
| mysqli.reconnect | Off | Off |
| mysqli.rollback_on_cached_plink | Off | Off |

mysqlnd

| enabled | |
|--|--|
| mysqlnd 5.0.11-dev - 20120503 - \$ld: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ | |
| supported | |
| supported | |
| not supported | |
| 4096 | |
| 32768 | |
| 31536000 | |
| Yes | |
| Yes | |
| n/a | |
| mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password | |
| mysql,mysqli,pdo_mysql | |
| | |

| mysqlnd statistics | |
|--|---|
| bytes_sent | 0 |
| bytes_received | 0 |
| packets_sent | 0 |
| packets_received | 0 |
| protocol_overhead_in | 0 |
| protocol_overhead_out | 0 |
| bytes_received_ok_packet | 0 |
| bytes_received_eof_packet | 0 |
| bytes_received_rset_header_packet | 0 |
| bytes_received_rset_field_meta_packet | 0 |
| bytes_received_rset_row_packet | 0 |
| bytes_received_prepare_response_packet | 0 |
| bytes_received_change_user_packet | 0 |
| packets_sent_command | 0 |
| packets_received_ok | 0 |
| packets_received_eof | 0 |
| packets_received_rset_header | 0 |
| packets_received_rset_field_meta | 0 |
| packets_received_rset_row | 0 |
| packets_received_prepare_response | 0 |
| packets_received_change_user | 0 |
| result_set_queries | 0 |
| non_result_set_queries | 0 |
| no_index_used | 0 |
| bad_index_used | 0 |
| slow_queries | 0 |
| buffered_sets | 0 |
| unbuffered_sets | 0 |
| ps_buffered_sets | 0 |
| ps_unbuffered_sets | 0 |
| flushed_normal_sets | 0 |
| flushed_ps_sets | 0 |
| ps_prepared_never_executed | 0 |
| ps_prepared_once_executed | 0 |
| rows_fetched_from_server_normal | 0 |
| rows_fetched_from_server_ps | 0 |
| rows_buffered_from_client_normal | 0 |
| rows_buffered_from_client_ps | 0 |
| rows_fetched_from_client_normal_buffered | 0 |
| rows_fetched_from_client_normal_unbuffered | 0 |
| rows_fetched_from_client_ps_buffered | 0 |
| rows_fetched_from_client_ps_unbuffered | 0 |
| rows_fetched_from_client_ps_cursor | 0 |
| rows_affected_normal | 0 |
| rows_affected_ps | 0 |
| | |

| rows_skipped_normal | 0 |
|-------------------------------|---|
| rows_skipped_ps | 0 |
| copy_on_write_saved | 0 |
| copy_on_write_performed | 0 |
| command_buffer_too_small | 0 |
| connect_success | 0 |
| connect_failure | 0 |
| connection_reused | 0 |
| reconnect | 0 |
| pconnect_success | 0 |
| active_connections | 0 |
| active_persistent_connections | 0 |
| explicit_close | 0 |
| implicit_close | 0 |
| disconnect_close | 0 |
| in_middle_of_command_close | 0 |
| explicit_free_result | 0 |
| implicit_free_result | 0 |
| explicit_stmt_close | 0 |
| implicit_stmt_close | 0 |
| mem_emalloc_count | 0 |
| mem_emalloc_amount | 0 |
| mem_ecalloc_count | 0 |
| mem_ecalloc_amount | 0 |
| mem_erealloc_count | 0 |
| mem_erealloc_amount | 0 |
| mem_efree_count | 0 |
| mem_efree_amount | 0 |
| mem_malloc_count | 0 |
| mem_malloc_amount | 0 |
| mem_calloc_count | 0 |
| mem_calloc_amount | 0 |
| mem_realloc_count | 0 |
| mem_realloc_amount | 0 |
| mem_free_count | 0 |
| mem_free_amount | 0 |
| mem_estrndup_count | 0 |
| mem_strndup_count | 0 |
| mem_estndup_count | 0 |
| mem_strdup_count | 0 |
| proto_text_fetched_null | 0 |
| proto_text_fetched_bit | 0 |
| proto_text_fetched_tinyint | 0 |
| proto_text_fetched_short | 0 |
| proto_text_fetched_int24 | 0 |
| proto_text_fetched_int | 0 |
| | |

| proto_text_fetched_bigint | 0 |
|--------------------------------|---|
| proto_text_fetched_decimal | 0 |
| proto_text_fetched_float | 0 |
| proto_text_fetched_double | 0 |
| proto_text_fetched_date | 0 |
| proto_text_fetched_year | 0 |
| proto_text_fetched_time | 0 |
| proto_text_fetched_datetime | 0 |
| proto_text_fetched_timestamp | 0 |
| proto_text_fetched_string | 0 |
| proto_text_fetched_blob | 0 |
| proto_text_fetched_enum | 0 |
| proto_text_fetched_set | 0 |
| proto_text_fetched_geometry | 0 |
| proto_text_fetched_other | 0 |
| proto_binary_fetched_null | 0 |
| proto_binary_fetched_bit | 0 |
| proto_binary_fetched_tinyint | 0 |
| proto_binary_fetched_short | 0 |
| proto_binary_fetched_int24 | 0 |
| proto_binary_fetched_int | 0 |
| proto_binary_fetched_bigint | 0 |
| proto_binary_fetched_decimal | 0 |
| proto_binary_fetched_float | 0 |
| proto_binary_fetched_double | 0 |
| proto_binary_fetched_date | 0 |
| proto_binary_fetched_year | 0 |
| proto_binary_fetched_time | 0 |
| proto_binary_fetched_datetime | 0 |
| proto_binary_fetched_timestamp | 0 |
| proto_binary_fetched_string | 0 |
| proto_binary_fetched_json | 0 |
| proto_binary_fetched_blob | 0 |
| proto_binary_fetched_enum | 0 |
| proto_binary_fetched_set | 0 |
| proto_binary_fetched_geometry | 0 |
| proto_binary_fetched_other | 0 |
| init_command_executed_count | 0 |
| init_command_failed_count | 0 |
| com_quit | 0 |
| com_init_db | 0 |
| com_query | 0 |
| com_field_list | 0 |
| com_create_db | 0 |
| com_drop_db | 0 |
| com_refresh | 0 |
| | |

| com_shutdown | 0 |
|---------------------------------|---|
| com_statistics | 0 |
| com_process_info | 0 |
| com_connect | 0 |
| com_process_kill | 0 |
| com_debug | 0 |
| com_ping | 0 |
| com_time | 0 |
| com_delayed_insert | 0 |
| com_change_user | 0 |
| com_binlog_dump | 0 |
| com_table_dump | 0 |
| com_connect_out | 0 |
| com_register_slave | 0 |
| com_stmt_prepare | 0 |
| com_stmt_execute | 0 |
| com_stmt_send_long_data | 0 |
| com_stmt_close | 0 |
| com_stmt_reset | 0 |
| com_stmt_set_option | 0 |
| com_stmt_fetch | 0 |
| com_deamon | 0 |
| bytes_received_real_data_normal | 0 |
| bytes_received_real_data_ps | 0 |

odbc

| ODBC Support | enabled |
|-------------------------|---------|
| Active Persistent Links | 0 |
| Active Links | 0 |
| ODBC library | Win32 |

| Directive | Local Value | Master Value |
|-------------------------|-------------------------|-------------------------|
| odbc.allow_persistent | On | On |
| odbc.check_persistent | On | On |
| odbc.default_cursortype | Static cursor | Static cursor |
| odbc.default_db | no value | no value |
| odbc.default_pw | no value | no value |
| odbc.default_user | no value | no value |
| odbc.defaultbinmode | return as is | return as is |
| odbc.defaultlrl | return up to 4096 bytes | return up to 4096 bytes |
| odbc.max_links | Unlimited | Unlimited |
| odbc.max_persistent | Unlimited | Unlimited |

openssl

| OpenSSL support | enabled |
|-------------------------|---------------------------|
| OpenSSL Library Version | OpenSSL 1.0.2h 3 May 2016 |
| | |

| OpenSSL Header Version | OpenSSL 1.0.1t 3 May 2016 |
|------------------------|---|
| OpenssI default config | c:/openssl-1.0.2h-win32/ssl/openssl.cnf |

| Directive | Local Value | Master Value |
|----------------|-------------|--------------|
| openssl.cafile | no value | no value |
| openssl.capath | no value | no value |

pcre

| | CRE (Perl Compatible Regular Expressions) upport | enabled |
|---|--|-----------------|
| P | CRE Library Version | 8.38 2015-11-23 |

| Directive | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000 | 1000000 |
| pcre.recursion_limit | 100000 | 100000 |

PDO

| PDO support | enabled |
|-------------|---------------|
| PDO drivers | mysql, sqlite |

pdo_mysql

| PDO Driver for MySQL | enabled |
|----------------------|---|
| Client API version | mysqlnd 5.0.11-dev - 20120503 - \$Id: 76b08b24596e12d4553bd41fc93cccd5bac2fe7a \$ |

pdo_sqlite

| PDO Driver for SQLite 3.x | enabled | |
|---------------------------|----------|--|
| SQLite Library | 3.8.10.2 | |

Phar

| Phar: PHP Archive support | enabled |
|---------------------------|---|
| Phar EXT version | 2.0.2 |
| Phar API version | 1.1.1 |
| SVN revision | \$ld: 14b80e175ed4d5bf11c890e1f30ea8225935b16c \$ |
| Phar-based phar archives | enabled |
| Tar-based phar archives | enabled |
| ZIP-based phar archives | enabled |
| gzip compression | enabled |
| bzip2 compression | enabled |
| OpenSSL support | enabled |

Phar based on pear/PHP_Archive, original concept by Davey Shafik.

Phar fully realized by Gregory Beaver and Marcus Boerger.

Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive | Local Value | Master Value |
|-----------------|-------------|--------------|
| phar.cache_list | no value | no value |
| phar.readonly | On | On |
| | | |

| phar.require_hash On | |
|----------------------|--|
|----------------------|--|

Reflection

| Reflection | enabled | |
|------------|---|--|
| Version | \$Id: fbcf7a77ca8e3d4cd7501de8025235b947b8240f \$ | |

session

| Session Support | enabled |
|--------------------------------|-----------------------------------|
| Registered save handlers | files user |
| Registered serializer handlers | php_serialize php php_binary wddx |

| Directive | Local Value | Master Value |
|----------------------------------|-----------------------------|-----------------------------|
| session.auto_start | Off | Off |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |
| session.cookie_domain | no value | no value |
| session.cookie_httponly | Off | Off |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | 1 | 1 |
| session.cookie_secure | Off | Off |
| session.entropy_file | no value | no value |
| session.entropy_length | 0 | 0 |
| session.gc_divisor | 1000 | 1000 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 1 | 1 |
| session.hash_bits_per_character | 5 | 5 |
| session.hash_function | 0 | 0 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | no value | no value |
| session.save_handler | files | files |
| session.save_path | C:\xampp\tmp | C:\xampp\tmp |
| session.serialize_handler | php | php |
| session.upload_progress.cleanup | On | On |
| session.upload_progress.enabled | On | On |
| session.upload_progress.freq | 1% | 1% |
| session.upload_progress.min_freq | 1 | 1 |
| session.upload_progress.name | PHP_SESSION_UPLOAD_PROGRESS | PHP_SESSION_UPLOAD_PROGRESS |
| session.upload_progress.prefix | upload_progress_ | upload_progress_ |
| session.use_cookies | On | On |
| session.use_only_cookies | On | On |
| session.use_strict_mode | Off | Off |
| session.use_trans_sid | 0 | 0 |

SimpleXML

| | Simplexml support | enabled | |
|----------|-------------------|---|--|
| Revision | | \$Id: 07fc6546e896094aed794aea4691f0151774d955 \$ | |

| Schema support | enabled |
|----------------|---------|
|----------------|---------|

SPL

| SPL support | enabled | |
|-------------|---|--|
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject | |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SpIDoublyLinkedList, SpIFileInfo, SpIFileObject, SpIFixedArray, SpIHeap, SpIMinHeap, SpIMaxHeap, SpIObjectStorage, SpIPriorityQueue, SpIQueue, SpIStack, SpITempFileObject, UnderflowException, UnexpectedValueException | |

standard

| Dynamic Library Support | enabled |
|---------------------------------------|---------|
| Internal Sendmail Support for Windows | enabled |

| Directive | Local Value | Master Value |
|--------------------------|---|---|
| assert.active | 1 | 1 |
| assert.bail | 0 | 0 |
| assert.callback | no value | no value |
| assert.quiet_eval | 0 | 0 |
| assert.warning | 1 | 1 |
| auto_detect_line_endings | 0 | 0 |
| default_socket_timeout | 60 | 60 |
| from | no value | no value |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent | no value | no value |

tokenizer

| - I | | |
|-----|-------------------|---------|
| - 1 | Tokenizer Support | enabled |
| - 1 | ronomizor capport | Chabled |

wddx

| WDDX Support | enabled |
|-------------------------|---------|
| WDDX Session Serializer | enabled |

xml

| XML Support | active |
|-----------------------|--------|
| XML Namespace Support | active |
| libxml2 Version | 2.9.4 |

xmlreader

| - 1 | | |
|-----|------------|----------|
| | VMI Deader | analia d |
| | XWLReader | enabled |

xmlwriter

| XMLWriter | enabled |
|-----------|---------|
|-----------|---------|

zip

| Zip | enabled |
|----------------|---------|
| Zip version | 1.12.5 |
| Libzip version | 0.11.2 |

zlib

| ZLib Support | enabled |
|------------------|----------------------------|
| Stream Wrapper | compress.zlib:// |
| Stream Filter | zlib.inflate, zlib.deflate |
| Compiled Version | 1.2.7.3 |
| Linked Version | 1.2.7.3 |

| Directive | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| zlib.output_compression | Off | Off |
| zlib.output_compression_level | -1 | -1 |
| zlib.output_handler | no value | no value |

Additional Modules

Module Name

Environment

| Variable | Value |
|-------------------------|--|
| no value | ::=::\ |
| ALLUSERSPROFILE | C:\ProgramData |
| APPDATA | C:\Users\griffc8\AppData\Roaming |
| CommonProgramFiles | C:\Program Files (x86)\Common Files |
| CommonProgramFiles(x86) | C:\Program Files (x86)\Common Files |
| CommonProgramW6432 | C:\Program Files\Common Files |
| COMPUTERNAME | GRIFFC8W541 |
| ComSpec | C:\Windows\system32\cmd.exe |
| FP_NO_HOST_CHECK | NO |
| GTK_BASEPATH | C:\Program Files (x86)\GtkSharp\2.12\ |
| HOMEDRIVE | C: |
| НОМЕРАТН | \Users\griffc8 |
| LOCALAPPDATA | C:\Users\griffc8\AppData\Local |
| LOGONSERVER | \\GRIFFC8W541 |
| NILM_LICENSE_FILE | 27009@licsrvr23.arc.rpi.edu |
| NUMBER_OF_PROCESSORS | 8 |
| os | Windows_NT |
| Path | C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Python27\;C:\Python27\Scripts;C:\Program Files (x86)\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\ProgramData\Oracle\Java\javapath;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\V Files\Lenovo\Fingerprint Manager Pro\;C:\Program Files\MATLAB\R2015a\bin;C:\Program Files\Intel\Intel(R) Management Engine Components\DAL;C:\Program Files\Intel\Intel(R) Management Engine Components\DAL;C:\Program Files\Intel\Intel\Intel(R) Management Engine Components\IPT;C:\Program Files\(x86)\Intel\Intel(R) Management Engine Components\IPT;C:\Program Files\(x86)\Intel |

| | Files\OpenAFS\Client\Program;C:\Program Files\Intel\WiFi\bin\;C:\Program Files\Common Files\Intel\WirelessCommon\;C:\Program Files (x86)\GtkSharp\2.12\bin;C:\Program Files (x86)\MiKTeX 2.9\miktex\bin\;C:\Program Files (x86)\Dr. Memory\bin\;C:\Program Files\Intel\WiFi\bin\;C:\Program Files\Common Files\Intel\WiFi\bin\;C:\Program Files\Common Files\Intel\WirelessCommon\ |
|---------------------------|--|
| PATHEXT | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC |
| PROCESSOR_ARCHITECTURE | x86 |
| PROCESSOR_ARCHITEW6432 | AMD64 |
| PROCESSOR_IDENTIFIER | Intel64 Family 6 Model 60 Stepping 3, GenuineIntel |
| PROCESSOR_LEVEL | 6 |
| PROCESSOR_REVISION | 3c03 |
| ProgramData | C:\ProgramData |
| ProgramFiles | C:\Program Files (x86) |
| ProgramFiles(x86) | C:\Program Files (x86) |
| ProgramW6432 | C:\Program Files |
| PSModulePath | C:\Windows\system32\WindowsPowerShell\v1.0\Modules\ |
| PUBLIC | C:\Users\Public |
| SESSIONNAME | Console |
| SystemDrive | C: |
| SystemRoot | C:\Windows |
| TEMP | C:\Users\griffc8\AppData\Local\Temp |
| TMP | C:\Users\griffc8\AppData\Local\Temp |
| TVT | C:\Program Files (x86)\Lenovo |
| UGII_BASE_DIR | C:\Program Files\Siemens\NX 10.0 |
| UGII_LANG | english |
| UGII_ROOT_DIR | C:\Program Files\Siemens\NX 10.0\UGII\ |
| UGII_UGDOC_BASE | http:\\localhost:8181 |
| USERDOMAIN | griffc8W541 |
| USERDOMAIN_ROAMINGPROFILE | griffc8W541 |
| USERNAME | griffc8 |
| USERPROFILE | C:\Users\griffc8 |
| VS140COMNTOOLS | C:\Program Files (x86)\Microsoft Visual Studio 14.0\Common7\Tools\ |
| windir | C:\Windows |
| AP_PARENT_PID | 5272 |

PHP Variables

| Variable | Value |
|---|---------------------------------|
| _SERVER["MIBDIRS"] | C:/xampp/php/extras/mibs |
| _SERVER["MYSQL_HOME"] | \xampp\mysql\bin |
| _SERVER["OPENSSL_CONF"] | C:/xampp/apache/bin/openssl.cnf |
| _SERVER["PHP_PEAR_SYSCONF_DIR"] | \xampp\php |
| _SERVER["PHPRC"] | \xampp\php |
| _SERVER["TMP"] | \xampp\tmp |
| _SERVER["HTTP_HOST"] | lab1.websys |
| _SERVER["HTTP_CONNECTION"] | keep-alive |
| _SERVER["HTTP_CACHE_CONTROL"] | max-age=0 |
| _SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"] | 1 |
| | |

| _SERVER["HTTP_USER_AGENT"] | Mozilla/5.0 (Windows NT 6.3; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/52.0.2743.116 Safari/537.36 | |
|----------------------------------|--|--|
| _SERVER["HTTP_ACCEPT"] | text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 | |
| _SERVER["HTTP_REFERER"] | http://lab1.websys/ | |
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip, deflate, sdch | |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | en-US,en;q=0.8 | |
| _SERVER["PATH"] | C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Python27\;C:\Python27\Scripts;C:\Program Files (x86)\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\Program Files\Intel\iCLS Client\;C:\ProgramData\Oracle\Java\javapath;C:\Windows\system32;C:\Windows\System32\Wbem;C Files\Lenovo\Fingerprint Manager Pro\;C:\Program Files\MATLAB\R2015a\bin;C:\Program Files\Intel\Intel\[R] Management Engine Components\DAL;C:\Program Files (x86)\Intel\Intel\[R] Management Engine Components\DAL;C:\Program Files\Intel\Intel\[R] Management Engine Components\IPT;C:\Program Files (x86)\Intel\Intel\[R] Management Engine Components\IPT;C:\Program Files\OpenAFS\Common;C:\Program Files\OpenAFS\Common;C:\Program Files\OpenAFS\Client\Program;C:\Program Files\Intel\WiFi\bin\;C:\Program Files (x86)\MiKTeX 2.9\miktex\bin\;C:\Program Files\Intel\WiFi\bin\;C:\Program Files\Intel\WiFi\bin\;C:\Progr | |
| _SERVER["SystemRoot"] | C:\Windows | |
| _SERVER["COMSPEC"] | C:\Windows\system32\cmd.exe | |
| _SERVER["PATHEXT"] | .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC | |
| _SERVER["WINDIR"] | C:\Windows | |
| _SERVER["SERVER_SIGNATURE"] | <address>Apache/2.4.23 (Win32) OpenSSL/1.0.2h PHP/5.6.24 Server at lab1.websys Port 80</address> | |
| _SERVER["SERVER_SOFTWARE"] | Apache/2.4.23 (Win32) OpenSSL/1.0.2h PHP/5.6.24 | |
| _SERVER["SERVER_NAME"] | lab1.websys | |
| _SERVER["SERVER_ADDR"] | 127.0.0.1 | |
| _SERVER["SERVER_PORT"] | 80 | |
| _SERVER["REMOTE_ADDR"] | 127.0.0.1 | |
| _SERVER["DOCUMENT_ROOT"] | C:/Users/griffc8/Documents/websys/lab1 | |
| _SERVER["REQUEST_SCHEME"] | http | |
| _SERVER["CONTEXT_PREFIX"] | no value | |
| _SERVER["CONTEXT_DOCUMENT_ROOT"] | C:/Users/griffc8/Documents/websys/lab1 | |
| _SERVER["SERVER_ADMIN"] | griffc8@rpi.edu | |
| _SERVER["SCRIPT_FILENAME"] | C:/Users/griffc8/Documents/websys/lab1/index.php | |
| _SERVER["REMOTE_PORT"] | 55290 | |
| _SERVER["GATEWAY_INTERFACE"] | CGI/1.1 | |
| _SERVER["SERVER_PROTOCOL"] | HTTP/1.1 | |
| _SERVER["REQUEST_METHOD"] | GET | |
| _SERVER["QUERY_STRING"] | no value | |
| _SERVER["REQUEST_URI"] | | |
| _SERVER["SCRIPT_NAME"] | /index.php | |
| _SERVER["PHP_SELF"] | /index.php | |
| _SERVER["REQUEST_TIME_FLOAT"] | 1473721047.309 | |
| _SERVER["REQUEST_TIME"] | 1473721047 | |

PHP Credits

PHP Group

Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

Language Design & Concept

Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

| PHP Authors | |
|-------------------------------------|--|
| Contribution | Authors |
| Zend Scripting Language Engine | Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xinchen Hui, Nikita Popov |
| Extension Module API | Andi Gutmans, Zeev Suraski, Andrei Zmievski |
| UNIX Build and Modularization | Stig Bakken, Sascha Schumann, Jani Taskinen |
| Windows Port | Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski |
| Server API (SAPI) Abstraction Layer | Andi Gutmans, Shane Caraveo, Zeev Suraski |
| Streams Abstraction Layer | Wez Furlong, Sara Golemon |
| PHP Data Objects Layer | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky |
| Output Handler | Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner |

| SAPI Modules | |
|---------------------------|--|
| Contribution | Authors |
| AOLserver | Sascha Schumann |
| Apache 1.3 (apache_hooks) | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder |
| Apache 1.3 | Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar |
| Apache 2.0 Filter | Sascha Schumann, Aaron Bannert |
| Apache 2.0 Handler | lan Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code) |
| Caudium / Roxen | David Hedbor |
| CGI / FastCGI | Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov |
| CLI | Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchen Hui |
| Continuity | Alex Leigh (based on nsapi code) |
| Embed | Edin Kadribasic |
| FastCGI Process Manager | Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet |
| ISAPI | Andi Gutmans, Zeev Suraski |
| litespeed | George Wang |
| NSAPI | Jayakumar Muthukumarasamy, Uwe Schindler |
| phpdbg | Felipe Pena, Joe Watkins, Bob Weinand |
| phttpd | Thies C. Arntzen |
| pi3web | Holger Zimmermann |
| Sendmail Milter | Harald Radi |
| thttpd | Sascha Schumann |
| tux | Sascha Schumann |
| WebJames | Alex Waugh |

| Module Authors | |
|-------------------------|--|
| Module | Authors |
| BC Math | Andi Gutmans |
| Bzip2 | Sterling Hughes |
| Calendar | Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong |
| COM and .Net | Wez Furlong |
| ctype | Hartmut Holzgraefe |
| cURL | Sterling Hughes |
| Date/Time Support | Derick Rethans |
| DB-LIB (MS SQL, Sybase) | Wez Furlong, Frank M. Kromann |
| | |

| DBA | Sascha Schumann, Marcus Boerger |
|-----------------------------|---|
| DOM | Christian Stocker, Rob Richards, Marcus Boerger |
| enchant | Pierre-Alain Joye, Ilia Alshanetsky |
| ereg | Rasmus Lerdorf, Jim Winstead, Jaakko Hyvätti |
| EXIF | Rasmus Lerdorf, Marcus Boerger |
| fileinfo | Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans |
| Firebird driver for PDO | Ard Biesheuvel |
| FTP | Stefan Esser, Andrew Skalski |
| GD imaging | Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger |
| GetText | Alex Plotnick |
| GNU GMP support | Stanislav Malyshev |
| Iconv | Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi |
| IMAP | Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky |
| Input Filter | Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky |
| InterBase | Jouni Ahto, Andrew Avdeev, Ard Biesheuvel |
| Internationalization | Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar |
| JSON | Omar Kilani, Scott MacVicar |
| LDAP | Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas |
| LIBXML | Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo |
| mcrypt | Sascha Schumann, Derick Rethans |
| MS SQL | Frank M. Kromann |
| Multibyte String Functions | Tsukada Takuya, Rui Hirokawa |
| MySQL driver for PDO | George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter |
| MySQL | Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov |
| MySQLi | Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel |
| MySQLnd | Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter |
| OCI8 | Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation |
| ODBC driver for PDO | Wez Furlong |
| ODBC | Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky |
| OpenSSL | Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar |
| Oracle (OCI) driver for PDO | Wez Furlong |
| pcntl | Jason Greene, Arnaud Le Blanc |
| Perl Compatible Regexps | Andrei Zmievski |
| PHP Archive | Gregory Beaver, Marcus Boerger |
| PHP Data Objects | Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky |
| PHP hash | Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar |
| Posix | Kristian Koehntopp |
| PostgreSQL driver for PDO | Edin Kadribasic, Ilia Alshanetsky |
| PostgreSQL | Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne |
| Pspell | Vlad Krupin |
| Readline | Thies C. Arntzen |
| Recode | Kristian Koehntopp |
| Reflection | Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter |
| Sessions | Sascha Schumann, Andrei Zmievski |
| Shared Memory Operations | Slava Poliakov, Ilia Alshanetsky |
| | |

| SimpleXML | Sterling Hughes, Marcus Boerger, Rob Richards |
|----------------------------|---|
| SNMP | Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin |
| SOAP | Brad Lafountain, Shane Caraveo, Dmitry Stogov |
| Sockets | Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene |
| SPL | Marcus Boerger, Etienne Kneuss |
| SQLite 3.x driver for PDO | Wez Furlong |
| SQLite3 | Scott MacVicar, Ilia Alshanetsky, Brad Dewar |
| Sybase-CT | Zeev Suraski, Tom May, Timm Friebe |
| System V Message based IPC | Wez Furlong |
| System V Semaphores | Tom May |
| System V Shared Memory | Christian Cartus |
| tidy | John Coggeshall, Ilia Alshanetsky |
| tokenizer | Andrei Zmievski, Johannes Schlueter |
| WDDX | Andrei Zmievski |
| XML | Stig Bakken, Thies C. Arntzen, Sterling Hughes |
| XMLReader | Rob Richards |
| xmlrpc | Dan Libby |
| XMLWriter | Rob Richards, Pierre-Alain Joye |
| XSL | Christian Stocker, Rob Richards |
| Zip | Pierre-Alain Joye, Remi Collet |
| Zlib | Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner |

| PHP Documentation | |
|-----------------------|---|
| Authors | Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey, Peter Cowburn |
| Editor | Philip Olson |
| User Note Maintainers | Daniel P. Brown, Thiago Henrique Pojda |
| Other Contributors | Previously active authors, editors and other contributors are listed in the manual. |

PHP Quality Assurance Team

Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs

| Websites and Infrastructure team | |
|----------------------------------|--|
| PHP Websites Team | Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison |
| Event Maintainers | Damien Seguy, Daniel P. Brown |
| Network Infrastructure | Daniel P. Brown |
| Windows Infrastructure | Alex Schoenmaker |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.