



Postman\_API\_Doc\_Link :- <https://documenter.getpostman.com/view/2761480/RzZ1r3PE>

# TAG


-show all tag




-create tag




-tag created with id 41




-update tag with id 41




-updated Assistant to Senior Assistant



-try to delete tag 77 but custom exception works giving message Tag that you want to delete doesn't exist.




-now deleted tag 41




# USER


-show all users




-create a user




-User created with generated id 48




-creating a user but the tag in user body is already exist, so custom exception raised.




-Assign tag with id 4 to user with id 4




-tag assigned



-update user



-user updated





Postman

File Edit View Help

New Import Runner

demosystem Invite

No Environment

Send Save

Filter

History Collections

8 requests

Tag

GET Show\_all\_tags

POST Create\_a\_tag

PUT Update\_a\_tag

DEL delete a tag

User

GET Show\_all\_use...

POST Create\_new\_...

PUT Assign\_a\_new...

PUT Update\_user

Device

This folder is empty.  
Add requests to this folder and create subfolders to organize them

Protocol

DELETE http://localhost:8080/api/user/delete/4

Pretty Raw Preview JSON

```


40 {
41   "tag": {
42     "tagId": 2,
43     "description": "Admin",
44     "isActive": "N",
45     "createdOn": "2015-12-31T18:30:01.000+0000"
46   },
47   {
48     "userId": 2,
49     "userName": "Ravi",
50     "devices": [],
51     "tag": {
52       "tagId": 1,
53       "description": "Operator",
54       "isActive": "Y",
55       "createdOn": "2015-12-31T18:30:01.000+0000"
56     },
57   },
58   {
59     "userId": 3,
60     "userName": "Kamal",
61     "devices": [],
62     "tag": {
63       "tagId": 3,
64       "description": "Manager",
65       "isActive": "Y",
66       "createdOn": "2015-12-31T18:30:01.000+0000"
67     }
68   }
69 }

```


Build Browse

7:38 PM 10/27/2018


```
-show all protocol
```




-create a protocol




-protocol created




## -update protocol




## -updated



-delete protocol having id 59




-protocol deleted




# DEVICE


-show all devices




-create a user



-user created with generated id 60



- Assigning a protocol to device with id 60 but the protocol's effective date is not reached . So custom exception is raised with a message.



-delete device with id 60.

