

# Cucumber Report

07-Jan-2024, 7:50:22 pm

Start : Jan 07, 7:50:05.915 pm

End : Jan 07, 7:50:21.783 pm

Duration : 15.868 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 0  
FAILED - 7  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 24







#	Feature Name	T	P	F	S	Duration
1	<u>Validate Login to Sauce Labs</u>	5	0	5	0	11.955 s
2	<u>Products Page Feature</u>	2	0	2	0	3.901 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate Login to Sauce Labs</u>	<u>Login Page title validation</u>	4	0	0	4	4.520 s
2	<u>Validate Login to Sauce Labs</u>	<u>Login to Sauce Labs with locked out user</u>	3	0	0	3	1.775 s
3	<u>Validate Login to Sauce Labs</u>	<u>Login to Sauce Labs with locked out user</u>	3	0	0	3	1.831 s
4	<u>Validate Login to Sauce Labs</u>	<u>Login to Sauce Labs with locked out user</u>	3	0	0	3	1.885 s
5	<u>Validate Login to Sauce Labs</u>	<u>Login to Sauce Labs with locked out user</u>	3	0	0	3	1.894 s
6	<u>Products Page Feature</u>	<u>Products page title validation</u>	4	0	0	4	2.101 s
7	<u>Products Page Feature</u>	<u>available products validation on Products page</u>	4	0	0	4	1.792 s

**(F)- Validate Login to Sauce Labs**

<b>FAILED</b>	<b>DURATION - 11.955 s</b>	Scenarios		Steps	
/ 7:50:05.915 pm // 7:50:17.870 pm /		Total - 5		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 16	

**(S)- Login Page title validation**

<div>FAILED</div> <div>DURATION - 4.520 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 7:50:05.918 pm // 7:50:10.438 pm /				
Validate Login to Sauce Labs				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - appHooks.AppHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84)	<b>FAILED</b>	4.486 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15) at appHooks.AppHooks.launchBrowser(AppHooks.java:31)		
1	Given - Given The user is in SwagLabs Login Page	SKIPPED	0.001 s
2	And - And The Login Page Logo is displayed	SKIPPED	0.000 s
3	When - When The user gets the title of the page	SKIPPED	0.001 s
4	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.001 s
	AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null at appHooks.AppHooks.tearDown(AppHooks.java:47)	FAILED	0.003 s
	AFTER - appHooks.AppHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null at appHooks.AppHooks.quitBrowser(AppHooks.java:36)	FAILED	0.000 s



### (S)- Login to Sauce Labs with locked out user

<b>FAILED</b>	<b>DURATION - 1.775 s</b>		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 7:50:10.455 pm // 7:50:12.230 pm /				
Validate Login to Sauce Labs				

#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.AppHooks.launchBrowser()	FAILED	1.770 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168) at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:52) at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15) at appHooks.AppHooks.launchBrowser(AppHooks.java:31) </pre>		
1	Given - Given The user is in SwagLabs Login Page	SKIPPED	0.000 s
2	When - When User logs into application with the standard_user and secret_sauce	SKIPPED	0.000 s
3	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.000 s
	AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null at appHooks.AppHooks.tearDown(AppHooks.java:47) </pre>	FAILED	0.000 s
	AFTER - appHooks.AppHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null at appHooks.AppHooks.quitBrowser(AppHooks.java:36) </pre>	FAILED	0.001 s



### (S)- Login to Sauce Labs with locked out user

<div>FAILED</div> <div>DURATION - 1.831 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 7:50:12.237 pm // 7:50:14.068 pm /				
Validate Login to Sauce Labs				

#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.AppHooks.launchBrowser()	FAILED	1.821 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: </pre>		

#	Step / Hook Details	Status	Duration
	'1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15) at appHooks.AppHooks.launchBrowser(AppHooks.java:31)		
1	Given - Given The user is in SwagLabs Login Page	SKIPPED	0.001 s
2	When - When User logs into application with the locked_out_user and secret_sauce	SKIPPED	0.001 s
3	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.001 s
	AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null at appHooks.AppHooks.tearDown(AppHooks.java:47)		
	AFTER - appHooks.AppHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null at appHooks.AppHooks.quitBrowser(AppHooks.java:36)		



**(S)- Login to Sauce Labs with locked out user**

<div>FAILED</div> <div>DURATION - 1.885 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 7:50:14.083 pm // 7:50:15.968 pm /				
Validate Login to Sauce Labs				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - appHooks.AppHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)  at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:52)  at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15)  at appHooks.AppHooks.launchBrowser(AppHooks.java:31)</p>	FAILED	1.877 s
1	Given - Given The user is in SwagLabs Login Page	SKIPPED	0.001 s
2	When - When User logs into application with the problem_user and secret_sauce	SKIPPED	0.000 s
3	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.000 s
	<p>AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null  at appHooks.AppHooks.tearDown(AppHooks.java:47)</p>	FAILED	0.001 s
	<p>AFTER - appHooks.AppHooks.quitBrowser()</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null  at appHooks.AppHooks.quitBrowser(AppHooks.java:36)</p>	FAILED	0.001 s





**(S)- Login to Sauce Labs with locked out user**

<div>FAILED</div> <div>DURATION - 1.894 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 7:50:15.976 pm // 7:50:17.870 pm /				
Validate Login to Sauce Labs				



#	Step / Hook Details	Status	Duration
	<b>BEFORE - appHooks.AppHooks.launchBrowser()</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15) at appHooks.AppHooks.launchBrowser(AppHooks.java:31)	<b>FAILED</b>	1.888 s
1	Given - Given The user is in SwagLabs Login Page	SKIPPED	0.001 s
2	When - When User logs into application with the performance_glitch_user and secret_sauce	SKIPPED	0.000 s
3	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.000 s
	<b>AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario)</b> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null at appHooks.AppHooks.tearDown(AppHooks.java:47)	<b>FAILED</b>	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - appHooks.AppHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null at appHooks.AppHooks.quitBrowser(AppHooks.java:36)	FAILED	0.001 s

**(F)- Products Page Feature**

FAILED	DURATION - 3.901 s	Scenarios		Steps	
/ 7:50:17.882 pm // 7:50:21.783 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	

**(S)- Products page title validation**

FAILED		DURATION - 2.101 s			Steps	
/ 7:50:17.882 pm // 7:50:19.983 pm /					Total - 4	
Products Page Feature					Pass - 0	
					Fail - 0	
					Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.AppHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)	FAILED	2.092 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:168) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:52) at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15) at appHooks.AppHooks.launchBrowser(AppHooks.java:31)						
1	Given - Given user is already logged into the application using the valid credentials <table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	username	password	standard_user	secret_sauce	SKIPPED	0.001 s
username	password						
standard_user	secret_sauce						
2	Given - Given user is on the Products page	SKIPPED	0.000 s				
3	When - When The user gets the title of the page	SKIPPED	0.000 s				
4	Then - Then The title of the page should be "Swag Labs".	SKIPPED	0.000 s				
	AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null at appHooks.AppHooks.tearDown(AppHooks.java:47)	FAILED	0.000 s				
	AFTER - appHooks.AppHooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null at appHooks.AppHooks.quitBrowser(AppHooks.java:36)	FAILED	0.001 s				

**(S)- available products validation on Products page**

<b>FAILED</b>	<b>DURATION - 1.792 s</b>		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 7:50:19.991 pm // 7:50:21.783 pm /				
Products Page Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - appHooks.AppHooks.launchBrowser() <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.199 with binary path C:\Program </pre>	FAILED	1.787 s

#	Step / Hook Details	Status	Duration						
	<div>Files\Google\Chrome\Application\chrome.exe Host info: host: 'BMACZ-WORKBOX', ip: '192.168.198.1' Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]}]</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)</div> <div>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:241)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:168)</div> <div>at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:89)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)</div> <div>at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:52)</div> <div>at org.example.driverFactory.DriverFactory.initDriver(DriverFactory.java:15)</div> <div>at appHooks.AppHooks.launchBrowser(AppHooks.java:31)</div>								
1	Given - Given user is already logged into the application using the valid credentials	SKIPPED	0.000 s						
	<table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	username	password	standard_user	secret_sauce				
username	password								
standard_user	secret_sauce								
2	Given - Given user is on the Products page	SKIPPED	0.000 s						
3	Then - Then the user gets the products on the products section	SKIPPED	0.000 s						
	<table><tr><td>Sauce Labs Backpack</td></tr><tr><td>Sauce Labs Bike Light</td></tr><tr><td>Sauce Labs Bolt T-Shirt</td></tr><tr><td>Sauce Labs Fleece Jacket</td></tr><tr><td>Sauce Labs Onesie</td></tr><tr><td>Test.allTheThings() T-Shirt (Red)</td></tr></table>	Sauce Labs Backpack	Sauce Labs Bike Light	Sauce Labs Bolt T-Shirt	Sauce Labs Fleece Jacket	Sauce Labs Onesie	Test.allTheThings() T-Shirt (Red)		
Sauce Labs Backpack									
Sauce Labs Bike Light									
Sauce Labs Bolt T-Shirt									
Sauce Labs Fleece Jacket									
Sauce Labs Onesie									
Test.allTheThings() T-Shirt (Red)									
4	And - And the count of the products displayed should be equal to 6	SKIPPED	0.000 s						
	AFTER - appHooks.AppHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s						
	<div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.webDriver" is null</div> <div>at appHooks.AppHooks.tearDown(AppHooks.java:47)</div>								
	AFTER - appHooks.AppHooks.quitBrowser()	FAILED	0.002 s						
	<div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.webDriver" is null</div> <div>at appHooks.AppHooks.quitBrowser(AppHooks.java:36)</div>								