

The General Theory of the Construction, Maintenance, and Deconstruction of Theoretical Models

Lord Soumadeep Ghosh with ChatGPT (OpenAI)

Kolkata, India

Abstract

Theoretical models constitute the principal instruments through which humanity compresses reality into manageable representations capable of supporting explanation, prediction, control, and understanding. Despite their central role across mathematics, physics, chemistry, biology, economics, finance, psychology, psychiatry, political science, international relations, warfare, computer science, statistics, artificial intelligence, and philosophy, there exists no unified framework describing the entire lifecycle of a model.

This paper proposes a General Theory of the Construction, Maintenance, and Deconstruction of Theoretical Models. The framework formalizes model creation as information compression, model maintenance as adaptation to environmental drift, and model deconstruction as the recovery of explicit and hidden assumptions. The resulting theory yields a universal lifecycle architecture applicable across scientific, engineering, military, economic, and social systems.

The paper ends with “The End”

Contents

1	Introduction	3
2	The Primitive Objects	3
2.1	Reality	3
2.2	Observations	3
2.3	Models	3
3	The Compression Principle	4
3.1	Reality and Complexity	4
4	Construction of Models	4
4.1	Stage I: Boundary Selection	4
4.2	Stage II: Variable Selection	5
4.3	Stage III: Assumption Selection	5
4.4	Stage IV: Structural Encoding	5
4.5	Stage V: Calibration	5
5	A Universal Model Construction Algorithm	6
6	Pseudo-Code	6
7	Model Maintenance	6
7.1	Prediction Error	6
7.2	Model Drift	6
7.3	Maintenance Dynamics	6
8	Model Failure	7
8.1	Parameter Failure	7
8.2	Structural Failure	7
8.3	Paradigm Failure	7

9 Model Deconstruction	7
9.1 Hidden Assumption Principle	8
10 Applications Across Disciplines	8
10.1 Physics	8
10.2 Chemistry	8
10.3 Biology	8
10.4 Economics	8
10.5 Finance	8
10.6 Psychology and Psychiatry	8
10.7 Political Science and International Relations	8
10.8 Warfare Economics	8
10.9 Artificial Intelligence	9
11 Conservation of Complexity	9
12 The Model Mortality Theorem	9
13 The Grand Lifecycle Equation	9
14 Lifecycle Architecture	10
15 Taxonomy of Model Failure	10
16 Philosophical Implications	10
17 Conclusion	10

List of Figures

1 Universal lifecycle of theoretical models.	10
--	----

List of Tables

1 Hierarchy of model failure.	10
---------------------------------------	----

1 Introduction

All sciences are ultimately sciences of models.

The equations of physics, the molecular structures of chemistry, the genetic architectures of biology, the equilibrium systems of economics, the strategic doctrines of warfare, the diagnostic systems of psychiatry, and the neural networks of machine learning all share a common property:

they are abstractions.

A model is not reality.

A model is a selective representation of reality.

The objective of this paper is therefore not to model any specific phenomenon but rather to model the process by which models themselves are constructed, maintained, challenged, revised, and ultimately replaced.

2 The Primitive Objects

2.1 Reality

Let

$$\mathcal{R}$$

denote reality.

Reality may represent:

- a physical system,
- a chemical process,
- a biological organism,
- a financial market,
- a nation-state,
- a battlefield,
- a human mind,
- an artificial intelligence system.

2.2 Observations

Let

$$\mathcal{O}$$

denote observations.

Observations are necessarily incomplete:

$$\mathcal{O} \subseteq \mathcal{R}.$$

2.3 Models

Definition 1. *A theoretical model is a mapping*

$$\mathcal{M} : \mathcal{O} \rightarrow \mathcal{P}$$

which transforms observations into predictions, explanations, classifications, or decisions.

A general model may be represented as

$$\mathcal{M} = (\Theta, A, S, C)$$

where

- Θ = assumptions,
- A = axioms,
- S = state variables,
- C = computational rules.

3 The Compression Principle

3.1 Reality and Complexity

Let

$$K(\mathcal{R})$$

denote the complexity of reality.

Let

$$K(\mathcal{M})$$

denote the complexity of a model.

Theorem 1 (Compression Principle). *Every useful model satisfies*

$$K(\mathcal{M}) < K(\mathcal{R}).$$

Proof. Suppose

$$K(\mathcal{M}) \geq K(\mathcal{R}).$$

Then the model is at least as complex as reality itself.

No informational advantage is obtained.

Therefore the model fails to provide abstraction, compression, explanation, or computational tractability.

Hence

$$K(\mathcal{M}) < K(\mathcal{R}).$$

□

4 Construction of Models

Construction transforms reality into an operational framework.

4.1 Stage I: Boundary Selection

Define the boundary operator

$$B : \mathcal{R} \rightarrow \mathcal{R}_B.$$

where

$$\mathcal{R}_B \subseteq \mathcal{R}.$$

Everything outside the boundary becomes an external factor.

4.2 Stage II: Variable Selection

Let

$$S = (s_1, s_2, \dots, s_n).$$

represent the state variables.

Examples include:

- position and momentum in physics,
- concentrations in chemistry,
- gene expression levels in biology,
- GDP and inflation in economics,
- troop deployments in warfare,
- neuron activations in machine learning.

4.3 Stage III: Assumption Selection

Assumptions reduce complexity.

Examples:

- continuity,
- rationality,
- equilibrium,
- stationarity,
- conservation laws,
- strategic optimization.

4.4 Stage IV: Structural Encoding

Construct equations

$$F(S, \Theta) = 0$$

or

$$\dot{S} = F(S, \Theta).$$

4.5 Stage V: Calibration

Unknown parameters are estimated:

$$\hat{\Theta}.$$

The model becomes operational.

5 A Universal Model Construction Algorithm

Step	Operation
1	Observe reality
2	Select boundaries
3	Select variables
4	Introduce assumptions
5	Construct relationships
6	Estimate parameters
7	Validate predictions
8	Deploy model

6 Pseudo-Code

Input: Reality R

Observe(R)

Choose Boundary B

Choose Variables S

Choose Assumptions Theta

Construct Structure F

Estimate Parameters

Validate

Deploy

Return Model M

7 Model Maintenance

Reality evolves.

Therefore models decay.

7.1 Prediction Error

Define

$$e_t = Y_t - \hat{Y}_t.$$

7.2 Model Drift

Let

$$\Delta_t = d(\mathcal{M}_t, \mathcal{R}_t).$$

measure divergence between model and reality.

7.3 Maintenance Dynamics

Define

$$\frac{dM}{dt} = -\alpha\Delta + \beta U$$

where

- Δ = model drift,
- U = updating effort.

Theorem 2 (Maintenance Condition). *A model remains operational if*

$$U_t > \Delta_t.$$

Proof. When

$$U_t > \Delta_t,$$

adaptation exceeds environmental divergence.

Consequently model accuracy remains bounded.

□

8 Model Failure

Three major failure modes exist.

8.1 Parameter Failure

Parameters change while structure survives.

8.2 Structural Failure

Relationships fail.

Example:

Newtonian mechanics near relativistic velocities.

8.3 Paradigm Failure

Ontology itself collapses.

Examples:

- geocentrism,
- phlogiston theory,
- spontaneous generation.

9 Model Deconstruction

Given a model

$$\mathcal{M}$$

recover

$$(\Theta, A, S, C).$$

9.1 Hidden Assumption Principle

Theorem 3. *Every model contains more assumptions than are explicitly stated.*

Proof. All models require boundary conditions, measurement conventions, semantic definitions, and observational procedures.

Many remain implicit.

Therefore

$$|\Theta_{\text{true}}| > |\Theta_{\text{declared}}|.$$

□

10 Applications Across Disciplines

10.1 Physics

Physical theories compress the universe into conservation laws, symmetries, and equations of motion.

10.2 Chemistry

Chemical models compress molecular interactions into reaction mechanisms and thermodynamic relationships.

10.3 Biology

Biological models compress evolutionary and physiological processes.

10.4 Economics

Economic models compress billions of transactions into aggregate variables such as inflation, growth, and unemployment.

10.5 Finance

Financial models compress market uncertainty into probabilistic structures and pricing equations.

10.6 Psychology and Psychiatry

Cognitive and diagnostic models compress highly complex mental processes into interpretable frameworks.

10.7 Political Science and International Relations

States, alliances, institutions, and strategic interactions are represented through simplified game-theoretic structures.

10.8 Warfare Economics

Military systems transform resources into strategic capability.

A wartime model may be represented as

$$W = f(L, K, E, T)$$

where

- L = labour,
- K = capital,
- E = energy,
- T = technology.

10.9 Artificial Intelligence

Machine learning systems are adaptive model generators.

Training minimizes

$$L(\theta).$$

Maintenance corresponds to continual learning.

11 Conservation of Complexity

Theorem 4. *Complexity removed from a model reappears as uncertainty.*

Proof. Let

$$C_R$$

be reality complexity.

Let

$$C_M$$

be retained complexity.

Define residual uncertainty

$$U = C_R - C_M.$$

Hence

$$C_R = C_M + U.$$

□

12 The Model Mortality Theorem

Theorem 5 (Model Mortality). *Every non-trivial model possesses a finite domain of validity, a finite maintenance horizon, and a finite expected lifetime unless continuously updated.*

Proof. Reality evolves through time.

Therefore

$$\mathcal{R}_t \neq \mathcal{R}_{t+1}.$$

Consequently

$$\Delta_t = d(\mathcal{M}_t, \mathcal{R}_t)$$

grows unless maintenance occurs.

When divergence exceeds tolerance

$$E[e_t^2] > \tau$$

the model ceases to function adequately.

Hence every model possesses a finite horizon of validity.

□

13 The Grand Lifecycle Equation

The complete lifecycle may be represented as

$$\mathcal{R} \rightarrow \mathcal{O} \rightarrow \mathcal{M} \rightarrow \mathcal{P} \rightarrow \mathcal{D} \rightarrow \mathcal{R}.$$

The associated dynamic equation is

$$\mathcal{M}_t = \Phi(\mathcal{O}_t, \Theta_t, A_t, S_t) - \Delta_t + U_t.$$

14 Lifecycle Architecture




Figure 1: Universal lifecycle of theoretical models.

15 Taxonomy of Model Failure

Type	Cause	Example
Parameter Failure	Parameter drift	Inflation model recalibration
Structural Failure	Equation breakdown	Newtonian mechanics
Paradigm Failure	Ontology collapse	Geocentrism

Table 1: Hierarchy of model failure.

16 Philosophical Implications

The proposed framework unifies:

- epistemology,
- scientific realism,
- instrumentalism,
- Bayesian learning,
- computational complexity,
- systems theory,
- cybernetics.

Knowledge becomes the management of model lifecycles rather than the discovery of immutable truths.

17 Conclusion

This paper proposes a General Theory of the Construction, Maintenance, and Deconstruction of Theoretical Models.

The theory identifies:

1. construction as information compression,
2. maintenance as adaptation to environmental drift,
3. deconstruction as assumption recovery,
4. replacement as model evolution.

The resulting framework is applicable across mathematics, physics, chemistry, biology, economics, finance, psychology, psychiatry, political science, international relations, warfare, statistics, computer science, data science, and artificial intelligence.

References

- [1] Box, G. E. P. *Robustness in the Strategy of Scientific Model Building*. Academic Press, 1979.
- [2] Kuhn, T. S. *The Structure of Scientific Revolutions*. University of Chicago Press, 1962.
- [3] Popper, K. *The Logic of Scientific Discovery*. Routledge, 1959.
- [4] Shannon, C. E. A Mathematical Theory of Communication. *Bell System Technical Journal*, 1948.
- [5] Wiener, N. *Cybernetics*. MIT Press, 1948.
- [6] Simon, H. A. *The Sciences of the Artificial*. MIT Press, 1969.
- [7] von Bertalanffy, L. *General System Theory*. George Braziller, 1968.
- [8] Bishop, C. M. *Pattern Recognition and Machine Learning*. Springer, 2006.
- [9] Goodfellow, I., Bengio, Y., Courville, A. *Deep Learning*. MIT Press, 2016.
- [10] Jaynes, E. T. *Probability Theory: The Logic of Science*. Cambridge University Press, 2003.

Glossary

Reality Underlying system being studied.

Observation Measured information about reality.

Model Compressed representation of reality.

Assumption Constraint imposed to reduce complexity.

Calibration Parameter estimation process.

Drift Divergence between model and reality.

Maintenance Updating effort applied to preserve validity.

Paradigm Foundational conceptual framework.

Compression Reduction of complexity through abstraction.

Deconstruction Recovery of explicit and implicit assumptions.

The End