

Optimal Resource Allocation in Stochastic Environments

A Multidisciplinary Analysis of Constrained Quadratic Optimization in Financial and Geopolitical Contexts

Soumadeep Ghosh with Qwen3.7

Kolkata, India

Abstract

This paper presents a rigorous mathematical solution to a constrained quadratic optimization problem, deriving the optimal weights $\alpha, \beta, \gamma, \delta$ and a residual parameter ϵ given target variables P and V . While rooted in financial mathematics (utilizing Open, High, Low, and Close price dynamics), the framework is generalized to address resource allocation in warfare economics, international relations, and artificial intelligence. We provide formal proofs, algorithmic pseudo-code, and multidisciplinary interpretations, demonstrating how bounded rationality and physical constraints shape optimal strategies across domains.

The paper ends with “The End”

Contents

1	Introduction	1
2	Mathematical Formulation and Proof	1
2.1	Derivation of ϵ	2
2.2	Unconstrained Optimization via Lagrange Multipliers	2
2.3	Karush-Kuhn-Tucker (KKT) Conditions and Boundary Solutions	2
3	Algorithmic Implementation	3
4	Multidisciplinary Implications	3
4.1	Philosophy and Political Science	3
4.2	Warfare Economics and International Relations	3
5	Data Science and Visualization	3

1 Introduction

In both financial markets and geopolitical conflict, actors must allocate finite resources to achieve a target outcome under strict environmental constraints. In finance, this mirrors the construction of a synthetic asset replicating a target price P using baseline instruments O (Open), H (High), L (Low), and C (Close). In warfare economics and international relations, these variables represent strategic thresholds: the baseline state (O), maximum escalation (H), minimum defensive posture (L), and negotiated settlement (C).

The objective is to minimize the “energy” or variance of the allocation, represented by $\alpha^2 + \beta^2 + \gamma^2 + \delta^2$, subject to non-negativity and sum-to-one constraints, reflecting the reality that resources (capital, troops, diplomatic leverage) cannot be negative and total capacity is fixed. Simultaneously, a valuation metric V dictates a residual friction parameter ϵ , representing market slippage or geopolitical friction.

2 Mathematical Formulation and Proof

Given constants P, V, O, H, L, C with $L \leq O \leq H$ and $L \leq C \leq H$, we seek to find $\alpha, \beta, \gamma, \delta, \epsilon$ such that:

$$\begin{aligned} 0 &\leq \alpha, \beta, \gamma, \delta \leq 1 \\ \alpha + \beta + \gamma + \delta &= 1 \\ P &= \alpha O + \beta H + \gamma L + \delta C \\ V &= \frac{P}{1 + P + \epsilon} \end{aligned}$$

Minimizing ϵ and $\alpha^2 + \beta^2 + \gamma^2 + \delta^2$.

2.1 Derivation of ϵ

The equation for V uniquely determines ϵ . Rearranging the terms yields:

$$\begin{aligned} 1 + P + \epsilon &= \frac{P}{V} \\ \epsilon &= \frac{P}{V} - P - 1 \end{aligned}$$

Since ϵ is strictly determined by the givens P and V , it is trivially its own global minimum.

2.2 Unconstrained Optimization via Lagrange Multipliers

We first solve the problem ignoring the non-negativity bounds. We define the Lagrangian $\mathcal{L}$:

$$\mathcal{L} = \alpha^2 + \beta^2 + \gamma^2 + \delta^2 - \lambda_1(\alpha + \beta + \gamma + \delta - 1) - \lambda_2(\alpha O + \beta H + \gamma L + \delta C - P)$$

Taking partial derivatives with respect to each weight and setting them to zero:

$$\frac{\partial \mathcal{L}}{\partial \alpha} = 2\alpha - \lambda_1 - \lambda_2 O = 0 \implies \alpha = \frac{\lambda_1 + \lambda_2 O}{2}$$

By symmetry, $\beta = \frac{\lambda_1 + \lambda_2 H}{2}$, $\gamma = \frac{\lambda_1 + \lambda_2 L}{2}$, and $\delta = \frac{\lambda_1 + \lambda_2 C}{2}$.

Let $S_1 = O + H + L + C$ and $S_2 = O^2 + H^2 + L^2 + C^2$. Substituting the weights into the constraints:

$$\begin{aligned} \sum \alpha &= \frac{4\lambda_1 + \lambda_2 S_1}{2} = 1 \implies 4\lambda_1 + \lambda_2 S_1 = 2 \\ \sum \alpha X &= \frac{\lambda_1 S_1 + \lambda_2 S_2}{2} = P \implies \lambda_1 S_1 + \lambda_2 S_2 = 2P \end{aligned}$$

Solving this linear system for λ_1 and λ_2 yields:

$$\lambda_2 = \frac{2(4P - S_1)}{4S_2 - S_1^2}, \quad \lambda_1 = \frac{2(S_2 - PS_1)}{4S_2 - S_1^2}$$

Substituting back, the unconstrained optimal weight for α is:

$$\alpha = \frac{S_2 - PS_1 + O(4P - S_1)}{4S_2 - S_1^2}$$

Identical closed-form expressions hold for β, γ , and δ by substituting H, L , and C for O , respectively.

2.3 Karush-Kuhn-Tucker (KKT) Conditions and Boundary Solutions

If the unconstrained solution yields any negative weight, the true minimum lies on the boundary of the feasible simplex (a consequence of the KKT conditions for convex quadratic programming). In this case, the optimal solution will have exactly two non-zero weights. We evaluate all $\binom{4}{2} = 6$ valid pairs. For a pair (X, Y) , the weights are:

$$w_X = \frac{Y - P}{Y - X}, \quad w_Y = \frac{P - X}{Y - X}$$

We compute the sum of squares $w_X^2 + w_Y^2$ for all pairs where $w_X \geq 0$ and $w_Y \geq 0$, selecting the pair that minimizes this sum. The remaining two weights are set to 0.

3 Algorithmic Implementation

In computer science and AI/ML, this problem is analogous to the dual formulation of a Support Vector Machine (SVM) or a projection onto a probability simplex. The following pseudo-code outlines an $O(1)$ active-set algorithm to find the global minimum.

Step	Operation
1	Compute $\epsilon \leftarrow \frac{P}{V} - P - 1$
2	Compute $S_1 \leftarrow O + H + L + C$ and $S_2 \leftarrow O^2 + H^2 + L^2 + C^2$
3	Compute unconstrained $\alpha, \beta, \gamma, \delta$ using closed-form equations
4	if $\alpha \geq 0$ and $\beta \geq 0$ and $\gamma \geq 0$ and $\delta \geq 0$ then
5	return $(\alpha, \beta, \gamma, \delta, \epsilon)$
6	else
7	Initialize $min_sq \leftarrow \infty$, $best_weights \leftarrow \text{null}$
8	for each valid pair $(X, Y) \in \{(O, H), (H, L), (O, L), (O, C), (H, C), (L, C)\}$ do
9	Compute $w_X \leftarrow \frac{Y-P}{Y-X}$ and $w_Y \leftarrow \frac{P-X}{Y-X}$
10	if $w_X \geq 0$ and $w_Y \geq 0$ then
11	$sq \leftarrow w_X^2 + w_Y^2$
12	if $sq < min_sq$ then
13	$min_sq \leftarrow sq$
14	$best_weights \leftarrow (w_X, w_Y)$ assigned to their respective variables
15	return $best_weights$ (with unassigned weights as 0), and ϵ

4 Multidisciplinary Implications

4.1 Philosophy and Political Science

The tension between the unconstrained mathematical ideal and the bounded reality mirrors the philosophical dichotomy of potentiality versus actuality (Aristotle). In political science, Herbert Simon's concept of *bounded rationality* dictates that states optimize utility subject to hard constraints (treaties, geography, domestic politics). The boundary solutions represent "corner solutions" in diplomacy, where a state must fully commit to only two strategic postures (e.g., pure deterrence and pure negotiation) because spreading resources thinly across all four violates the non-negativity of effective power.

4.2 Warfare Economics and International Relations

In warfare economics, Lanchester's laws describe attrition, but resource allocation precedes attrition. O, H, L, C can be mapped to Operational baseline, High-intensity conflict, Low-intensity insurgency, and Ceasefire terms. The constraint $\alpha + \beta + \gamma + \delta = 1$ represents total national mobilization capacity. Minimizing the sum of squares equates to minimizing logistical friction and command-and-control overhead, a core tenet of modern military doctrine.

5 Data Science and Visualization

Data science relies on visualizing high-dimensional constraints. Figure 1 illustrates a 2D projection of the feasible region (a simplex) and the projection of an unconstrained minimum onto the feasible boundary.




Figure 1: Projection of the unconstrained minimum onto the feasible boundary of the resource allocation simplex.

Table 1 demonstrates a hypothetical application mapping financial OHLC data to geopolitical resource allocation.

Domain	O	H	L	C	P	V
Financial Asset	100.0	105.0	98.0	102.0	101.5	0.95
Geopolitical Index	50.0	80.0	40.0	60.0	65.0	0.80

Table 1: Hypothetical parameter mappings across financial and geopolitical domains.

References

- [1] Boyd, S., and Vandenberghe, L. (2004). *Convex Optimization*. Cambridge University Press. (Foundational text for quadratic programming and KKT conditions).
- [2] Lanchester, F. W. (1916). *Aircraft in Warfare: The Dawn of the Fourth Arm*. Constable and Company. (Seminal work on warfare economics and attrition modeling).
- [3] Markowitz, H. (1952). "Portfolio Selection". *The Journal of Finance*, 7(1), 77-91. (Foundation of mean-variance optimization in finance).
- [4] Simon, H. A. (1957). *Models of Man: Social and Rational*. Wiley. (Introduction of bounded rationality in political science and economics).
- [5] Vapnik, V. N. (1998). *Statistical Learning Theory*. Wiley. (Relevance of quadratic optimization and boundary projections in AI/ML and SVMs).

Glossary

$\alpha, \beta, \gamma, \delta$

Optimal non-negative weights assigned to the Open, High, Low, and Close states, respectively, summing to unity.

ϵ

Residual friction parameter, representing market slippage in finance or geopolitical friction in international relations.

Active Set Method

An optimization algorithm that iteratively identifies which inequality constraints are binding (active) at the optimal solution.

Bounded Rationality

A concept from political science and economics stating that decision-makers are limited by cognitive constraints and incomplete information, leading to “satisficing” or boundary-constrained optimization.

KKT Conditions

Karush-Kuhn-Tucker conditions; necessary conditions for a solution in nonlinear programming to be optimal, generalizing Lagrange multipliers to include inequality constraints.

Simplex

In this context, the geometric representation of the constraint $\alpha + \beta + \gamma + \delta = 1$ with $\alpha, \beta, \gamma, \delta \geq 0$, forming a tetrahedron in 4D space.

The End