Quantifying representativeness in randomized clinical trials using machine learning fairness metrics

Miao Qi<sup>1</sup>, Owen Cahan<sup>2</sup>, Morgan A. Foreman<sup>3</sup>, Daniel M. Gruen<sup>2</sup>, Amar K. Das<sup>3</sup>, and Kristin P. Bennett<sup>2</sup>

<sup>1</sup>Rensselaer Polytechnic Institute, Department of Computer Science, Troy, New York, USA, <sup>2</sup>Rensselaer Polytechnic Institute, Department of Mathematical Sciences, Troy, New York, USA and <sup>3</sup>IBM Research, Cambridge, Massachusetts, USA Corresponding Author: Kristin P. Bennett, Rensselaer Polytechnic Institute, 110 8th Street, CII 3129, Troy, NY 12180, USA (bennek@rpi.edu, (518) 276-4400)

**Keywords:** population representativeness, machine learning, randomized clinical trials, patient subgroup, health equity

## **Abbreviations**

Randomized Clinical Trial (RCT), Machine Leaning (ML), National Health and Nutrition Examination Survey (NHANES), Action to Control Cardiovascular Risk in Diabetes (ACCORD), Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT), Systolic Blood Pressure Intervention Trial (SPRINT)