

What It Is

A simple stock system written in C# using Visual Studio 2022 and SSRS for reporting.

Has transaction recording for:

- Stock Issues
- Location renaming
- Lot deletion
- Location deletion!

Uses SQL Server backend.

Technical Issues and Information

This system didn't incur any real challenges, the only real issue was not going to far and start laying down the foundations for a fully fledged ERP system!

Where possible as many activities/system events as possible where focused into centralised functions. The system has separate internal structures:

- Screens, such as Stock Item Maintenance.
- Reports, such as UOM Listing.
- Modules, consists of: clsData used for database and validation, clsView used for GUI manipulation, form reset, opening forms etc.

Additional:

This document is in on-going development, so expect changes!

Installing:

This test version requires a SQL Server installation, and SSRS installed. If you are looking at the code make sure your using Visual Studio 2022.

In Solution Explorer -> Manage NuGet Packages:

Add:

Microsoft.ReportingServices.ReportViewerControl.Winforms
Microsoft.Data.SqlClient
Microsoft.SqlServer.Types

Rather clumsily I forgot to change the PC's name so embarrassingly it is called: DESKTOP-694Q8HR

Best way obviously to test this application is via a virtual machine, either way create a folder in drive C called: C:\RogStock2025

GitHub links for latest versions:

Rogstock 2025

<https://github.com/TheRog-007/RogStock2025.git>

Rogstock 2025 - utilities

https://github.com/TheRog-007/RogStock2025_Uutilities.git

From the application folder (RogStock2025) copy the following folders into C:\RogStock2025:

Reports
Resources

Compile the EXE and copy from:

\RogStock2025Suite\RogStock2025\RogStock2025\bin\Debug

Into:

C:\RogStock2025

SQL Server was primitively configured i.e. no special user for database access, uses SQL authentication and the user details used are:

Name: sa

Password: RogSQLServer1

If this was written as a commercial system then clearly this method would be unacceptable!

The datasource in the reports uses the PC name so make sure they match!

The projects full path is:

C:\projects\VisualStudio\Csharp\RogStock2025

This folder contains sub folders for the projects:

- RogStock2025
- RogStock_Uilities
- RogStock2025_Reports_Edit – creating/editing SSRS reports
- RogStock2025_Reports_Test – for testing the report filter screens
- There is the latest BAK file for SQL Server in the SQLServerDatabase folder in: RogStock2025


This system has one admin user, whose credentials are:

Name: admin

Password: password

The Screens:


The login screen is where you access the system:




The login screen does these functions:

- Validates user name and password.
- Creates a login record in: Login_Current which contains the user ID, date/time logged in and the PCs IP address.

When logged in the main menu screen appears:



Click on the button on the top left of the screen to display options



Let's look at each screen the system offers!

Stock Items Maintenance:

Stock Items Maintenance

Item ID: Test New Find

UOM: Each Product Family: ProdFam Price: 0 ☒ Loc/Lot Tracked?

Description Media

Description
Desc

Long Description
Long Desc

Save Undo Delete Close


Use this screen to create/maintain stock items.

As with every screen in the system *required* data is always highlighted red.

What some of the screen items are for:

- Loc/Lot tracked sets the system to ensure for every location for the item there is one lot. If the item *is* Loc/Lot tracked and you uncheck it the system will want you that on save it will *delete all* associated lot records!
- Description has two options a mandatory short description (512 characters max) and an optional long description (4096 characters max).
- Media this allows one or more files to be associated with the stock item, selected one and the system saves the *path* to the file rather than saving the actual item as this make housekeeping easier and avoids massive SQL database sizes. The system supports a fixed range of types these are: PDF, JPEG, PNG, GIF.

A selected media file can (sometimes) be viewed in the viewer by simply double clicking the item:



Note: Before this screen can be used make sure you created at least UOM and product family record else the screen will tell you it can't open!

Descriptions are stored in: Stock_Descriptions.

Media data is stored in Stock_Media.

Stock Location Maintenance:

The screenshot shows a software window titled "Stock Location Maintenance". Inside the window, there is a form with the following elements:

- Item ID:** A dropdown menu currently showing "Test".
- Find:** A button next to the Item ID dropdown.
- Location Name:** A dropdown menu currently showing "Loc1".
- New:** A button next to the Location Name dropdown.
- Desc:** A label above a large text area for the description.
- Quantity:** A numeric input field.
- Non Net?:** A checkbox that is currently checked.
- Buttons:** "Save", "Undo", "Delete", and "Close" are located at the bottom of the form.

Each item can be in multiple locations, this screen maintains/creates that information. The Non Net options exists but in this version does nothing!

After an item is created in the previous screen, this is the next screen to use. Here you create the location for the item and its quantity.

If the item is Loc/Lot tracked when saved will automatically create a lot for the item. This can also be achieved somewhat unconventionally via the Adjust Quantity screen.

Note: If the item is Loc/Lot tracked when deleted will also delete all associated lots, also creates a transaction record.

Also if Loc/Lot tracked adjustment of location quantity is *disabled*, use Adjust Quantity screen for that operation.

Stock Lot Maintenance:

This screen allows maintenance of existing lots, and are automatically created when Loc/Lot tracking is turned on in the Stock Items Maintenance screen.

This screen also writes transactions for each save.

Lots can only be deleted if:

- Not the only lot for the item and location.
- Deleting the lot does not mean the total quantity in lots is *lower* than the parent location quantity.

The Non Net options exist but in this version does nothing!

Note: Lot quantity adjustments *must* match the parent locations quantity, the system will not save data that will cause a stock imbalance.

Stock Product Family Maintenance:

This screen maintains product family information. Product family *and* UOM records need to exist *before* the Stock Items Maintenance screen can be used.

Note: A product family can only be deleted if it *not* in referenced by a stock item. If it is use Product Family Mass Replace to change it in existing stock items.

Adjust Quantity:

Item ID: Test3 Find

Desc test3

Locations:

	Location	Qty	Desc	Non Net
▶	Loc4	4	Desc	☐
	Loc5	5	Desc5	☒

Lots:

	Location	Lot Nbr	Qty
▶	Loc4	15	4

Save Undo Close

This screen is used to adjust location/lot values.

Double click the location quantity box for the selected location to edit, same applies to the lot quantity.

If the item is Loc/Lot tracked but has no *lots*, when you double click the location quantity a message will appear informing you of this. At this point you can click "Save" and create the lot or adjust the location quantity first, when saved will automatically create a lot for the item.

Note: if an item is Loc/Lot tracked the total lot quantities *must* equal the parent location quantity else the screen will refuse to save the data and create a stock imbalance! Creates Loc/Lot transaction records.

Use Stock:

Use Stock

Item ID: Test3 Find

Desc test3

Location Name: Loc5 Location Quantity: 5

Lots:


Lot Nbr	Qty
16	5

Save Undo Close

Use this screen to consume (issue) stock quantities.

Note: This screen will not allow changes to be saved if lot quantities do not match the parent location quantity.
Creates Loc/Lot transaction records.

Rename Location:

The screenshot shows a window titled "Rename Location". It contains two labels: "Location From:" and "Location To:". The "Location From:" label is followed by a dropdown menu currently showing "Loc1". The "Location To:" label is followed by an empty text input field. At the bottom of the window, there are two buttons: "Save" on the left and "Close" on the right.

This screen allows locations to be renamed.


Stock Unit Of Measure Maintenance:

The screenshot shows a window titled "Stock UOM Maintenance". It contains a label "UOM:" followed by a dropdown menu currently showing "Each". To the right of the dropdown is a "New" button. At the bottom of the window, there are four buttons: "Save", "Undo", "Delete", and "Close", arranged from left to right.

This screen maintains UOM types.

Note: As with product family maintenance screen if referenced by stock item cannot delete, use UOM Mass Replace to modify affected stock items before delete.

Product Family Mass Replace:

The screenshot shows a window titled "Product Family Mass Replace". It contains two labels: "Product Family From:" and "Product Family To:". The "Product Family From:" label is followed by a dropdown menu currently showing "ProdFam". The "Product Family To:" label is followed by an empty dropdown menu. At the bottom of the window, there are two buttons: "Save" on the left and "Close" on the right.

User this screen to replace one product family with another, used mainly if need to delete one as first needs to be removed from referenced stock items.

UOM Mass Replace:

The screenshot shows a dialog box titled "UOM Mass Replace". It has two dropdown menus: "UOM From:" with "Each" selected, and "UOM To:" which is empty. At the bottom, there are two buttons: "Save" and "Close".

This screen is used to replace one UOM used in stock items with another, used before deleting a UOM.

Next is reports!

Find:

The screenshot shows a dialog box titled "Find Data Using Search: FindStockItem". It has a "New" button and a "Find" button. Below the buttons is a list of search criteria with checkboxes and input fields:

- ☒ Item ID LIKE test
- ☐ Product Family
- ☐ Lot/Lot Tracked?
- ☐ (empty)
- ☐ (empty)
- ☐ (empty)

Below the list is a table showing the results of the search:

Item ID	Description
Test	Desc
Test2	Description
Test3	Desc test3

Annotations in the image include:

- A text box: "Compare your custom value with standard operators: < > <> = Also use LIKE to search for similar values".
- A text box: "Available filter options".

Some screens have a "Find" button click this to search for items in more detail by using comparison operators and filters.

E.g.: As in this example show all stock items with item ID similar to "test".



The Reports:

Stock Item Listing:

This is available in two flavours:


- Basic
- All information

What this means is “All information” also includes detail of any media files associated with the item.



This report allows all sorts of data to sort for regarding stock items via the comprehensive filter section. Reports can be printed or exported to PDF etc!


Stock – UOM Listing:



Shows UOM data in the system.

Note: UOM records are stored in: Stock_UOM.

Stock Product Family listing:



Shows product family data in the system.

Note: Records are stored in: Stock_ProductFamily.

Location Listing:

The 'Report Locations' window displays a table of location data. The table has columns for Location Description, Item ID, Item Description, Qty, and Non Net?. The data is grouped by location (Loc1, Loc2, Loc3, Loc4). The 'Total' for each location is shown as '#Error'.

Location	Location Description	Item ID	Item Description	Qty	Non Net?
Loc1	Desc	Test	Desc	1	True
Total:					#Error
Loc2	Desc2	Test	Desc	2	False
Total:					#Error
Loc3	Desc3	Test2	Description	3	False
Total:					#Error
Loc4	Desc				

Shows location data in the system.

Note: Location data stored in: Stock_Loc.

Lots Listing:

The 'Report Lots' window displays a table of lot data. The table has columns for Item ID, Lot Nbr, Lot Qty, Non Net?, and Lot Location. The data is grouped by item ID (Test). The 'Total' for each item ID is shown as '3'.

Item ID	Lot Nbr	Lot Qty	Non Net?	Lot Location
Test	9	1	True	Loc1
	22	2	False	Loc2
Total:				3

Page: 1 Of: 1

Shows location data in the system.

Note: Location data stored in: Stock_Lot.

Location Transactions:

Report Location Transactions

Location: ☒ All

Item ID: ☒ All

Operation: ☒ All

Date From: 02/09/2025 Date To: 02/09/2025 ☒ All

Show Report

Close

Location Transactions 02/09/2025 11:06:14 AM

Operation: adjusted

Date: 03/03/2025 11:26:20

Item ID	Description	Location	Qty
Test	Desc	Loc1	2

Date: 03/03/2025 11:26:41

Item ID	Description	Location	Qty
Test	Desc	Loc1	1

Date: 04/03/2025 02:21:14

Item ID	Description	Location	Qty
Test	Desc	Loc1	7

Date: 06/03/2025 11:47:29

Item ID	Description	Location	Qty
Test	Desc	Loc1	6

Date: 06/03/2025 11:49:03

Shows all transactions for location via filter criteria or show all records.

Lot Transactions:

Report Lot Transactions

Lot: ☒ All

Location: ☒ All

Item ID: ☒ All

Operation: ☒ All

Date From: 02/09/2025 Date To: 02/09/2025 ☒ All

Show Report

Close

Lot Transactions 02/09/2025 11:06:45 AM

Lot Number: 8

Date: 03/03/2025 12:20:12

Item ID	Description	Location	Qty	Operation
Test	Desc	loc4	4	created

Date: 03/03/2025 12:30:54

Item ID	Description	Location	Qty	Operation
Test	Desc	loc4	4	deleted

Lot Number: 9

Date: 04/03/2025 09:31:37

Item ID	Description	Location	Qty	Operation
Test	Desc	Loc5	5	created

Date: 04/03/2025 10:01:11

Item ID	Description	Location	Qty	Operation
Test	Desc	Loc5	5	adjusted

Date: 06/03/2025 11:58:50

Shows all transactions for lot via filter criteria or show all records.

Stock Item Transactions:

Stock Item Transaction History Listing

Item ID: All

Operation: All

Date From: Date To: All

Show Report

Close

04/09/2025 11:47:37 AM

Stock Item - Transaction History

Test Desc

Loc1

Date/Time	Qty	Operation
3/4/2025 2:21:14 PM	7	adjusted

Lot Activity

No Records Found

Loc5

Date/Time	Qty	Operation
3/4/2025 9:31:37 AM	5	created

Lot Activity

Date	Nbr	Qty	Operation
04/03/2025 09:31:37	9	5.00	created

Date: 04/03/2025 10:01:11 Nbr Qty Operation

This drills down to lots if any exist.

Note: will show *all* lot transaction for item *unless* a date range is specified.

Logins:

Logins Listing

User: All

Show Report

Close

02/09/2025 11:32:27 AM

User Logins Listing

Login Name

- admin
- test
- Test2
- User1
- User2
- User3

Page: 1 Of: 1

Shows a list of system users.

Current Logins:

Logged In	User	PC
8/21/2025 9:38:54 AM	admin	192.168.56.1
8/21/2025 9:42:11 AM	admin	192.168.56.1
8/21/2025 9:50:05 AM	admin	192.168.56.1
8/21/2025 9:51:16 AM	admin	192.168.56.1
8/23/2025 1:57:57 PM	admin	192.168.56.1
8/23/2025 1:58:24 PM	admin	192.168.56.1
8/23/2025 2:00:49 PM	admin	192.168.56.1
8/23/2025 2:01:43 PM	admin	192.168.56.1

Shows list of users currently logged in *and* their PC IP address.

User Groups:


User	Group	Area	Type	Menu Item
admin	Admin			
		Admin	Report	
				Current Logins Listing Logins Listing Users Groups Listing
	INV_Admin	Inventory	Form	
			Operation	Stock Inventory Maintenance
			Report	Adjust Quantity
		LocLot		Product Family Listing Stock Inventory Listing Stock Items Transaction History Listing UOM Listing
			Report	

This shows the access right the user has based on the security groups they are part of.

RogStock2025 - Utilities

This is the backbone of the system. This is where the fundamental elements of the system e.g. menu areas, items and users are created.


First here are the screens:



The image shows a login window titled "RogStock 2025 Utilities - Login". It has a teal background. There are two input fields: "User Name:" with the text "admin" and "Password:" with masked characters "*****". Below the fields are two buttons: "Login" and "Cancel".


Similar to main system

Note: When the application is finished *only* admin users will have access!



The image shows a "Login Maintenance" window. It has a light blue title bar with standard window controls. The main area has a teal background. It contains a "User Name:" label next to a dropdown menu, a "Password:" label next to a text box, and buttons for "New", "Show", "Save", "Delete", and "Close". A status bar at the bottom says "Mode: Edit". An arrow points from the "Show" button to the text in the paragraph below.

This is where users are maintained, note the handy "Show" button should a user forget their password!




Sections Maintenance.

This is used to create/delete system sections, each section can have its own reports/screens and users and without sections there is no main menu!

Later in this document is explained the interconnectivity of sections and the system architecture.


Note: Be VERY careful, deleting existing sections in this development version as it is *irreversible*.



Menu Items Maintenance.

Here the items displayed in the menus are maintained.


Note: Deleting one will also remove any associated groups and user groups (see later).



Group maintenance.


Here menu items are associated with groups, many groups can associate with the *same* menu item

Note: Deleting one will also remove any associated user groups (see later).



User group maintenance.

Here users are associated with security groups, each user can be a member of more than one group.





Theme Maintenance.

This modifies colours for:

- RogStock
- RogStock – Utilities

This allows customisation of the *global* colour scheme. This right hand screen is a preview of the changed colours, clicking the “Select” button shows the colour selection screen:






Once selected the changes is shown in the preview section of the screen.

Note: Saved scheme is stored in the *Resources* sub folder of the application.

Also in this development version selected datagrid cell is hardcoded to dark blue, as there is no defined selected cell back colour property, thinking caps on for that solution!

Menu System Tables Hierarchy



RogStock 2025 – Tables

Table: Login

Field Name	Description	Type	Size	Primary Key?
LOG_ID	Autonumber	int		Y
LOG_User	User name	varchar	30	N
LOG_Password	Password	varchar	10	N
LOG_ClockNbr	Clock Number	int		N

Table: Login_Current

Field Name	Description	Type	Size	Primary Key?
LOGC_ID	Autonumber	int		Y
LOGC_User	User name	varchar	30	N
LOGC_DateTime	When logged in	date	10	N
LOGC_PCIP	IP address of PC	varchar	20	N

Table: Stock_Loc

Field Name	Description	Type	Size	Primary Key?
LOC_ID	Autonumber	int		Y
LOC_ItemID	Name	varchar	50	N
LOC_Qty	Quantity	int		N
LOC_Location	Location	varchar	30	N
LOC_Updated	Date/Time updated	datetime		N
LOC_NonNet	Non Net?	boolean		N
LOC_Description	Description	varchar	30	N

Table: Stock_Lot

Field Name	Description	Type	Size	Primary Key?
LOT_ID	Autonumber	int		Y
LOT_ItemID	Name	varchar	50	N
LOT_Nbr	Lot Number	int		N
LOT_Qty	Quantity	int		N
LOT_NonNet	Non Net?	boolean		N
LOT_Updated	Date/Time updated	datetime		N
LOT_Location	Location	varchar	30	N

Table: Stock_Items

Field Name	Description	Type	Size	Primary Key?
STKI_ID	Autonumber	int		Y
STKI_ItemID	Name	varchar	50	N
STKI_UOM	Unit of Measure	varchar	20	N
STKI_ProductFamily	Product Family	varchar	20	N
STKI_Price	Price	money		N
STKI_LocLot	Loc/Lot Tracking?	Boolean		N

Table: Stock_Vendors

Field Name	Description	Type	Size	Primary Key?
STKV_ID	Autonumber	int		Y
STKV_ItemID	Name	varchar	50	N
STKV_VendorID	Vendor	int		N
STKV_Price	Price	money		N
STKV_PREFERRED	Preferred Vendor?	boolean		N

Table: Stock_Description

Field Name	Description	Type	Size	Primary Key?
STKD_ID	Autonumber	int		Y
STKD_Desc	Description	varchar	512	N
STKD_LongDesc	Long Description	text		N
STKD_ItemID	Item ID	varchar	50	N

Table: Stock_Media

Field Name	Description	Type	Size	Primary Key?
STKM_ID	Autonumber	int		Y
STKM_ItemID	Item ID	varchar	50	N
STKM_Path	Path	varchar	100	N
STKM_Type	PDF/Image etc	varchar	10	N

Table: Loc_TRN

Field Name	Description	Type	Size	Primary Key?
LOCT_ID	Autonumber	int		Y
LOCT_ItemID	Name	varchar	50	N
LOCT_Location	Location	varchar	30	N
LOCT_OldLocation	Previous Name	varchar	30	N
LOCT_Qty	Quantity	int		N
LOCT_DateTime	Date/Time	datetime		N
LOCT_Operation	Operation	varchar	30	N

Table: Lot_TRN

Field Name	Description	Type	Size	Primary Key?
LOTT_ID	Autonumber	int		Y
LOTT_Nbr	Lot Number	int		N
LOTT_ItemID	Name	varchar	50	N
LOTT_Qty	Quantity	int		N
LOTT_DateTime	Date/Time	datetime		N
LOTT_Location	Location	varchar	30	N
LOTT_Operation	Operation	varchar	30	N

Table: Stock_ProductFamily

Field Name	Description	Type	Size	Primary Key?
SKTP_ID	Autonumber	int		Y
SKTP_ProductFamily	Product Family	varchar	30	N
SKTP_Desc	Description	varchar	30	N

Table: Stock_UOM

Field Name	Description	Type	Size	Primary Key?
STKU_ID	Autonumber	int		Y
STKU_Desc	Description	varchar	20	N

Table: Find_FieldInfo

Field Name	Description	Type	Size	Primary Key?
FFI_ID	Autonumber	int		Y
FFI_SearchType	Search Type	varchar	50	N
FFI_Tablename	Table Name	varchar	50	N
FFI_Fieldname	Field Name	varchar	50	N
FFI_Order	Sort Order	int		N
FFI_FieldDataType	Data Type	varchar	10	N
FFI_LabelText	Text For User	varchar	50	N
FFI_FieldLength	Field Length	int		N
FFI_DecimalPlaces	Decimal Places	int		N

Table: Find_Relations

Field Name	Description	Type	Size	Primary Key?
FFR_ID	Autonumber	int		Y
FFR_SearchType	Search Type	varchar	50	N
FFR_TableName	Table Name	varchar	50	N
FFR_QualifiedJoin	SQL Join	varchar	512	N
FFR_SearchCondition	Search Condition	varchar	50	N
FFR_IsDefault	Default	boolean		N
FFR_OtherTableFields	Other Table Fields	varchar	255	N
FFR_Distinct	Distinct Search	boolean		N
FFR_GroupBy	Group By	varchar	50	N
FFR_OrderBy	Order By	varchar	50	N

Table: Menu_Areas

Field Name	Description	Type	Size	Primary Key?
SEC_ID	Autonumber	int		Y
SEC_Area	Menu Section	varchar	20	N

Table: Menu_Groups

Field Name	Description	Type	Size	Primary Key?
GRP_ID	Autonumber	int		Y
GRP_Group	Security Group	varchar	20	N
GRP_MenuItem	Menu Item	varchar	50	N


Table: Menu_MenuItems

Field Name	Description	Type	Size	Primary Key?
MNU_ID	Autonumber	int		Y
MNU_MenuItemName	Menu Item	varchar	50	N
MNU_MenuItemObject	Form Name	varchar	50	N
MNU_Type	Form/Report etc	varchar	10	N
MNU_DisplayWhere	Area To Show	varchar	50	N

Table: Menu_UsersGroups

Field Name	Description	Type	Size	Primary Key?
USRGRP_ID	Autonumber	int		Y
USRGRP_User	User	varchar	20	N
USRGRP_Group	Group	varchar	20	N

Stock Items Tables Hierarchy



Note: Keep this structure in mind when creating data in the system!

System Design

The application folder design is thus:

C:\RogStock2025 - EXE file here

C:\RogStock2025\Reports – RDL/RDLC files here

C:\RogStock2025\Resources – theme file, custom SQL error messages file

The project folder design is thus:

Modules – class modules

Screens – forms

Resources – a copy of the one from the application folder

SQLServerDatabase – latest BAK of the SQL database

RogStock2025 User Manual Including Technical Information.pdf – this document your reading

System has three modules:

clsData - anything needed to access SQL data or query it etc as well as a host of constant variables

clsTable – anything to do with the SQL database schema including select queries

clsView – anything to do with the GUI from opening forms to selecting parent treeview nodes

A sort of database version of MVC!

Stored Procedures

```
-- =====
-- Author:                Roger Williams
-- Create date: 07/07/2025
-- Description:    Checks if passed user and password are valid
-- =====
CREATE PROCEDURE [dbo].[SP_CheckLogin]
    -- Add the parameters for the stored procedure here
    @User varchar(30), @Password varchar(10), @ErrorCustom int OUTPUT
AS
BEGIN
    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON;

    -- Insert statements for procedure here
    -- Set @Result = SELECT LOG_User FROM Login WHERE LOG_User = @User;

    SELECT LOG_User FROM Login WHERE LOG_User = @User AND LOG_Password = @Password

    -- if not found return custom error number
    if (@@ROWCOUNT = 0)
        SET @ErrorCustom = 1000;
    ELSE
        SET @ErrorCustom = 0;
END

-- =====
-- Author:                Roger Williams
-- Create date: 07/07/2025
-- Description:    Checks if passed user has login record
-- =====
CREATE PROCEDURE [dbo].[SP_CheckLoginExists]
    -- Add the parameters for the stored procedure here
    @User varchar(30), @ErrorCustom int OUTPUT
AS
BEGIN
    SET @ErrorCustom = 0;

    -- SET NOCOUNT ON added to prevent extra result sets from
    -- interfering with SELECT statements.
    SET NOCOUNT ON;

    SELECT LOG_User FROM Login WHERE LOG_User = @User;

    -- no record? return custom error number
    IF (@@ROWCOUNT) = 0
        SET @ErrorCustom = 1001;

END
```

-- =====

-- Author: Roger Williams

-- Create date: 01/05/2025

-- Description: Creates new lot and stores identity
-- in LOT_Nbr and also returns it

--

-- Note: was using @@IDENTITY but switched to: IDENT_CURRENT('Stock_Lot')

-- to see how it differs!

-- =====

CREATE PROCEDURE [dbo].[sp_CreateNewLot]

@itemID varchar(50), @location varchar(30), @qty int, @lotNbr int OUTPUT, @ErrorCustom int OUTPUT

AS

BEGIN

SET @ErrorCustom = 0;

-- SET NOCOUNT ON added to prevent extra result sets from

-- interfering with SELECT statements.

SET NOCOUNT ON;

-- Insert statements for procedure here

INSERT INTO Stock_Lot (LOT_ItemID, LOT_Location, LOT_Qty) VALUES (@itemID, @location, @qty)

UPDATE Stock_Lot SET LOT_Nbr = IDENT_CURRENT('Stock_Lot') WHERE LOT_ItemID = @itemID AND LOT_Location =
@location AND LOT_Qty = @qty;

-- if error use custom error for it

IF (@@ERROR) <> 0

SET @ErrorCustom = 1003;

ELSE

SET @lotNbr = IDENT_CURRENT('Stock_Lot') -- return identity seed value

END

-- =====

-- Author: Roger Williams

-- Create date: 07/07/2025

-- Description: Returns password for user if user valid

-- =====

CREATE PROCEDURE [dbo].[SP_GetPassword]

-- Add the parameters for the stored procedure here

@User varchar(30), @Password varchar(10) OUTPUT, @ErrorCustom int OUTPUT

AS

BEGIN

SET @ErrorCustom = 0;

-- SET NOCOUNT ON added to prevent extra result sets from

-- interfering with SELECT statements.

SET NOCOUNT ON;

SELECT @Password = LOG_Password FROM Login WHERE LOG_User = @User

-- if not found return custom error

if (@@ROWCOUNT = 0)

SET @ErrorCustom = 1004;

END