

Recommendation systems for personalized advertising in digital marketing

Vsevolod Salik

Slovak University of Technology in Bratislava
Faculty of Informatics and Information Technologies
`xsalik@stuba.sk`

26. september 2024

Semestral project in the subject Methods of engineering work, academic year 2024/25,
supervised by Pavol Batalik

Abstract

In the modern era, internet is the biggest information source humanity could ever imagine. However, this tool's effectiveness can be limited due to the lack of knowledge or accessibility of users. Recommendation systems help to assist users, by filtering information based on previous user interactions to create recommendations for them consisting of products relevant to their interests. Recommendation systems are used widely in various fields. This article will focus on covering personalized advertising in digital marketing field.

1 Introduction

We live in a digital era, where technology plays an essential role in enhancing quality of life. Internet, one of the most transformative inventions, is the largest repository of information ever created which can be used from almost every part of the world. Humanity gained an access to a such powerful tool which is beyond human capabilities, making it difficult to retain all the information encountered daily. That is the part where recommendation systems step in.

Recommendation systems provide information based on prior user interactions, tailored to match individual interests. They can be applied across various types of data, such as music, videos, articles, shopping, and services. This article focuses on personalized advertising in the field of digital marketing.

Competition on a marketplace grows daily. Targeting the appropriate audience and effectively selling products has become more complex comparing to previous years and that is why confronting a customer to make a purchase by simply showing them the advertisement is no longer effective enough.

The main focus of an advertising industry is not to send the ads to everyone but to find appropriate customers, who can be potentially interested in your product, afterward, create personalized advertisements, which will target them, to satisfy both customer needs and business financial objectives. Recommendation systems make it possible to identify relevant customers, tailoring content to each individual, recognizing preferences, and increasing their engagement. These are the primary functions of recommendation systems in digital marketing.

This article will briefly explore recommendation systems templates, describe principles of their work, examine the role of artificial intelligence, and present custom recommender engine implementations. The goal is to optimize the use of recommendation systems to create personalized advertising that increase sales efficiency.

2 Recommendation systems

As shown on a figure 1, model of an RS consists of user, item resource and recommendation algorithm [1]. Among these components, the recommendation algorithm is the most important part of RS [8] [10] The user model consists of computed preferences derived from personal data, including search history, purchase history, saved webpages, and so on.

Following this an item within the user's field of interest is selected, and a recommendation is generated for presentation to the user.

The performance of a recommendation system is not covered in this section ,as it is directly related to the recommendation algorithm, which will be described in subsequent sections.




Figure 1: Model of recommender systems. Reproduced from [1]

2.1 Types of recommender systems

Different types of recommender systems serve distinct purposes. This article will focus on content-based methods, hybrid methods and primarily on collaborative filtering methods.²




Figure 2: Types of recommender systems referenced in this article. Adapted from [4]

3 Recommendation algorithms

3.1 Content-based

In the vector space model user profiles can be represented just like documents by one or more profile vectors. The degree of similarity between a profile vector P , where $P = (u_1, \dots, u_k)$ can be determined by using the cosine measure: [7]

$$\text{sim}_{DP} = \frac{D \cdot P}{\|D\| \cdot \|P\|} = \frac{\sum_k u_k \cdot w_k}{\sqrt{\sum_k u_k^2 \cdot \sum_k w_k^2}} \quad (4)$$

where w_i is the weight of term t_i .

3.2 Model-based

Slope One predictor with the form $f(x) = x + b$, where b is a constant and x is a variable representing the rating values, is the simplest form of item-based collaborative filtering based on ratings [5]. It subtracts the average ratings of two items to measure how much more, on average, one item is liked than another. This difference is used to predict another user's rating of one of these two items, given his rating of the other.

For example, consider a case where user i gave score 1 to item α and score 1.5 to item β , while user j gave score 2 to item α . Slope One then predicts that user j will rate item β with:

$$2 + (1.5 - 1) = 2.5$$

(see 3 for an illustration)

	object α	object β
user i	1	1.5
user j	2	x

Figure 3: Slope One predictor. Adapted from [6]

3.3 Memory-based

Memory based algorithms can be divided into two categories: user-based [9] and item-based algorithms.

3.3.1 User-based

User-based Collaborative Filtering is among the most successful and widely implemented techniques in RS's. It recommends items to a target user based on opinions of other similar users to them. After forming the neighborhood, the new rating for the target user-item pair is estimated considering the weights of different neighbors. That is, the higher is the similarity of a user with the target user, the more impact their rating has on the estimation of the target user's rating. The new rating for user u and item i is predicted as r_{ui} using: [3]

$$\tilde{r}_{ui} = \frac{\sum_{u' \in NS_u} (r_{u'i}) \times (\text{similarity}(u, u'))}{\sum_{u' \in NS_u} |\text{similarity}(u, u')|} \quad (1)$$

where NS_u is the neighbor set of target user u with k members

3.3.2 Item-based

When estimating an unknown rating value, first Eq. (1) is modified to calculate the Pearson correlation between items rather than users. Then, the new ratings are calculated using Eq. (2):

$$\tilde{r}_{ui} = \frac{\sum_{i' \in NS_i} (r_{ui'}) \times (\text{similarity}(i, i'))}{\sum_{i' \in NS_i} |\text{similarity}(i, i')|} \quad (2)$$

where NS_i is the neighborhood set of item i [3]

4 Recommendation problems

4.1 Cold-start problem

This refers to the challenge of making accurate recommendations while being limited by a small amount or lack of data available for new users, items or interactions. Without enough information, RS's struggle to create adequate suggestions.

4.2 Scalability

Due to vast amount of data, many algorithms without specific adjustments are not capable to sufficiently create recommendations and begin to experience performance issues

4.3 Popularity Bias

Due to RS's advising most popular products it tends to decrease sales and interest in smaller ones, potentially more suitable options for specific customers resulting in a bias towards the more mainstream options

4.4 Solution

There are many different types of recommendations that an RS can generate, and each of these types is appropriate in some and less appropriate in other conditions




Figure 4: Recommendation problems. Reproduced from [2]

5 Artificial intelligence usage

6 Efficiency of personalized ads

7 Discussion

8 Conclusion

References

- [1] Rui Chen, Qingyi Hua, Yan-Shuo Chang, Bo Wang, Lei Zhang, and Xiangjie Kong. A survey of collaborative filtering-based recommender systems: From traditional methods to hybrid methods based on social networks. *IEEE Access*, 6:64301–64320, 2018.
- [2] Michele Gorgoglione, Umberto Panniello, and Alexander Tuzhilin. Recommendation strategies in personalization applications. *Information and Management*, 56(6):103143, 2019.
- [3] Mahdi Jalili, Sajad Ahmadian, Maliheh Izadi, Parham Moradi, and Mostafa Salehi. Evaluating collaborative filtering recommender algorithms: A survey. *IEEE Access*, 6:74003–74024, 2018.
- [4] Saahil Lashkari and Shilpi Sharma. Recommender systems and artificial intelligence in digital marketing. In *2022 OPJU International Technology Conference on Emerging Technologies for Sustainable Development (OTCON)*, pages 1–8, 2023.
- [5] Daniel Lemire and Anna Maclachlan. *Slope One Predictors for Online Rating-Based Collaborative Filtering*, pages 471–475. SIAM, 2005.
- [6] Linyuan Lü, Matúš Medo, Chi Ho Yeung, Yi-Cheng Zhang, Zi-Ke Zhang, and Tao Zhou. Recommender systems. *Physics Reports*, 519(1):1–49, 2012. Recommender Systems.

- [7] R. Van Meteren and M. Van Someren. "using content-based filtering for recommendation". *Proc. Mach. Learn. New Inf. Age MLnet/ECML Workshop*, 47-56, 2000.
- [8] Lei Ren. Research on some key issues of recommender systems. *East China Normal University*, 2012.
- [9] Yong Wang, Jiangzhou Deng, Jerry Gao, and Pu Zhang. A hybrid user similarity model for collaborative filtering. *Information Sciences*, 418-419:102–118, 2017.
- [10] Z Zhang. Research on personalized recommendation models and algorithm in social networks. *Shandong Normal University, Jinan*, 2015.