



JusPrin

One executable visual language for light and dark desktop UI.

Semantic tokens, native component rules, accessibility states, and design-agent instructions.

WINDOWS · MAC · LINUX

The brand palette inspires; semantic tokens decide.

A design agent may use primitives to communicate the JusPrin brand, but every product-interface decision must resolve to a named semantic or component token.

01

Start with mode

Create paired light and dark frames. Never recolor a finished light design by eye.

02

Name the intent

Choose surface, text, action, border, status, or focus tokens - never a raw purple.

03

Fit the native app

Use the existing wxWidgets density, DIP scaling, keyboard focus, and 4/8/12 radii.

Output rule: every high-fidelity screen must identify its mode, viewport, semantic tokens, component variants, focus state, and any deliberate exception.

Design for a native, dense, high-DPI desktop application.

PLATFORMS

Windows x64 / ARM64
macOS Intel / Apple Silicon
Linux x86_64 / ARM64

UI STACK









C++17 · wxWidgets · OpenGL
Embedded WebView surfaces
Keyboard-first desktop patterns

SCALE

All dimensions are DIP
Verify 100%, 150%, and 200%
SVG icons with PNG fallback

Avoid web-only assumptions: oversized controls, glass effects, blur-heavy surfaces, fixed physical pixels, and platform-specific fonts.


A compact palette supplies both themes.



One token name carries the same intent in both modes.

TOKEN	LIGHT	DARK	PURPOSE
surface.canvas	 #FFFFFF	 #17131F	Primary application background
surface.subtle	 #F6F2F7	 #211B2A	Sidebars and grouped settings
surface.raised	 #FFFFFF	 #2B2336	Dialogs, menus, elevated panels
text.primary	 #17131F	 #F6F2F7	Headings, values, body copy
text.secondary	 #5F5767	 #CFC5D3	Descriptions and secondary labels
border.subtle	 #E8DFEB	 #4B3E57	Dividers and quiet structure
border.strong	 #6F4F84	 #7D6A8D	Focus and essential boundaries
action.primary	 #3A2D64	 #CE84B7	Decisive primary action
action.primary.hover	 #4B3A77	 #D99AC5	Pointer hover
action.primary.pressed	 #2B214F	 #B76CA0	Pressed / active

Dark mode is a remapping, not an inversion.



Use lighter brand color on dark surfaces; preserve hierarchy, density, and component geometry.

Contrast and visible states are part of the specification.

12.07:1

Orbit / White

Primary light button

6.62:1

Bloom / Ink

Primary dark button

6.89:1

Secondary / White

Light secondary text

10.95:1

Dark secondary / Ink

Dark secondary text

Text

4.5:1 minimum for normal text; 3:1 only for large text.

Controls

3:1 for essential boundaries and state indicators.

Focus

2 DIP visible ring; never communicate focus with color shift alone.

Status

Pair color with an icon and plain-language label.

Use the fonts JusPrin already ships on every platform.

HarmonyOS Sans SC

Regular for UI and body · Bold for hierarchy and actions
Korean: NanumGothic · Thai: Sarabun · fallback: system GUI font

System teletype 0.20 mm 215 C


Technical values only. Never require Menlo or another platform-specific face.

Page title	24 / 30	Bold	Prepare
Section	18 / 24	Bold	Print settings
Body / control	14 / 20	Regular	0.20 mm Standard
Label	12 / 16	Bold	QUALITY
Dense metadata	10 / 14	Regular	Last updated 14:32

A small DIP scale keeps the interface consistent at every density.

DIP, not physical pixels

Use wxWidgets device-independent dimensions. The platform renderer handles physical scaling.




4 DIP

Inputs, parameter, choice, icon



8 DIP

Compact and branded actions



12 DIP

Window actions and large dialogs

16-24 DIP radii are reserved for onboarding and marketing surfaces, not the standard application shell.

Functional clarity comes before logo-derived decoration.



Orbit motif

Progress, connection, active workflow. Keep strokes visible at output size.



Directional accent

One diagonal for momentum. Avoid competing angles and decorative clutter.





Product icons

Use the established SVG library at 16, 20, or 24 DIP. Supply PNG fallback.

Apply the brand through existing semantic variants and states.

LIGHT



Compact	padding 8×3 · radius 8 · body 10	Window	58×24 min · radius 12 · body 12	Choice	100×32 min · padding 12×8 · radius 4
Parameter	120×26 · radius 4 · body 14	Icon	26×26 · icon 16 · radius 4	Expanded	32 high min · padding 12×8 · radius 4

Build high fidelity from a small, explicit native component set.

LIGHT

Printer name

Quality

READY WARNING ERROR

Support

Build plate only ☐

DARK

Printer name

Quality

READY WARNING ERROR

Support

Build plate only ☐

A valid JusPrin UI concept is traceable, paired, and implementation-aware.

01	Mode pair	Light and dark frames use the same semantic token names.
02	Native density	Components use DIP, 4/8/12 radii, and existing control dimensions.
03	Typography	HarmonyOS Sans SC and system teletype only.
04	State coverage	Normal, hover, pressed, disabled, focus, error, and success are shown.
05	Real content	Test long filenames, localized labels, dense settings, and empty states.
06	Asset discipline	Original mark; existing SVG icons; gradient only in brand moments.

Use JusPrin-UI-design-tokens.json as the source of truth. If a proposed value is not tokenized, label it as an exception and explain why.