

Program:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta http-equiv="X-UA-Compatible" content="ie=edge">

  <title>Document</title>

</head>

<body>

  <form action="#" method="Post">

    <div class="container col-2 m-5">

      <div class="form-group">

        A

        <input type="text" class="form-control" id="exampleInputEmail1" placeholder="Enter A"
name="a">

      </div>

      <div class="form-group">

        B

        <input type="text" class="form-control" id="exampleInputPassword1" placeholder="Enter
B" name="b">

      </div>

      <div class="form-group">

        <input type="radio" name="cal" value="add">Add

      </div>

      <div class="form-group">

        <input type="radio" name="cal" value="sub">Sub

      </div>

    </div>

  </form>

</body>

</html>
```

```
<div class="form-group">
    <input type="radio" name="cal" value="mul">Mul
</div>

<div class="form-group">
    <input type="radio" name="cal" value="div">Div
</div>

<input type="submit" value="submit" name="submit">
</form>
</div>
</body>
</html>
<?php
if (isset($_POST['submit'])) {
    $a = $_POST['a'];
    $b = $_POST['b'];
    switch ($_POST['cal']) {
        case "add":
            $c = $a + $b;
            echo "The Addition of A and B is $c.";
            break;
        case "sub":
            $c = $a - $b;
            echo "The Subtraction of A and B is $c.";
            break;
        case "mul":
            $c = $a * $b;
            echo "The Mul of A and B is $c.";
            break;
```

```
case "div":  
    $c = $a + $b;  
    echo "The Divion  of A and B is $c.";   
    break;  
  
default:  
    echo "Something went wrong.....";  
    break;  
}  
}  
?>
```

Output:-

A

B

☐ Add

☐ Sub

☐ Mul

☐ Div

The Addition of A and B is 9.