Experiment 10

Dockerfile is a text file that contains a set of instructions used to automatically build a Docker image. It defines the base image, environment, dependencies, and commands required to run an application inside a container.

1. Dockerfile Overview

A Dockerfile consists of step-by-step instructions that Docker follows to create an image. Each instruction in the Dockerfile creates a new layer in the image.

Common Dockerfile instructions include:

- **FROM**: Specifies the base image
- **RUN**: Executes commands during image build
- **COPY / ADD**: Copies files into the container
- **WORKDIR**: Sets working directory
- **CMD / ENTRYPOINT**: Defines default command to run

2. Pulling an Image from Docker Hub

The command:

```
docker pull hello-world
```

is used to download an image from Docker Hub.

Explanation:

- Downloads the hello-world image from the official Docker repository
- If not present locally, Docker fetches it from the remote registry
- The image is stored locally for future use
- Output shows layers being downloaded and image digest

3. Listing Available Docker Images

The command:

`docker images` displays all locally available

Docker images.

Explanation:

- Shows repository name, tag, image ID, size, and creation details
- Confirms successful image download
- Helps manage and identify images stored in the system

4. Building a Docker Image

A Docker image is built using the command:

docker build -t <image_name> .

Explanation:

- Builds an image from the Dockerfile in the current directory
- -t is used to assign a name (tag) to the image
- Docker processes each instruction in the Dockerfile step-by-step
- Final output is a reusable image

5. Running a Docker Container

The command:

docker run hello-world is used to run a container from

the specified image.

Explanation:

- Docker checks if the image is available locally
- If not, it pulls the image from Docker Hub
- Creates a new container from the image
- Executes the default command defined in the image
- Displays output in the terminal

6. Working of Hello-World Container

When the hello-world container is executed, the following steps occur:

- Docker client sends request to Docker daemon
- Docker daemon pulls the image (if not available locally)
- A container is created from the image
- The container runs a simple program that prints a message
- Output is sent back to the terminal

This confirms that Docker is installed and functioning correctly.

7. Image Storage and Layers

Docker images are built using a layered architecture:

- Each instruction in a Dockerfile creates a layer
- Layers are cached to improve performance
- Images are stored in the local Docker registry

Conclusion

Thus, Dockerfile provides a structured way to define application environments and build Docker images. Commands like docker pull, docker images, docker build, and docker run help in managing images and running containers. The successful execution of the hello-world container confirms proper Docker setup and understanding of image execution workflow.

```
C:\Users\15L>docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
17eec7bbc9d7: Pull complete
Digest: sha256:ef54e839ef541993b4e87f25e752f7cf4238fa55f017957c2eb44077083d7a6a
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest

What's next:
    View a summary of image vulnerabilities and recommendations → docker scout quickview hello-world

C:\Users\15L>
```

\

```
C:\Users\15L>docker images

IMAGE                ID            DISK USAGE   CONTENT SIZE   EXTRA
hello-world:latest   1b44b5a3e06a       10.1kB             0B
httpd:latest         4613a77dcb46        117MB             0B    U
mysql:latest         a88c3e85e887        632MB             0B
nginx:1.0            fcbd66995946        169MB             0B    U
node:latest          c3978d05bc68        1.1GB             0B    U
redis:latest         170a1e90f843        138MB             0B
ubuntu:latest        ca2b0f26964c       77.9MB             0B    U

C:\Users\15L>
```

```
C:\Users\15L>docker run hello-world

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
 1. The Docker client contacted the Docker daemon.
 2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
    (amd64)
 3. The Docker daemon created a new container from that image which runs the
    executable that produces the output you are currently reading.
 4. The Docker daemon streamed that output to the Docker client, which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/


C:\Users\15L>
```

```
C:\Users\15L>docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES

C:\Users\15L>docker ps -a
CONTAINER ID   IMAGE         COMMAND                  CREATED              STATUS                       PORTS                    NAMES
f60ff2c3de0b   hello-world   "/hello"                 About a minute ago   Exited (0) About a minute ago                         quizzical_bell
0d848800acd2   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               flamboyant_knuth
e81c8ac65cd6   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               jolly_herschel
f90bf8584ef0   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               inspiring_montalcini
c1558a5bdfc7   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               compassionate_cerf
61c302b4db0a   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               suspicious_heisenberg
a916b1bc1d13   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               nice_roentgen
004bcde700ff   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               sad_noyce
c8cb01650812   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               flamboyant_pike
d605477f1917e  httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               intelligent_greider
  23e0452c     httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               zealous_bouman
  o0ef6efe     httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               sad_elion
74b68ec74672   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               hungry_jang
55a80be3d445   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               youthful_matsumoto
4ed8cfaded6b   httpd         "httpd-foreground"       4 months ago         Exited (0) 4 months ago                               sleepy_gates
2fa633478597   ubuntu        "/bin/bash"              23 months ago        Exited (255) 6 months ago                             unruffled_wilson
ee37479b71cd   node          "docker-entrypoint.s…"   24 months ago        Exited (0) 23 months ago                              sarth
9c7ca042694c   node          "docker-entrypoint.s…"   24 months ago        Exited (0) 23 months ago                              lucid_faraday
f4b59b6cf1f4   d1397258b209  "docker-entrypoint.s…"   24 months ago        Exited (255) 6 months ago    6379/tcp                 musing_archimedes
d820ef6a1a06   d2c94e258dcb  "/hello"                 24 months ago        Exited (0) 24 months ago                              bb71b1a51783
bb71b1a51783   d2c94e258dcb  "/hello"                 24 months ago        Exited (0) 24 months ago                              silly_wozniak
922a7dec7144   d1397258b209  "docker-entrypoint.s…"   24 months ago        Exited (255) 24 months ago   6379/tcp                 festive_hertz
97abe06c14c7   d2c94e258dcb  "/hello"                 24 months ago        Exited (0) 24 months ago                              b9f4789574a5
ae743b95da80   d2c94e258dcb  "/hello"                 24 months ago        Exited (0) 24 months ago                              mystifying_ramanujan
b9f4789574a5   d2c94e258dcb  "/hello"                 24 months ago        Exited (0) 24 months ago                              interesting_yalow
a21892131937   nginx:1.0     "/usr/sbin/nginx -g …"   1 years ago          Exited (255) 24 months ago   0.0.0.0:9090->80/tcp     webserver

C:\Users\15L>
```