



Ultrasonic Sensor

By Sanjay and Arvind Seshan

BEGINNER PROGRAMMING LESSON

LESSON OBJECTIVES

1. **Learn about the Ultrasonic Sensor**
2. **Learn how to use Wait Until Ultrasonic Block**
3. **Learn the difference between the Wait Until Ultrasonic Block and the Ultrasonic Block**

WHAT IS A SENSOR?

- A sensor lets an EV3 program measure and collect data about its surroundings
- The EV3 sensors include:
 - Color – measures color and darkness
 - Gyro – measures rotation of robot
 - Ultrasonic – measures distance to nearby surfaces
 - Touch – measures contact with surface
 - Infrared – measures IR remote's signals



Image from: http://www.ucalgary.ca/IOSTEM/files/IOSTEM/media_crop/44/public/sensors.jpg

© EV3Lessons.com, 2016 Last Update: (7/04/2016)



ULTRASONIC

- An ultrasonic sensor measures distance.
- You use it when you need to make sure you are a certain distance away from a target.
- The distance can be measured in inches or centimeters.
- To read the ultrasonic sensor, you use the Ultrasonic Block. To use the ultrasonic to do an action until a distance, you use “Wait Until”

Read Ultrasonic

VS.

Wait for Ultrasonic



ULTRASONIC CHALLENGE 1


Challenge: Make the robot move until it is 20cm away from the wall.

Step 1: Make a new program

Step 2: Set move to “on”

Step 3: Set wait block to use the Ultrasonic

Step 4: Set move block to “off”



CHALLENGE 1 SOLUTION

Challenge: Make the robot move until it is 20cm away from the wall.





Set Move
Steering block
to "on"

Set wait block to
Ultrasonic Sensor-
>Compare-
>Distance Inches
and second input
(inches) to 5.

Set move
steering block
to "off"

CHALLENGE 2: USE THE FORCE TO CONTROL YOUR ROBOT!



CHALLENGE 2: PSEUDOCODE

If the robot is closer than 20cm away from your hand move backward, otherwise move forward.


Step 1: Drag a loop from the orange tab

Step 2: Drag a switch inside loop

Step 3: Set switch to Ultrasonic


Step 4: Set move steering block to ON with negative power and place in TRUE

Step 4: Set move steering block to ON with positive power and place in FALSE



CHALLENGE 2 SOLUTION

Challenge: If the robot is closer than 20cm away from your hand move backward, otherwise move forward.



The previous code kept the robot moving always. This version lets the robot rest if it is between 15-20 centimeters.



CREDITS

- This tutorial was created by Sanjay Seshan and Arvind Seshan
- More lessons are available at www.ev3lessons.com



This work is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-nc-sa/4.0/).