



UNIVERSIDAD AUTÓNOMA DE YUCATÁN

Human Computer Interaction

AI prompt reflection

ALUMNO: Buntarou Emiliano Orduño Hara

CARRERA: Licenciatura en Ingeniería de Software

23 de septiembre de 2025

AI prompt

I will select again learnability for the usability attribute selected, which is to how quickly and without external help new users can understand and complete the basic tasks of the system. Learnability refers to how easy it is for users to accomplish basic tasks the first time they encounter the design. [1]

To measure learnability, we deliberately selected a mix of subjective and objective data. Post-task Likert responses captured users' immediate perception of clarity, ease, and satisfaction. Task completion times provided objective evidence of efficiency during first use. Moderator notes added qualitative insights by documenting errors, hesitation, and points of confusion. This combination aligns with usability evaluation practices recommended by ISO/IEC and academic literature, which highlight the importance of using effectiveness, efficiency, and satisfaction as complementary measures.

A prompt was developed to request that an AI generate a set of usability testing tasks oriented toward learnability. The prompt explicitly included product context (a marketplace for musicians and employers), target users (musicians at different experience levels and employers), the specific objective (measuring first-time learnability with no prior training), required metrics (post-task Likert scores, task times, success indicators, and observational notes), task scope (five core tasks, each lasting one to three minutes), and ethical constraints (no training provided, moderator intervention only in case of emergency). Including these details was necessary to ensure that the AI-generated tasks would be concrete, measurable, and relevant to the context.

When designing tasks manually as a team, the process as I remembered required 1.5 to 3.5 hours, including meetings to align priorities, drafting tasks, and revising them to satisfy both usability goals and stakeholder requirements. By contrast, creating and refining a well-structured prompt for an AI takes significantly less time, approximately 35 to 70 minutes, including running the prompt, reviewing the output, and adjusting the results. While manual design ensures deep contextual alignment, AI allows for rapid prototyping of test scripts and can significantly reduce the preparation effort.

The strategy that provides the best results in practice is a hybrid approach. AI can serve as an accelerator to generate a structured draft of usability testing tasks, while the design team performs a focused review to validate feasibility, adjust wording, and ensure contextual accuracy.

AI is preferable when time is limited, when the team is small or unavailable for lengthy sessions, or when consistency and structural completeness are priorities. It is also useful in early phases of prototyping when quick iterations are needed. Manual design, however, is more appropriate when contextual knowledge is critical, when tasks involve sensitive flows such as payments or privacy, or when multiple stakeholders must reach consensus on usability priorities.

Prompt:

I'm running a pilot usability test for a marketplace for musicians and employers. My primary usability attribute to measure is learnability (first-time users, no prior training). Target users are: (A) musicians (novice and experienced) and (B) employers posting offers.

Produce 5 concrete tasks (with clear success criteria) to measure learnability. For each task, include:

Short title (one line).

Steps the participant should follow (concise).

Exact success criteria (binary or graded).

Which data to collect for that task (e.g., task time, success/failure, SEQ/Likert question text, specific observations to note).

Suggested post-task Likert question (one sentence) to capture perceived ease/clarity.

Expected typical time range for first-time users.

Constraints: participants receive no training; tasks must be doable in the prototype (registration, profile edit, search, apply/bookmark offer, post an offer for employers). Prioritize tasks that produce measurable signals for learnability (success rate, time, hesitation/need for help). Provide brief rationales (1–2 lines) for why each task measures learnability.

AI Tool Used: ChatGPT

[1] Grossman, T., Fitzmaurice, G., & Attar, R. (2009). *A Survey of Software Learnability: Metrics, Methodologies and Guidelines*. Proceedings of the SIGCHI Conference on Human Factors in Computing Systems. ACM. Available: <https://www.tovigrossman.com/papers/2009%20chi%20learnability.pdf>