

Router-PT


4331 4321 1941 2901 2911 8191OX 819HW 829 1240 PT-Router PT-Empty 1841 2620

Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Failed	Lapt...	DHCP Ser...	IC...		0.000	N	0	(e...	(delete)
	Failed	Lapt...	DHCP Ser...	IC...		0.000	N	1	(e...	(delete)
	Failed	Lapt...	DHCP Ser...	IC...		0.000	N	2	(e...	(delete)
	Successful	Lapt...	HTTP server	IC...		0.000	N	3	(e...	(delete)
	Failed	DHC...	Laptop1	IC...		0.000	N	4	(e...	(delete)



DHCP Server

Physical Config **Services** Desktop Programming Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

Interface **FastEthernet0** Service ☒ On ☐ Off

Pool Name **serverPool**

Default Gateway **0.0.0.0**

DNS Server **169.254.119.123**

Start IP Address : **169** **254** **0** **0**

Subnet Mask: **255** **255** **0** **0**

Maximum Number of Users : **512**

TFTP Server: **0.0.0.0**

WLC Address: **0.0.0.0**

Add

Save

Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	169.25...	169.25...	255.25...	512	0.0.0.0	0.0.0.0

Top

Toggle PDU List Window

Realtime

Simulation


(delete)


(delete)


(delete)


(delete)


(delete)











820

Device	IP Address	MAC Address	Protocol	Port	State	Count	Details
Laptop1	192.168.1.1	AA-AA-AA-AA-AA-AA	DHCP	67	0.000	N	2 (e...)
Laptop1	192.168.1.1	AA-AA-AA-AA-AA-AA	HTTP	80	0.000	N	3 (e...)
DHC...	192.168.1.1	AA-AA-AA-AA-AA-AA	DHCP	67	0.000	N	4 (e...)

(delete)
(delete)
(delete)
(delete)
(delete)

Realtime Simulation

