



Prerequisites

- Fundamental programming skills
- Recommended: Completion of the chapter SAPUI5

Agenda

- I. Motivation**
- II. Launchpad Overview**
- III. App Archetypes**
- IV. Navigation concepts**
- V. The fiori app library**

Motivation

- According to research, most SAP users used SAP UI to access applications. A GUI with more than 300.000 screens and various functions in it -> SAP recreated the most common applications and integrated them in fiori, a new user experience
- Main goal: Personalize and simplify the user experience for SAP applications



ROLE - BASED

Designed for you,
your needs, and how
you work



ADAPTIVE

Adapts to multiple
use cases and
devices



COHERENT

Provides one fluid,
intuitive experience



SIMPLE

Includes only what is
necessary



DELIGHTFUL

Makes an emotional
connection


Distinction between Fiori and SAPUI5

- SAPUI5 is a technology
- SAPUI5 App: application created using the SAPUI5 toolkit
- SAPUI5 is the primary technology used for Fiori
- Fiori is a design principle
- A Fiori app follows the Fiori design guidelines (usually SAPUI5 components, loaded into an application container)

II. Overview


Overview

- Displayed in web-browser, offering web-like navigation experience (create bookmarks, use web browser's back and forward button)
- Can be hosted on different server platforms (SAP NetWeaver AS for ABAP, SAP HANA, SAP HANA Cloud Platform)




II. Overview

Me-area



II. Overview

Launchpad Designer



- Create/manage catalogs, groups and tiles
- Create target mappings

You already heard about the SAP FIORI User experience, now take a look at it yourself:

www.sapfioritrial.com



Navigation basics

- Offers web-like navigation experience (open new tabs, create bookmarks, back & forward buttons)
- SAP Fiori launchpad supports navigation based on URL fragments, intent-based, cross-app and inner-app navigation

Tiles, Catalogs & Groups

- In fiori, applications are referenced through tiles, structured in catalogs and groups
- **Tile:** Starts the application (by using a target mapping). Can be selected from catalogs and arranged in groups.
- **Catalog:** Set of apps made available for a role. A User can search the catalog, select apps out of it and add them to his entry page.
- **Group:** Subset of a catalog, consists of the apps visible on the launchpad. Can be assigned to a role, so that the end user doesn't have to add the desired tiles himself.

III.Navigation concepts

Navigation

Two main ways:

- Via Target URL (dependent or independent)
 - www.sap.com
 - /sap/bc/ui5_ui5/sap/z_mvc_app_000
- Intent based (semantic object navigation)
 - uses target mapping
 - decouples navigation-trigger from navigation-target
 - modify the target application without changing the trigger
 - choose the target depending on role or device type

Navigation

Use semantic object navigation: ☐

Semantic Object:

Action:

Parameters:

Target URL:

Navigation by intent

- Navigation in fiori consists of semantic objects and actions
- **Semantic object:** Represents business entity (customer, sales order or a product).
Refer to objects in a standardized way, abstracting from concrete implementation of these objects
- **Action:** Describes which operation is intended to be performed on a semantic object
- **Intent:** Combination of a semantic object and an action. Can be resolved differently, based on the role of the user, that triggers the navigation.
- **Target mapping:** Defines the intent, navigation target, supported device types and additional parameters. Is triggered when a tile is selected


Navigation by application types

- SAP-Fiori-App using LPD_CUST
- SAPUI5-Fiori-App
- Transaction
- URL
- Web Dynpro

The screenshot displays the 'Configure: Target Mapping' configuration screen. It includes a top navigation bar with a menu icon and a back arrow. The main content area is divided into sections: Intent, Target, and General. The 'Intent' section contains 'Semantic Object' (WorkItem) and 'Action' (display). The 'Target' section contains 'Application Type' (URL), 'Title' (SAP Fiori App using LPD_CUST), 'URL' (SAPUI5 Fiori App), and 'System Alias' (Transaction). The 'General' section is currently empty. The 'Application Type' dropdown is open, showing a list of options: SAP Fiori App using LPD_CUST, SAPUI5 Fiori App, Transaction, URL (selected), and Web Dynpro.

III. Navigation concepts

Overview




App Archetypes

- There are three basic app archetypes available
- **Transactional Apps:** Used to perform transactional tasks
- *Fact Sheets:* Display contextual information and key facts about central objects used in business operations. *(Only run on SAP HANA)*
- *Analytical Apps:* Insight into real-time operations, displaying key figures directly in the browser. *(Only run on SAP HANA)*

III. Templates

Tile types

- **Static App Launcher:** displays static content, configure title, subtitle and icon
- **Dynamic App-Launcher:** displays data that is updated at regular intervals (via OData services)
- **News Tile:** Displays a news feed alternating between messages (rss-feeds)



Now you know the basics about the core principles of SAP Fiori.

To consolidate your knowledge, you can do tasks 1 of the *SAP FIORI* exercise.



III. The fiori app library

Fiori apps library

- SAP offers common transactions in the form of fiori applications
- Features and implementation information/ requirements are stated

The screenshot displays the SAP Fiori Apps Library interface. On the left, a list of applications is shown, including 'AC-INT (Accounting Interface)', 'AP-MD-BP (Business Partner)', and 'Scheduling Block Customers'. The 'Scheduling Block Customers' app is selected, and its details are shown on the right. The details include the app title 'Scheduling Block Customers for Data Privacy Specialist', the SAP S/4HANA Cloud platform, required back-end products, application type, database, form factor, and app ID. Below this, there are tabs for 'PRODUCT FEATURES' and 'IMPLEMENTATION INFORMATION'. The 'IMPLEMENTATION INFORMATION' tab is active, showing a delivery date dropdown set to 'SAP S/4HANA Cloud 1802' and a list of implementation steps: Installation, Configuration, Extensibility, Support, and Related Apps.

Scheduling Block Customers
for Data Privacy Specialist

SAP S/4HANA Cloud
Required Back-End Product SAP S/4HANA Cloud
Application Type Transactional (SAP Fiori: Generic Job Scheduling Framework)
Database HANA DB exclusive
Form Factor Tablet, Desktop
App ID F2317

PRODUCT FEATURES IMPLEMENTATION INFORMATION

Please select a delivery date. The implementation information below only applies for the app versions delivered on
SAP S/4HANA Cloud 1802

> Installation
> Configuration
> Extensibility
> Support
> Related Apps

Check your knowledge

Check your knowledge

- What is the advantage of using the transaction LPD_CUST, instead of linking the SAPUI5 app directly in the Launchpad designer?
- In which cases is a semantic object needed?

Solution

Solution

- What is the advantage of using the transaction LPD_CUST, instead of linking the SAPUI5 app directly in the Launchpad designer?

-> None

i Note

We recommend that you define the target applications to be launched from the SAP Fiori launchpad directly in the target mapping of the SAP Fiori launchpad designer rather than in transaction LPD_CUST. See [Configuring Target Mappings](#).

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. Please see <http://global12.sap.com/corporate-en/legal/copyright/index.epx> for additional trademark information and notices.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors.

National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP SE or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP SE or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, which speak only as of their dates, and they should not be relied upon in making purchasing decisions.