Swagger Supported by SMARTBEAR

/v3/api-docs Explore

SMART Coffee & Bakery API v1 OAS 3.1

/v3/api-docs

Servers

http://127.0.0.1:8080 - Generated server url

customer-profile-controller

GET /api/v1/customers/me

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "customerId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "preferredStoreId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "loyaltyNumber": "string",
    "birthDate": "2026-09-14",
    "marketingOptIn": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.945Z"
}
```


PUT /api/v1/customers/me

Parameters Try it out

No parameters

Request body required application/json

Example Value | Schema


```
{
  "preferredStoreId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "birthDate": "2026-09-14",
  "marketingOptIn": true
}
```


Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "customerId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "preferredStoreId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "loyaltyNumber": "string",
    "birthDate": "2026-09-14",
    "marketingOptIn": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.946Z"
}
```


promotion-controller

POST /api/v1/promotions/validate

Parameters | Try it out

No parameters

Request body required | application/json

Example Value | Schema


```
{
  "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "customerId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "promotionCode": "string",
  "subtotal": 0,
  "currencyCode": "string",
  "productIds": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "categoryIds": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ]
}
```


Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "promotionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "code": "string",
    "name": "string",
    "eligible": true,
    "discountAmount": 0,
    "currencyCode": "string",
    "reason": "string"
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.948Z"
}
```


production-controller

POST /api/v1/production/ticket-items/{itemId}/start

Parameters | Try it out

Name	Description
itemId * required string($uuid) *(path)*	itemId
Idempotency-Key * required string($uuid) *(header)*	Idempotency-Key

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "ticketId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "ticketNumber": "string",
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "stationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "stationType": "string",
    "status": "string",
    "priority": "string",
    "queuedAt": "2026-09-14T05:45:29.949Z",
    "items": [
      {
        "ticketItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "orderItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productName": "string",
        "quantity": 0,
        "customizationSummary": "string",
```

```
      "status": "string",
      "startedAt": "2026-09-14T05:45:29.949Z",
      "readyAt": "2026-09-14T05:45:29.949Z",
      "version": 0
    }
  ],
  "version": 0
},
```


POST /api/v1/production/ticket-items/{itemId}/ready

Parameters | Try it out

Name	Description
itemId * required string($uuid) *(path)*	itemId
Idempotency-Key * required string($uuid) *(header)*	Idempotency-Key

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "ticketId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "ticketNumber": "string",
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "stationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "stationType": "string",
    "status": "string",
    "priority": "string",
    "queuedAt": "2026-09-14T05:45:29.950Z",
    "items": [
      {
        "ticketItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "orderItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productName": "string",
        "quantity": 0,
        "customizationSummary": "string",
        "status": "string",
        "startedAt": "2026-09-14T05:45:29.950Z",
        "readyAt": "2026-09-14T05:45:29.950Z",
        "version": 0
      }
    ],
    "version": 0
  },
```


GET /api/v1/stores/{storeId}/production/{station}

Parameters | Try it out

Name	Description
storeId * required string($uuid) *(path)*	storeId
station * required string *(path)*	station

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": [
    {
      "ticketId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "ticketNumber": "string",
      "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "stationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "stationType": "string",
```

```
    "status": "string",
    "priority": "string",
    "queuedAt": "2026-09-14T05:45:29.952Z",
    "items": [
      {
        "ticketItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "orderItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productName": "string",
        "quantity": 0,
        "customizationSummary": "string",
        "status": "string",
        "startedAt": "2026-09-14T05:45:29.952Z",
        "readyAt": "2026-09-14T05:45:29.952Z",
        "version": 0
      }
    ],
    "version": 0
```


payment-controller

POST /api/v1/payments/{paymentId}/verify

Parameters — Try it out

Name	Description
paymentId * required string($uuid) *(path)*	paymentId

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "paymentId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "paymentReference": "string",
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "method": "string",
    "status": "string",
    "currencyCode": "string",
    "amount": 0,
    "amountReceived": 0,
    "changeAmount": 0,
    "providerReference": "string",
    "qrPayload": "string",
    "expiresAt": "2026-09-14T05:45:29.954Z",
    "paidAt": "2026-09-14T05:45:29.954Z",
    "failureCode": "string",
    "idempotentReplay": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.954Z"
}
```


POST /api/v1/payments/khqr

Parameters — Try it out

Name	Description
Idempotency-Key * required string($uuid) *(header)*	Idempotency-Key

Request body required — application/json

Example Value | Schema


```
{
  "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
}
```


Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*

```
{
  "success": true,
  "data": {
    "paymentId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "paymentReference": "string",
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "method": "string",
    "status": "string",
    "currencyCode": "string",
    "amount": 0,
    "amountReceived": 0,
    "changeAmount": 0,
    "providerReference": "string",
    "qrPayload": "string",
    "expiresAt": "2026-09-14T05:45:29.955Z",
    "paidAt": "2026-09-14T05:45:29.955Z",
    "failureCode": "string",
    "idempotentReplay": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.955Z"
}
```


POST /api/v1/payments/cash

Parameters | Try it out

Name	Description
Idempotency-Key * required string($uuid) *(header)*	Idempotency-Key

Request body required — application/json

Example Value | Schema


```
{
  "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "amountReceived": 0.0001,
  "tenderCurrency": "string",
  "exchangeRate": 1e-8
}
```


Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "paymentId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "paymentReference": "string",
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "method": "string",
    "status": "string",
    "currencyCode": "string",
    "amount": 0,
    "amountReceived": 0,
    "changeAmount": 0,
    "providerReference": "string",
    "qrPayload": "string",
    "expiresAt": "2026-09-14T05:45:29.957Z",
    "paidAt": "2026-09-14T05:45:29.957Z",
    "failureCode": "string",
    "idempotentReplay": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.957Z"
}
```


order-controller

POST /api/v1/orders

Parameters | Try it out

Name	Description
Idempotency-Key * required string($uuid) *(header)*	Idempotency-Key

Request body required — application/json

Example Value | Schema


```
{
  "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "fulfillmentType": "string",
  "specialInstructions": "string"
```



Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "orderNumber": "string",
    "status": "string",
    "paymentStatus": "string",
    "currencyCode": "string",
    "subtotal": 0,
    "discountAmount": 0,
    "taxAmount": 0,
    "deliveryFee": 0,
    "roundingAmount": 0,
    "totalAmount": 0,
    "totalQuantity": 0,
    "orderedAt": "2026-09-14T05:45:29.958Z",
    "items": [
      {
        "orderItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productName": "string",
        "quantity": 0,
        "lineTotal": 0,
        "customizations": [
          "string"
        ]
      }
```


GET /api/v1/orders/{id}

Parameters | Try it out

Name	Description
id * required `string($uuid)` *(path)*	id

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "orderId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "orderNumber": "string",
    "status": "string",
    "paymentStatus": "string",
    "currencyCode": "string",
    "subtotal": 0,
    "discountAmount": 0,
    "taxAmount": 0,
    "deliveryFee": 0,
    "roundingAmount": 0,
    "totalAmount": 0,
    "totalQuantity": 0,
    "orderedAt": "2026-09-14T05:45:29.960Z",
    "items": [
      {
        "orderItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productName": "string",
        "quantity": 0,
        "lineTotal": 0,
        "customizations": [
          "string"
        ]
      }
```


cart-controller

POST /api/v1/carts/current/items

Parameters | Try it out

No parameters

Request body required — application/json

Example Value | Schema


```
{
  "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "quantity": 1,
  "note": "string",
  "customizations": [
    {
      "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "quantity": 1
    }
  ]
}
```


Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "status": "string",
    "fulfillmentType": "string",
    "currencyCode": "string",
    "items": [
      {
        "cartItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productCode": "string",
        "productName": "string",
        "quantity": 0,
        "unitBasePrice": 0,
        "unitCustomizationPrice": 0,
        "lineTotal": 0,
        "note": "string",
        "customizations": [
          {
            "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "groupName": "string",
            "optionName": "string",
            "quantity": 0,
            "additionalPrice": 0
```


DELETE /api/v1/carts/{cartId}/items/{itemId}

Parameters — Try it out

Name	Description
cartId * required string($uuid) *(path)*	cartId
itemId * required string($uuid) *(path)*	itemId

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "status": "string",
    "fulfillmentType": "string",
    "currencyCode": "string",
    "items": [
      {
        "cartItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productCode": "string",
        "productName": "string",
        "quantity": 0,
        "unitBasePrice": 0,
        "unitCustomizationPrice": 0,
        "lineTotal": 0,
        "note": "string",
        "customizations": [
          {
            "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "groupName": "string",
            "optionName": "string",
            "quantity": 0,
```

```
"additionalPrice": 0
```


PATCH `/api/v1/carts/{cartId}/items/{itemId}`

Parameters — Try it out

Name	Description
cartId * required string($uuid) *(path)*	cartId
itemId * required string($uuid) *(path)*	itemId

Request body required — application/json

Example Value | Schema

```
{
  "quantity": 1
}
```

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header.	*No links*

Example Value | Schema


```
{
  "success": true,
  "data": {
    "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "status": "string",
    "fulfillmentType": "string",
    "currencyCode": "string",
    "items": [
      {
        "cartItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productCode": "string",
        "productName": "string",
        "quantity": 0,
        "unitBasePrice": 0,
        "unitCustomizationPrice": 0,
        "lineTotal": 0,
        "note": "string",
        "customizations": [
          {
            "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "groupName": "string",
            "optionName": "string",
            "quantity": 0,
            "additionalPrice": 0
```


GET `/api/v1/carts/current`

Parameters — Try it out

Name	Description
storeId * required string($uuid) *(query)*	storeId

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header.	*No links*

Example Value | Schema


```
{
  "success": true,
  "data": {
    "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "status": "string",
    "fulfillmentType": "string",
    "currencyCode": "string",
    "items": [
      {
```

```
"productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
"productCode": "string",
"productName": "string",
"quantity": 0,
"unitBasePrice": 0,
"unitCustomizationPrice": 0,
"lineTotal": 0,
"note": "string",
"customizations": [
  {
    "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "groupName": "string",
    "optionName": "string",
    "quantity": 0,
    "additionalPrice": 0
```


DELETE `/api/v1/carts/{cartId}/items`

Parameters — Try it out

Name	Description
cartId * required `string($uuid)` *(path)*	cartId

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "cartId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "status": "string",
    "fulfillmentType": "string",
    "currencyCode": "string",
    "items": [
      {
        "cartItemId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productCode": "string",
        "productName": "string",
        "quantity": 0,
        "unitBasePrice": 0,
        "unitCustomizationPrice": 0,
        "lineTotal": 0,
        "note": "string",
        "customizations": [
          {
            "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "groupName": "string",
            "optionName": "string",
            "quantity": 0,
            "additionalPrice": 0
```


auth-controller

POST `/api/v1/auth/register`

Parameters — Try it out

No parameters

Request body required — application/json

Example Value | Schema


```
{
  "fullName": "string",
  "email": "user@example.com",
  "password": "stringstri",
  "preferredLanguage": "string"
}
```


Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
```

```
  "data": {
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "fullName": "string",
    "email": "string",
    "preferredLanguage": "string",
    "accessToken": "string"
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.970Z"
}
```


POST /api/v1/auth/refresh

Parameters | Try it out

Name	Description
refresh_token * required string *(cookie)*	refresh_token

Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "fullName": "string",
    "email": "string",
    "preferredLanguage": "string",
    "accessToken": "string"
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.971Z"
}
```


POST /api/v1/auth/logout

Parameters | Try it out

Name	Description
refresh_token string *(cookie)*	refresh_token

Responses

Code	Description	Links
200	OK	*No links*

POST /api/v1/auth/logout-all

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

POST /api/v1/auth/login

Parameters | Try it out

No parameters

Request body required — application/json

Example Value | Schema


```
{
  "email": "user@example.com",
  "password": "string"
}
```


Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "fullName": "string",
    "email": "string",
    "preferredLanguage": "string",
    "accessToken": "string"
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.973Z"
}
```


notification-controller

PATCH /api/v1/notifications/{id}/read

Parameters — Try it out

Name	Description
id * required string($uuid) *(path)*	id

Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": "string",
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.974Z"
}
```


PATCH /api/v1/notifications/read-all

Parameters — Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": "string",
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.975Z"
}
```


GET /api/v1/notifications

Parameters | Try it out

Name	Description
page integer($int32) (query)	Default value : 0 0
size integer($int32) (query)	Default value : 20 20

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value | Schema	No links


```
{
  "success": true,
  "data": {
    "items": [
      {
        "notificationRecipientId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "notificationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "type": "string",
        "category": "string",
        "messageKey": "string",
        "templateArguments": "string",
        "actionUrl": "string",
        "priority": "string",
        "createdAt": "2026-09-14T05:45:29.976Z",
        "readAt": "2026-09-14T05:45:29.976Z"
      }
    ],
    "pagination": {
      "page": 0,
      "size": 0,
      "totalElements": 0,
      "totalPages": 0,
      "first": true,
      "last": true
    }
  },
  "requestId": "string",
```


GET /api/v1/notifications/unread-count

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value | Schema	No links


```
{
  "success": true,
  "data": {
    "unreadCount": 0
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.977Z"
}
```


user-controller

GET /api/v1/users/me

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type	No links

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "userId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "fullName": "string",
    "email": "string",
    "preferredLanguage": "string",
    "status": "string"
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.978Z"
}
```


unit-of-measure-controller

GET `/api/v1/units-of-measure`

Parameters | Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": [
    {
      "unitId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "code": "string",
      "name": "string",
      "type": "string",
      "decimalScale": 0,
      "conversionFactorToBase": 0,
      "baseUnit": true
    }
  ],
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.979Z"
}
```


store-controller

GET `/api/v1/stores`

Parameters | Try it out

Name	Description
search `string` *(query)*	*Default value* : search
page `integer($int32)` *(query)*	*Default value* : 0 0
size `integer($int32)` *(query)*	*Default value* : 20 20

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "items": [
      {
        "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "storeCode": "string",
        "storeName": "string",
        "address": "string",
        "phone": "string",
```

```
      "defaultCurrency": "string",
      "defaultLanguage": "string",
      "open": true,
      "active": true
    }
  ],
  "pagination": {
    "page": 0,
    "size": 0,
    "totalElements": 0,
    "totalPages": 0,
    "first": true,
    "last": true
  }
},
"requestId": "string",
```


GET /api/v1/stores/{storeId}

Parameters | Try it out

Name	Description
storeId * required string($uuid) *(path)*	storeId

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "storeCode": "string",
    "storeName": "string",
    "address": "string",
    "phone": "string",
    "timezone": "string",
    "defaultCurrency": "string",
    "defaultLanguage": "string",
    "open": true,
    "active": true
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.985Z"
}
```


inventory-controller

GET /api/v1/stores/{storeId}/inventory

Parameters | Try it out

Name	Description
storeId * required string($uuid) *(path)*	storeId

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": [
    {
      "ingredientId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "ingredientCode": "string",
      "ingredientName": "string",
      "baseUnitCode": "string",
      "currentStock": 0,
      "reservedStock": 0,
      "availableStock": 0,
      "minimumStock": 0,
      "averageUnitCost": 0,
      "lowStock": true,
      "version": 0
    }
  ],
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.987Z"
}
```

store-catalog-controller

GET /api/v1/stores/{storeId}/catalog

Parameters | Cancel

Name	Description
storeId * required string($uuid) *(path)*	storeId
search string *(query)*	search
categoryId string($uuid) *(query)*	categoryId
availableOnly boolean *(query)*	false
page integer($int32) *(query)*	0
size integer($int32) *(query)*	20

Execute

Responses

Code	Description	Links
200	OK Media type: */* Controls Accept header. Example Value | Schema	*No links*


```
{
  "success": true,
  "data": {
    "items": [
      {
        "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "productCode": "string",
        "categoryId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "categoryName": "string",
        "name": "string",
        "description": "string",
        "imageUrl": "string",
        "price": 0,
        "currencyCode": "string",
        "available": true,
        "preparationMinutes": 0,
        "customizable": true
      }
    ],
    "pagination": {
      "page": 0,
      "size": 0,
      "totalElements": 0,
      "totalPages": 0,
      "first": true,
      "last": true
    }
```


GET /api/v1/stores/{storeId}/catalog/products/{productId}

Parameters | Try it out

Name	Description
storeId * required string($uuid) *(path)*	storeId
productId * required string($uuid) *(path)*	productId

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "productId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "productCode": "string",
    "categoryId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "categoryName": "string",
    "name": "string",
    "description": "string",
    "imageUrl": "string",
    "price": 0,
    "currencyCode": "string",
    "available": true,
    "preparationMinutes": 0,
    "customizationGroups": [
      {
        "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "code": "string",
        "name": "string",
        "selectionType": "string",
        "required": true,
        "minimumSelections": 0,
        "maximumSelections": 0,
        "options": [
          {
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "code": "string",
```


product-controller

GET `/api/v1/products/{productId}`

Parameters | Try it out

Name	Description
productId * required `string($uuid)` *(path)*	productId
storeId * required `string($uuid)` *(query)*	storeId

Responses

Code	Description	Links
200	OK	*No links*

Media type

/

Controls Accept header.

Example Value | Schema


```
    "currencyCode": "string",
    "available": true,
    "preparationMinutes": 0,
    "customizationGroups": [
      {
        "groupId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "code": "string",
        "name": "string",
        "selectionType": "string",
        "required": true,
        "minimumSelections": 0,
        "maximumSelections": 0,
        "options": [
          {
            "optionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
            "code": "string",
            "name": "string",
            "additionalPrice": 0,
            "available": true
          }
        ]
      }
    ]
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.992Z"
}
```


payment-method-controller

GET `/api/v1/payment-methods`

Parameters | Try it out

No parameters

Responses

Code	Description	Links

200 OK — *No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": [
    {
      "paymentMethodId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "code": "string",
      "name": "string",
      "type": "string"
    }
  ],
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.994Z"
}
```


loyalty-controller

GET `/api/v1/customers/me/loyalty`

Parameters — Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": {
    "accountId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "customerId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "availablePoints": 0,
    "reservedPoints": 0,
    "lifetimeEarnedPoints": 0,
    "lifetimeRedeemedPoints": 0,
    "version": 0
  },
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.995Z"
}
```


category-controller

GET `/api/v1/categories`

Parameters — Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type: */*

Controls Accept header.

Example Value | Schema


```
{
  "success": true,
  "data": [
    {
      "categoryId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "parentCategoryId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "code": "string",
      "name": "string",
      "description": "string",
      "imageUrl": "string",
      "displayOrder": 0
    }
  ],
  "requestId": "string",
  "timestamp": "2026-09-14T05:45:29.996Z"
}
```


audit-controller

GET `/api/v1/audit-logs`

Parameters | Try it out

Name	Description
storeId string($uuid) (query)	storeId
category string (query)	category
from string($date-time) (query)	from
to string($date-time) (query)	to
page integer($int32) (query)	*Default value* : 0 0
size integer($int32) (query)	*Default value* : 20 20

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** | Schema	*No links*


```
{
  "success": true,
  "data": {
    "items": [
      {
        "auditLogId": 0,
        "occurredAt": "2026-09-14T05:45:29.998Z",
        "actorUserId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "storeId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "action": "string",
        "category": "string",
        "aggregateType": "string",
        "aggregateId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "outcome": "string",
        "reason": "string",
        "requestId": "string"
      }
    ],
    "pagination": {
      "page": 0,
      "size": 0,
      "totalElements": 0,
      "totalPages": 0,
      "first": true,
      "last": true
    }
  },
```


Schemas

- UpdateCustomerProfileRequest › Expand all object
- ApiResponseCustomerProfileResponse › Expand all object
- CustomerProfileResponse › Expand all object
- PromotionValidationRequest › Expand all object
- ApiResponsePromotionResponse › Expand all object
- PromotionResponse › Expand all object
- ApiResponseProductionTicketResponse › Expand all object
- ProductionItemResponse › Expand all object
- ProductionTicketResponse › Expand all object
- ApiResponsePaymentResponse › Expand all object

PaymentResponse › Expand all object

KhqrPaymentRequest › Expand all object

CashPaymentRequest › Expand all object

CreateOrderRequest › Expand all object

ApiResponseOrderResponse › Expand all object

OrderItemResponse › Expand all object

OrderResponse › Expand all object

AddCartItemRequest › Expand all object

SelectedCustomizationRequest › Expand all object

ApiResponseCartResponse › Expand all object

CartCustomizationResponse › Expand all object

CartItemResponse › Expand all object

CartResponse › Expand all object

RegisterRequest › Expand all object

ApiResponseAuthResponse › Expand all object

AuthResponse › Expand all object

LoginRequest › Expand all object

ApiResponseVoid › Expand all object

UpdateCartItemRequest › Expand all object

ApiResponseUserResponse › Expand all object

UserResponse › Expand all object

ApiResponseListUnitOfMeasureResponse › Expand all object

UnitOfMeasureResponse › Expand all object

ApiResponsePaginatedResponseStoreResponse › Expand all object

PaginatedResponseStoreResponse › Expand all object

Pagination › Expand all object

StoreResponse › Expand all object

ApiResponseStoreResponse › Expand all object

ApiResponseListProductionTicketResponse › Expand all object

ApiResponseListInventoryBalanceResponse › Expand all object

InventoryBalanceResponse › Expand all object

ApiResponsePaginatedResponseProductSummaryResponse › Expand all object

PaginatedResponseProductSummaryResponse › Expand all object

ProductSummaryResponse › Expand all object

ApiResponseProductDetailsResponse Expand all object

CustomizationGroupResponse Expand all object

CustomizationOptionResponse Expand all object

ProductDetailsResponse Expand all object

ApiResponseListPaymentMethodResponse Expand all object

PaymentMethodResponse Expand all object

ApiResponsePaginatedResponseNotificationResponse Expand all object

NotificationResponse Expand all object

PaginatedResponseNotificationResponse Expand all object

ApiResponseUnreadCountResponse Expand all object

UnreadCountResponse Expand all object

ApiResponseLoyaltyAccountResponse Expand all object

LoyaltyAccountResponse Expand all object

ApiResponseListCategoryResponse Expand all object

CategoryResponse Expand all object

ApiResponsePaginatedResponseAuditLogResponse Expand all object

AuditLogResponse Expand all object

PaginatedResponseAuditLogResponse Expand all object