云计算实验一报告

10215501437 唐小卉

作业 1:

```
[root@10-23-103-196 ~]# ssh root@10.23.103.196
The authenticity of host '10.23.103.196 (10.23.103.196)' can't be established.
ECDSA key fingerprint is SHA256:UVLX1YF3Jm3qPUgZFKd7zAXQSIw93Ddd7F4qLEI3R3U.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.23.103.196' (ECDSA) to the list of known hosts.
root@10.23.103.196's password:
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Fri Sep 15 11:31:48 2023
[root@10-23-103-196 ~]# useradd tangxiaohui
[root@10-23-103-196 ~]# ls /home/
tangxiaohui
[root@10-23-103-196 ~]# passwd TANGxiaohui0722
passwd: Unknown user name 'TANGxiaohui0722'.
[root@10-23-103-196 ~]# passwd tangxiaohui
Changing password for user tangxiaohui.
New password:
BAD PASSWORD: The password contains the user name in some form
Retype new password:
passwd: all authentication tokens updated successfully.
[root@10-23-103-196 ~]# usermod -aG wheel luxuesong
usermod: user 'luxuesong' does not exist
[root@10-23-103-196 ~]# usermod -aG wheel tangxiaohui
[root@10-23-103-196 ~]# exit
logout
Connection to 10.23.103.196 closed.
[root@10-23-103-196 ~]# ssh root@10.23.103.196
root@10.23.103.196's password:
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Fri Sep 15 11:33:02 2023 from 10.23.103.196
[root@10-23-103-196 ~]# ls /home/
tangxiaohui
[root@10-23-103-196 ~]# _
```

作业 2:

作业 3:

作业 4:

```
[root@10-23-103-196 tangxiaohui]# head -n 400 model.py | tail -n 100 | grep def
 model.py
    def __init__(self, path, batch_size, resume):
    def create_tf_placeholders(self):
    def create_tf_variables(self):
    def init_hyper_param(self):
    def get_filter(self, layer_num, layer_name):
    def get_strides(self, layer_num):
    def get_bias(self, layer_num, value=0.0):
    def l2_loss(self):
    def build_graph(self):
    def add_summaries(self):
    def save_model(self, sess, saver):
    def restore_model(self, sess, saver):
    def get_summary_writer(self, sess):
    def train(self, epochs, thread='false'):
    def test(self):
                    type=lambda x: x ≠ 'False', default=True,
```