JavaScript Math acos() method

The JavaScript math **acos()** method returns the arccosine of the given number in the form of radians. The acos() method must be in the range -1 to 1, otherwise it returns **NaN**.

Syntax

The acos() method is represented by the following syntax:

Math.acos(num)

Parameter

num - A number.

Return

The arccosine of the number.



JavaScript Math acos() method example

Here, we will understand acos() method through various examples.

Example 1

Let's see a simple example of acos() method.

```
<script>
document.writeln(Math.acos(-1)+"<br>");
document.writeln(Math.acos(0)+"<br>");
```

```
document.writeln(Math.acos(0.5)+"<br>");
document.writeln(Math.acos(1));
</script>
```

Test it Now

Output:

```
3.141592653589793
1.5707963267948966
1.0471975511965979
```

Example 2

Let's see some cases where acos() method returns NaN.

```
<script>
document.writeln(Math.acos()+"<br>");
document.writeln(Math.acos(2)+"<br>");
document.writeln(Math.acos(-2));
</script>
```

Test it Now

Output:

```
NaN
NaN
NaN
```

Example 3

Here, you can test acos() method with your own test cases.

```
<script>
function display()
{
  var x=document.getElementById("num").value;
```

Test it Now



 $Next \rightarrow$



Feedback

• Send your Feedback to feedback@javatpoint.com

Help Others, Please Share





