

```
Activities Terminal ▾ Mar 1 15:41 mca@localhost:~/Documents
File Edit View Search Terminal Help
[mca@localhost ~]$ su
Password:
[root@localhost mca]# ifconfig
enp2s0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 172.20.3.12 netmask 255.255.0.0 broadcast 172.20.255.255
    inet6 fe80::e2d5:5eff:fe0c:bbf2 prefixlen 64 scopeid 0x20<link>
    ether e0:d5:5e:0c:bb:f2 txqueuelen 1000 (Ethernet)
    RX packets 61638 bytes 34428381 (32.8 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 29420 bytes 5453127 (5.2 MiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 1114 bytes 69810 (68.1 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 1114 bytes 69810 (68.1 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

virbr0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    inet 192.168.122.1 netmask 255.255.255.0 broadcast 192.168.122.255
    ether 52:54:00:0e:00:3c txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@localhost mca]# ssh 172.20.3.11
The authenticity of host '172.20.3.11 (172.20.3.11)' can't be established.
ECDSA key fingerprint is SHA256:NwmKm/5W/+pCBzW0nxR5LWxY3rIry1k0wZL+YTEvv2I.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.20.3.11' (ECDSA) to the list of known hosts.
ssh_dispatch_run_fatal: Connection to 172.20.3.11 port 22: Broken pipe
[root@localhost mca]# ssh 172.20.3.11
root@172.20.3.11's password:
Activate the web console with 'systemctl enable --now podman.socket'
```

```
Activities Terminal ▾ Mar 1 15:41
mca@localhost:~/Documents
File Edit View Search Terminal Help

virbr0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
    inet 192.168.122.1 netmask 255.255.255.0 broadcast 192.168.122.255
    ether 52:54:00:0e:00:3c txqueuelen 1000 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

[root@localhost mca]# ssh 172.20.3.11
The authenticity of host '172.20.3.11 (172.20.3.11)' can't be established.
ECDSA key fingerprint is SHA256:NwmKm/5W/+pCBzW0nxR5LWxY3rIrylk0wZL+YTEvv2I.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.20.3.11' (ECDSA) to the list of known hosts.
ssh_dispatch_run fatal: Connection to 172.20.3.11 port 22: Broken pipe
[root@localhost mca]# ssh 172.20.3.11
root@172.20.3.11's password:
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Fri Mar 1 15:22:20 2024
[root@localhost ~]# ls
anaconda-ks.cfg  Documents  initial-setup-ks.cfg  Pictures  Templates
Desktop          Downloads  Music              Public    Videos
[root@localhost ~]# exit
logout
Connection to 172.20.3.11 closed.
[root@localhost mca]# su mca
[mca@localhost ~]$ ls
Desktop  Documents  file      file.txt  MESCE  newdir  Pictures  Templates
dir      Downloads  file3.txt fiole.txt Music   NEWDR   Public    Videos
[mca@localhost ~]$ ls
Desktop  Documents  file      file.txt  MESCE  newdir  Pictures  Templates
dir      Downloads  file3.txt fiole.txt Music   NEWDR   Public    Videos
[mca@localhost ~]$ cd Documents
[mca@localhost Documents]$ ls
Assignment1  sample
[mca@localhost Documents]$
```