PRANA 🫁 · SETUP GUIDE

PRANA on Telegram

The fastest way to put PRANA in your pocket. Two minutes, one bot token, zero tunnels — Telegram polls *you*.

~2 min	1 step	Windows
total setup	your human step	first-class

🤖 AUTOMATIC — PRANA / installer does it 👆 YOUR 2-MIN STEP — needs a human (account / browser)


📑 Contents

1. What you're building
2. How the pieces fit (flow diagram)
3. Step 1 — Install PRANA & save your AI key
4. Step 2 — Create your bot with @BotFather 👆 YOUR STEP
5. Step 3 — Give PRANA the bot token
6. Step 4 — Start polling
7. Step 5 — Proactive pings (the "alive" part)
8. Verify it works ✅
9. Troubleshooting
10. Quick reference

What you're building

After this guide, **PRANA is a Telegram bot on your phone**: chat with it, give it tasks, and — the real magic — it can **message you first** when scheduled jobs finish. No tunnel needed: Telegram's Bot API is polled from your machine.

How the pieces fit



1 Install PRANA & save your AI key

🤖 AUTOMATIC

PowerShell

```
$ git clone https://github.com/Thegreatprabh/Prana.git
$ cd Prana
$ python -m pip install -e .
$ prana --save-key
Paste API key (hidden): ••••••••••••
```

2 Create your bot with @BotFather

👆 YOUR 2-MIN STEP

On your phone, in Telegram:

1. Open a chat with **@BotFather** → send `/newbot`
2. Pick a **display name** (e.g. *PRANA*)
3. Pick a **username** ending in `bot` (e.g. *my_prana_bot*)
4. BotFather replies with your **token** — long string like `123456:ABC-DEF…`. Copy it.

> 💡 **TIP**
>
> Token leaked or shared by accident? `/revoke` in @BotFather instantly kills it and issues a new one.

3 Give PRANA the bot token

🤖 AUTOMATIC

Recommended (persistent): add to `%USERPROFILE%\.prana\config.json`:

%USERPROFILE%\.prana\config.json

```
{
  "telegram": { "bot_token": "123456:ABC-DEF...paste..." }
}
```

Alternative (this session only): `$env:TELEGRAM_BOT_TOKEN="..."` in PowerShell. The token is never logged — error paths name the method, never the URL.

4 Start polling

🤖 AUTOMATIC

PowerShell

```
$ prana-telegram
🤖 connected as @my_prana_bot (PRANA) — polling
📲 PRANA listening on Telegram — Ctrl+C to stop
```

The `getMe` handshake validates your token at startup — a bad token fails fast with a clean error, never a hang.

5 Proactive pings — the "alive" part 🫁

🤖 AUTOMATIC

This is what makes PRANA different from a chatbot: it **messages you first**.

1. Message **@userinfobot** on Telegram → it replies with your numeric **chat id**
2. Schedule a job targeting it (from any PRANA chat, or via the `schedule` tool):

PRANA chat

```
you: schedule a job "morning-brief" every day at 8am: summarize the top tech news.
Send it to telegram:987654321
scheduled 'morning-brief' → job id 27e8f0a2…  delivery: telegram:987654321
```

Run `prana-daemon` alongside `prana-telegram`: the daemon runs due jobs, the delivery decision filters noise, and real changes land on your phone. Unchanged results stay silent — **no spam, ever**.

✓ Verify it works

- ✅ Open your bot in Telegram → `/start` → intro message arrives
- ✅ `/help` → command list (answered locally — zero tokens spent)
- ✅ Send a task: *"summarize what you can do"* → real answer
- ✅ Schedule a test ping (Step 5) → message arrives without you asking

Troubleshooting

Error / symptom	Fix
`error: no Telegram bot token — set TELEGRAM_BOT_TOKEN…`	Token not found. Check `telegram.bot_token` in config.json or the `TELEGRAM_BOT_TOKEN` env var in the *same* terminal.
`error: bot token rejected by Telegram`	Wrong or revoked token. @BotFather → `/revoke` → copy the new token.
`409 Conflict on getUpdates`	Another instance is polling with the same token (old terminal still running?). Kill the duplicate — only one poller per bot.
`Bot ignores group messages`	Group privacy mode. @BotFather → `/setprivacy` → **Disable**, or mention the bot explicitly.
`Long replies arrive in pieces`	Normal — Telegram caps messages at 4000 chars; PRANA chunks losslessly, preferring paragraph breaks.

ℹ️ BUILT-IN RESILIENCE

One bad update never kills the listener. Offsets persist in `~/.prana/telegram.json`, so restarts don't re-process old messages. `/start` and `/help` are answered locally without touching your API key quota.

Quick reference

Item	Value
Start listener	`prana-telegram` (voice on by default — see Voice guide)
Disable voice	`prana-telegram --no-voice`
Env var	`TELEGRAM_BOT_TOKEN`
Config file	`%USERPROFILE%\.prana\config.json` → `"telegram": {"bot_token": "..."}`
Your chat id	Message **@userinfobot**
Proactive target	`telegram:<chat_id>`
Message limit	4000 chars (auto-chunked, lossless)
Local commands	`/start` · `/help` (instant, zero tokens)

PRANA v0.1.0 · MIT License · github.com/Thegreatprabh/Prana