

Weekly garage walkround

Inspection Report

CLIENT / BUSINESS	Main garage - Unit 4
LOCATION	Main garage - Unit 4
REPORTING PERIOD	22 Sept 2026
INSPECTIONS CONDUCTED	1
PREPARED BY	AHS Compliance Consulting
DATE ISSUED	29 September 2026

IMPROVEMENT REQUIRED — ISSUES IDENTIFIED

1	69	8	11	1	10	0
INSPECTIONS	ITEMS PASSED	RECTIFIED ON SITE	ISSUES RAISED	RESOLVED	OPEN ACTIONS	OVERDUE

Executive Summary

CLIENT

Main garage - Unit 4

LOCATION

Main garage - Unit 4

PERIOD

22 Sept 2026

INSPECTIONS

1

PREPARED BY

AHS Compliance Consul...

DATE

29 Sept 2026

Compliance Statement

11 issues were identified during this period. 1 has been resolved. 10 actions remain outstanding. Outstanding actions require priority attention before the next inspection.

LEGAL CONTEXT

The Management of Health & Safety at Work Regulations 1999 (Reg 5) require employers to plan, organise, control, monitor and review preventive and protective measures. This report evidences compliance with that duty.

Inspection Record

1 inspection was conducted during the reporting period.

Weekly garage walkround

22 Sept 2026 · Weekly · Gareth Hughes · Ref: GI-0922

New Parts Storage Room

5 Pass · 1 Rect · 1 Action · 1 N/A

✓	Are parts stored uniformly and safely?	PASS
✓	Are there any items left to be assigned to their correct storage locations? (left over or spare parts, unused parts, seat covers, etc.)	PASS
✓	Are bins overfull?	PASS
⚠	Are heavy items being stored at an appropriate height? [note]	ACTION
✓	Are long items stored in correct areas? (leaf springs, driveshafts, steering racks)	PASS
✓	Is lighting appropriate?	RECTIFIED
✓	Are walkways clear?	PASS
—	Are overhead items stored safely?	N/A

Workshop General Area

6 Pass · 1 Action

✓	Are walkways clear?	PASS
✓	Has any unused equipment been returned to its designated area?	PASS
✓	Are bins overfull?	PASS
✓	Have walkways been recently wet and mopped?	PASS
⚠	Are there any "old" used tyres left to be taken to the waste tyre storage area? [note]	ACTION
✓	Is area around fuel tanker clear, with nothing outside the chevroned area?	PASS
✓	Are ramps/lifts clear of debris/tools ready for the next vehicle?	PASS

MOT Bay		4 Pass · 1 Rect
✓	Are tooling shadow boards complete with all required tooling?	PASS
⚙	Is the inspection light readily available?	RECTIFIED
✓	Is the entire yellow marked out area clear of obstruction?	PASS
✓	Are emissions testing hoses put away correctly and not trailing on the floor?	PASS
✓	Is exhaust extraction equipment stored correctly on hooks?	PASS
Workshop Stores and Parts		5 Pass · 1 Rect · 1 Action · 1 N/A
—	Are there any spillages around the oil storage area?	N/A
⚠	Are oil barrels and jugs stored safely? [note]	ACTION
✓	Are parts within the small mezzanine stored uniformly and safely?	PASS
✓	Are heavy items being stored at an appropriate height?	PASS
✓	Are large items stored in correct areas? (sheet metals, metal lengths)	PASS
✓	Is lighting appropriate?	PASS
✓	Are walkways clear?	PASS
⚙	Are overhead items stored safely?	RECTIFIED
Racking Inspection (PRRS) — Oil Barrel Storage		4 Pass · 1 Action
✓	Are heavy items being stored at an appropriate height?	PASS
✓	Is racking being used for correct application?	PASS
⚠	Are loads within allowable safe limits? [note]	ACTION
✓	Is racking free from accidental damage, or dislodgment of structural components?	PASS
✓	Has the racking been altered in any way since installation?	PASS
Racking Inspection (PRRS) — Tyre Storage		4 Pass · 1 N/A
—	Are heavy items being stored at an appropriate height?	N/A
✓	Is racking being used for correct application?	PASS
✓	Are loads within allowable safe limits?	PASS
✓	Is racking free from accidental damage, or dislodgment of structural components?	PASS
✓	Has the racking been altered in any way since installation?	PASS
Large Mezzanine		1 Pass · 1 Rect · 1 Action
⚙	Are steps to mezzanine clear of slip and trip hazards?	RECTIFIED
⚠	Are gated openings securely locked when not in use? [note]	ACTION
✓	Are walkways clear of slip and trip hazards?	PASS
Racking Inspection (PRRS) — On Large Mezzanine		5 Pass
✓	Are heavy items being stored at an appropriate height?	PASS
✓	Is racking being used for correct application?	PASS
✓	Are loads within allowable safe limits?	PASS
✓	Is racking free from accidental damage, or dislodgment of structural components?	PASS
✓	Has the racking been altered in any way since installation?	PASS

Small Mezzanine		1 Pass · 1 Rect · 1 Action · 1 N/A
—	Are steps to mezzanine clear of slip and trip hazards?	N/A
✓	Are gated openings securely locked when not in use?	PASS
⚠	Are walkways clear of slip and trip hazards? [note]	ACTION
✓	Are chairs stored safely and securely?	RECTIFIED
Valet Bay		8 Pass · 1 Action · 1 N/A
✓	Are all decanted products correctly labelled?	PASS
✓	Is fuel filling pipe correctly stored in perimeter hooks?	PASS
✓	Are vehicles parked correctly?	PASS
✓	Is PPE readily available / being used where required?	PASS
✓	Are drip trays overfull?	PASS
✓	Is first aid kit present and in date?	PASS
✓	Is eye wash station present and in date?	PASS
⚠	Is fire sand bucket full and not contaminated? [note]	ACTION
✓	Are bins overfull?	PASS
—	Are cleaning cloths being stored in their correct areas?	N/A
Fuelling Provisions		3 Pass · 1 Rect
✓	Is a spill kit readily available?	RECTIFIED
✓	Are environmental mats available and being used when required?	PASS
✓	Are gloves being used while fuelling vehicles?	PASS
✓	Is the fuelling nozzle in its receiver?	PASS
Car Park		4 Pass · 1 Action
✓	Are cars parked in appropriate spaces? (following car parking plan)	PASS
✓	Are cars reverse parked? (excluding cars yet to be worked on)	PASS
⚠	Is outdoor lighting appropriate? [note]	ACTION
✓	Are areas level and free of debris?	PASS
✓	Are spaces clearly identifiable?	PASS
Outside Storage Areas		4 Pass · 1 Rect · 1 Action · 1 N/A
✓	Are lids on all outside waste storage bins / barrels / tubs?	PASS
✓	Are there any drain pans left outside?	PASS
✓	Is spill kit available?	RECTIFIED
—	Is outdoor lighting appropriate?	N/A
✓	Are waste tyres being stored correctly within the correct area?	PASS
✓	Is tyre storage overfull?	PASS
⚠	Is the area clean, tidy and organised? [note]	ACTION
Office		4 Pass
✓	Are desks clean and tidy?	PASS
✓	Are walkways clear?	PASS
✓	Is heating and ventilation suitable for the time of year?	PASS
✓	Are parts left awaiting to be stored?	PASS

Customer Areas

3 Pass · 1 Rect

✓	Is area clear of obstruction and tidy, including point of contact desk?	PASS
✓	Is lighting sufficient?	PASS
✎	Is heating and ventilation suitable for time of year?	RECTIFIED
✓	Is stores room locked when not in use?	PASS

Stores Room (Customer Waiting Area)

2 Pass · 1 Action · 1 N/A

⚠	Is the door locked to prevent customer access? [note]	ACTION
—	Are electric and gas meter cupboard doors closed and free of debris?	N/A
✓	Are items stored correctly, in cupboards, not blocking walkways or worktops?	PASS
✓	Is lighting adequate?	PASS

Canteen

6 Pass · 1 Action

✓	PAT testing up to date on all appliances?	PASS
✓	Are all work surfaces clean and tidy?	PASS
✓	Are food prep items clean? (air fryer, microwave, etc.)	PASS
✓	Are cleaning products available?	PASS
✓	Are cleaning products correctly stored under the sink?	PASS
⚠	Is lighting appropriate? [note]	ACTION
✓	Is area free of slip and trip hazards?	PASS

RECTIFIED ON SITE:

' Is lighting appropriate?

' Is the inspection light readily available?

' Are overhead items stored safely?

' Are steps to mezzanine clear of slip and trip hazards?

' Are chairs stored safely and securely?

' Is a spill kit readily available?

' Is spill kit available?

' Is heating and ventilation suitable for time of year?

NOTES ON ITEMS:

Are heavy items being stored at an appropriate height?: Found during walkround 1

Are there any "old" used tyres left to be taken to the waste tyre storage area?: Found during walkround 2

Are oil barrels and jugs stored safely?: Found during walkround 3

Are loads within allowable safe limits?: Found during walkround 4

Are gated openings securely locked when not in use?: Found during walkround 5

Are walkways clear of slip and trip hazards?: Found during walkround 6

Is fire sand bucket full and not contaminated?: Found during walkround 7

Is outdoor lighting appropriate?: Found during walkround 8

Is the area clean, tidy and organised?: Found during walkround 9

Is the door locked to prevent customer access?: Found during walkround 10

Is lighting appropriate?: Found during walkround 11

GENERAL NOTES:

Overall tidy. Two guards to refit.

Issue Audit Trail

The following records every issue identified during this period and traces its complete management journey from identification through to resolution. This is the primary evidence of your health and safety management system operating effectively.

Are heavy items being stored at an appropriate height?

New Parts Storage Room

RESOLVED

1

IDENTIFIED

Needs attention: Are heavy items being stored at an appropriate height?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 1

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

RESOLVED

Refitted

By Mick Kane · 25 Sept 2026

Are there any "old" used tyres left to be taken to the waste tyre storage area?

Workshop General Area

OPEN

1

IDENTIFIED

Needs attention: Are there any "old" used tyres left to be taken to the waste tyre storage area?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 2

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Are oil barrels and jugs stored safely?

Workshop Stores and Parts

OPEN

1

IDENTIFIED

Needs attention: Are oil barrels and jugs stored safely?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 3

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Are loads within allowable safe limits?

Racking Inspection (PRRS) — Oil Barrel Storage

OPEN

1

IDENTIFIED

Needs attention: Are loads within allowable safe limits?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 4

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3 AWAITING RESOLUTION
Not yet resolved

Are gated openings securely locked when not in use?

Large Mezzanine

OPEN

1 **IDENTIFIED**
Needs attention: Are gated openings securely locked when not in use?
Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 5

2 **ACTIONED**
Assigned to Mick Kane
Target date: 15 Oct 2026

3 AWAITING RESOLUTION
Not yet resolved

Are walkways clear of slip and trip hazards?

Small Mezzanine

OPEN

1 **IDENTIFIED**
Needs attention: Are walkways clear of slip and trip hazards?
Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 6

2 **ACTIONED**
Assigned to Mick Kane
Target date: 15 Oct 2026

3 AWAITING RESOLUTION
Not yet resolved

Is fire sand bucket full and not contaminated?

Valet Bay

OPEN

1 **IDENTIFIED**
Needs attention: Is fire sand bucket full and not contaminated?
Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 7

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Is outdoor lighting appropriate?

Car Park

OPEN

1

IDENTIFIED

Needs attention: Is outdoor lighting appropriate?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 8

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Is the area clean, tidy and organised?

Outside Storage Areas

OPEN

1

IDENTIFIED

Needs attention: Is the area clean, tidy and organised?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 9

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Is the door locked to prevent customer access?

Stores Room (Customer Waiting Area)

OPEN

1

IDENTIFIED

Needs attention: Is the door locked to prevent customer access?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 10

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Is lighting appropriate?

Canteen

OPEN

1

IDENTIFIED

Needs attention: Is lighting appropriate?

Period to 22 Sept 2026 · Logged by Gareth Hughes

Note: Found during walkround 11

2

ACTIONED

Assigned to Mick Kane

Target date: 15 Oct 2026

3

AWAITING RESOLUTION

Not yet resolved

Open Actions — Summary Table

The following 10 actions remain unresolved and must be completed before the next inspection.

ITEM / ISSUE	SECTION	ASSIGNED TO	DUE DATE	STATUS
Needs attention: Are there any "old" used tyres left to be taken to the waste tyre storage area?	Workshop General Area	Mick Kane	15 Oct 2026	OPEN
Needs attention: Are oil barrels and jugs stored safely?	Workshop Stores and Parts	Mick Kane	15 Oct 2026	OPEN
Needs attention: Are loads within allowable safe limits?	Racking Inspection (PRRS) — Oil Barrel Storage	Mick Kane	15 Oct 2026	OPEN
Needs attention: Are gated openings securely locked when not in use?	Large Mezzanine	Mick Kane	15 Oct 2026	OPEN

Needs attention: Are walkways clear of slip and trip hazards?	Small Mezzanine	Mick Kane	15 Oct 2026	OPEN
Needs attention: Is fire sand bucket full and not contaminated?	Valet Bay	Mick Kane	15 Oct 2026	OPEN
Needs attention: Is outdoor lighting appropriate?	Car Park	Mick Kane	15 Oct 2026	OPEN
Needs attention: Is the area clean, tidy and organised?	Outside Storage Areas	Mick Kane	15 Oct 2026	OPEN
Needs attention: Is the door locked to prevent customer access?	Stores Room (Customer Waiting Area)	Mick Kane	15 Oct 2026	OPEN
Needs attention: Is lighting appropriate?	Canteen	Mick Kane	15 Oct 2026	OPEN