

Name:THEJAS

Reg no : 145cs20022

Date:07-03-2023

Task:3


1.johntheripper:

John the Ripper (JtR) is a popular password-cracking tool. John supports many encryption technologies for Windows and Unix systems (Mac included).

One remarkable feature of John is that it can autodetect the encryption for common formats. This will save you a lot of time in researching the hash formats and finding the correct tool to crack them.

2.wpscan:

Wpscan is a vulnerability scanning tool, which comes pre-installed in Kali Linux. This scanner tool scans for vulnerabilities in websites that run WordPress web engines. The wpscan tool itself isn't a malicious tool, as it is only for reconnaissance against a particular site. However, a skilled hacker could use the information obtained from this tool to exploit your websites. Another feature of this tool is that it can, for instance, perform brute force attacks on the supplied URL thus, it is highly recommended to not use the tool (if you are trying to exploit a WordPress running website) on a site, you do not own or have authorization to pentesting.



```
(kali㉿kali)-[~]
└─$ wpscan --url https://www.mitkundapura.com

      _____
     /  _  _  \  WPScan
    /  /  \ \  \  _____
   /  /____\ \  \  _____
  /  /_____\ \  \  _____
 /  /_____\ \  \  _____
/  /_____\ \  \  _____

WordPress Security Scanner by the WPScan Team
Version 3.8.22
Sponsored by Automattic - https://automattic.com/
@_WPScan_, @ethicalhack3r, @erwan_lr, @firefart

_____
Content-Type: application/javascript

Scan Aborted: The remote website is up, but does not seem to be running WordPress.

(kali㉿kali)-[~]
└─$ echo thejas
thejas
```

3.dirb:

DIRB is a command line based tool to brute force any directory based on wordlists. DIRB will make an HTTP request and see the HTTP response code of each request.

It internally has a wordlist file which has by default around 4000 words for brute force attack. There are a lot of updated wordlists available over the internet which can also be used. Dirb searches for the words in its wordlist in every directory or object of a website or a server. It might be an admin panel or a subdirectory that is vulnerable to attack. The key is to find the objects as they are generally hidden.

```
(kali@kali) ~
└─$ dirb https://www.mitkundapura.com

DIRB v2.22
By The Dark Raver

START TIME: Tue Mar 7 05:06:52 2023
URL_BASE: https://www.mitkundapura.com/
WORDLIST_FILES: /usr/share/dirb/wordlists/common.txt

GENERATED WORDS: 4612

— Scanning URL: https://www.mitkundapura.com/ —
=> DIRECTORY: https://www.mitkundapura.com/~adm/
=> DIRECTORY: https://www.mitkundapura.com/~admin/
=> DIRECTORY: https://www.mitkundapura.com/~administrator/
=> DIRECTORY: https://www.mitkundapura.com/~amanda/
=> DIRECTORY: https://www.mitkundapura.com/~apache/
=> DIRECTORY: https://www.mitkundapura.com/~bin/
=> DIRECTORY: https://www.mitkundapura.com/~ftp/
=> DIRECTORY: https://www.mitkundapura.com/~guest/
=> DIRECTORY: https://www.mitkundapura.com/~http/
=> DIRECTORY: https://www.mitkundapura.com/~httpd/
=> DIRECTORY: https://www.mitkundapura.com/~log/
=> DIRECTORY: https://www.mitkundapura.com/~logs/
=> DIRECTORY: https://www.mitkundapura.com/~lp/
=> DIRECTORY: https://www.mitkundapura.com/~mail/
=> DIRECTORY: https://www.mitkundapura.com/~nobody/
=> DIRECTORY: https://www.mitkundapura.com/~operator/

— Scanning URL: https://www.mitkundapura.com/ —
=> DIRECTORY: https://www.mitkundapura.com/~adm/
=> DIRECTORY: https://www.mitkundapura.com/~admin/
=> DIRECTORY: https://www.mitkundapura.com/~administrator/
=> DIRECTORY: https://www.mitkundapura.com/~amanda/
=> DIRECTORY: https://www.mitkundapura.com/~apache/
=> DIRECTORY: https://www.mitkundapura.com/~bin/
=> DIRECTORY: https://www.mitkundapura.com/~ftp/
=> DIRECTORY: https://www.mitkundapura.com/~guest/
=> DIRECTORY: https://www.mitkundapura.com/~http/
=> DIRECTORY: https://www.mitkundapura.com/~httpd/
=> DIRECTORY: https://www.mitkundapura.com/~log/
=> DIRECTORY: https://www.mitkundapura.com/~logs/
=> DIRECTORY: https://www.mitkundapura.com/~lp/
=> DIRECTORY: https://www.mitkundapura.com/~mail/
=> DIRECTORY: https://www.mitkundapura.com/~nobody/
=> DIRECTORY: https://www.mitkundapura.com/~operator/
=> DIRECTORY: https://www.mitkundapura.com/~root/
=> DIRECTORY: https://www.mitkundapura.com/~sys/
=> DIRECTORY: https://www.mitkundapura.com/~sysadm/
=> DIRECTORY: https://www.mitkundapura.com/~sysadmin/
=> DIRECTORY: https://www.mitkundapura.com/~test/
=> DIRECTORY: https://www.mitkundapura.com/~tmp/
=> DIRECTORY: https://www.mitkundapura.com/~user/
=> DIRECTORY: https://www.mitkundapura.com/~webmaster/
=> DIRECTORY: https://www.mitkundapura.com/~www/
^Z> Testing: https://www.mitkundapura.com/2005
zsh: suspended dirb https://www.mitkundapura.com

(kali@kali) ~
└─$ echo thejas
thejas
```

4.SearchSploit:

SearchSploit is a command-line search tool for Exploit-DB that allows you to take a copy of the Exploit Database with you. Searchsploit is included in the Exploit Database repository on GitHub. SearchSploit is very useful for security assessments when you don't have Internet access because it gives you the power to perform detailed offline searches for exploits in the saved Exploit-DB.

```
(kali@kali)-[~]
└─$ searchsploit -u https://www.mitkundapura.com
[i] Updating via apt package management (Expect weekly-ish updates): exploitdb

[sudo] password for kali:
Get:1 http://kali.download/kali kali-rolling InRelease [41.2 kB]
Get:2 http://kali.download/kali kali-rolling/main amd64 Packages [19.5 MB]
Get:3 http://kali.download/kali kali-rolling/main amd64 Contents (deb) [45.4 MB]
Get:4 http://kali.download/kali kali-rolling/contrib amd64 Packages [115 kB]
Get:5 http://kali.download/kali kali-rolling/non-free amd64 Packages [223 kB]
Fetched 65.3 MB in 19s (3443 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
1777 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following packages will be upgraded:
  exploitdb
1 upgraded, 0 newly installed, 0 to remove and 1776 not upgraded.
Need to get 29.9 MB of archives.
After this operation, 3986 kB of additional disk space will be used.
Get:1 http://kali.download/kali kali-rolling/main amd64 exploitdb all 20230301-0kali1 [29.9 MB]
18% [1 exploitdb 6548 kB/29.9 MB 22%]*2
zsh: suspended  searchsploit -u https://www.mitkundapura.com

(kali@kali)-[~]
└─$ echo thejas
thejas
```

5.weevly:

Weevely is a stealth PHP web shell that simulate telnet-like connection. It is an essential tool for web application post exploitation, and can be used as stealth backdoor or as a web shell to manage legit web accounts, even free hosted ones.

```
(root@kali)-[~]  
# weevly generate 12345 404.php  
Generated '404.php' with password '12345' of 764 byte size.  
  
(root@kali)-[~]  
# echo thejas  
thejas  
  
(root@kali)-[~]  
#
```