

[Dashboard](#) / [My courses](#) / [CD19411-PPD-2022](#) / [WEEK\\_10-Dictionary](#) / [WEEK-10\\_CODING](#)

**Started on** Sunday, 5 May 2024, 9:24 PM

**State** Finished

**Completed on** Tuesday, 14 May 2024, 7:56 PM

**Time taken** 8 days 22 hours

**Marks** 7.00/7.00

**Grade** 50.00 out of 50.00 (100%)

**Name** [THEJESH N S 2022-CSD-A](#)

## Question 1

Correct

Mark 1.00 out of 1.00

In the game of Scrabble™, each letter has points associated with it. The total score of a word is the sum of the scores of its letters. More common letters are worth fewer points while less common letters are worth more points. The points associated with each letter are shown below:

Points Letters

1 A, E, I, L, N, O, R, S, T and U

2 D and G

3 B, C, M and P

4 F, H, V, W and Y

5 K

8 J and X

10 Q and Z

Write a program that computes and displays the Scrabble™ score for a word. Create a dictionary that maps from letters to point values. Then use the dictionary to compute the score.

A Scrabble™ board includes some squares that multiply the value of a letter or the value of an entire word. We will ignore these squares in this exercise.

Sample Input

REC

Sample Output

REC is worth 5 points.

**Answer:** (penalty regime: 0 %)

```
1 def calculate_score(word):
2     points = {
3         'A': 1, 'E': 1, 'I': 1, 'L': 1, 'N': 1, 'O': 1, 'R': 1, 'S': 1, 'T': 1, 'U': 1,
4         'D': 2, 'G': 2,
5         'B': 3, 'C': 3, 'M': 3, 'P': 3,
6         'F': 4, 'H': 4, 'V': 4, 'W': 4, 'Y': 4,
7         'K': 5,
8         'J': 8, 'X': 8,
9         'Q': 10, 'Z': 10
10    }
11
12
13    word = word.upper()
14
15
16    score = 0
17    for letter in word:
18        if letter in points:
19            score += points[letter]
20
21    return score
22
```

|   | Input       | Expected                        | Got                             |   |
|---|-------------|---------------------------------|---------------------------------|---|
| ✓ | REC         | REC is worth 5 points.          | REC is worth 5 points.          | ✓ |
| ✓ | RAJALAKSHMI | RAJALAKSHMI is worth 27 points. | RAJALAKSHMI is worth 27 points. | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Multiply All the Items in a Dictionary

Input: Any input in Dictionary format (Ex: d={'A':10,'B':10,'C':239})

Output: multiplication of dictionary values (23900)

**Answer:** (penalty regime: 0 %)

```
1 d = {'A': 10, 'B': 10, 'C': 239}
2
3 result = 1
4 for value in d.values():
5     result *= value
6
7 print(result)
8
```

|   | Input                       | Expected | Got   |   |
|---|-----------------------------|----------|-------|---|
| ✓ | d={'A':10, 'B':10, 'C':239} | 23900    | 23900 | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

A sentence is a list of words that are separated by a single space with no leading or trailing spaces. Each word consists of lowercase and uppercase English letters.

A sentence can be shuffled by appending the 1-indexed word position to each word then rearranging the words in the sentence.

For example, the sentence "This is a sentence" can be shuffled as "sentence4 a3 is2 This1" or "is2 sentence4 This1 a3".

Given a shuffled sentence *s* containing no more than 9 words, reconstruct and return the original sentence.

Example 1:

**Input:**

is2 sentence4 This1 a3

**Output:**

This is a sentence

Explanation: Sort the words in *s* to their original positions "This1 is2 a3 sentence4", then remove the numbers.

Example 2:

**Input:**

Myself2 Me1 I4 and3

**Output:**

Me Myself and I

Explanation: Sort the words in *s* to their original positions "Me1 Myself2 and3 I4", then remove the numbers.

Constraints:

$2 \leq s.length \leq 200$

*s* consists of lowercase and uppercase English letters, spaces, and digits from 1 to 9.

The number of words in *s* is between 1 and 9.

The words in *s* are separated by a single space.

*s* contains no leading or trailing spaces.

**Answer:** (penalty regime: 0 %)

```
1 def reconstruct_sentence(s):
2
3     words = s.split()
4
5
6     word_index_pairs = [(word[:-1], int(word[-1])) for word in words]
7
8
9     sorted_words = sorted(word_index_pairs, key=lambda x: x[1])
10
11
12     original_words = [pair[0] for pair in sorted_words]
13
14
15     original_sentence = ' '.join(original_words)
16
17     return original_sentence
18
19
```

|   | Input                   | Expected            | Got                 |   |
|---|-------------------------|---------------------|---------------------|---|
| ✓ | is2 sentence4 This1 a3  | This is a sentence  | This is a sentence  | ✓ |
| ✓ | Myself2 Me1 Vijay4 and3 | Me Myself and Vijay | Me Myself and Vijay | ✓ |

Passed all tests! ✓

**Correct**

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

Two words are anagrams if they contain all of the same letters, but in a different order. For example, "evil" and "live" are anagrams because each contains one "e", one "i", one "l", and one "v". Create a program that reads two strings from the user, determines whether or not they are anagrams, and reports the result.

Sample Input 1

evil

live

Sample Output 1

Those strings are anagrams.

Sample Input 2

meet

met

Sample Output 2

Those strings are not anagrams.

**Answer:** (penalty regime: 0 %)

```
1 |
2 | string1 = input().strip().lower()
3 | string2 = input().strip().lower()
4 |
5 |
6 | if sorted(string1) == sorted(string2):
7 |     print("Those strings are anagrams.")
8 | else:
9 |     print("Those strings are not anagrams.")
10 |
```

|   | Input        | Expected                        | Got                             |   |
|---|--------------|---------------------------------|---------------------------------|---|
| ✓ | evil<br>live | Those strings are anagrams.     | Those strings are anagrams.     | ✓ |
| ✓ | meet<br>met  | Those strings are not anagrams. | Those strings are not anagrams. | ✓ |
| ✓ | rec<br>cer   | Those strings are anagrams.     | Those strings are anagrams.     | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

To Check if a Given Key Exists in a Dictionary or Not

Input: Any dictionary format input (Ex: d={'A':1,'B':2,'C':3})

Enter Key to check: A

Output:

Key is present and value of the key is: (location)

Present # True Statement

Not Present # False Statement

**Answer:** (penalty regime: 0 %)

```
1 d = {'A': 1, 'B': 2, 'C': 3}
2
3
4 key_to_check = input()
5
6
7 if key_to_check in d:
8     print("Present")
9 else:
10    print("Not Present")
11
```

|   | Input | Expected | Got     |   |
|---|-------|----------|---------|---|
| ✓ | A     | Present  | Present | ✓ |

Passed all tests! ✓

**Correct**

Marks for this submission: 1.00/1.00.



Question **6**

Correct

Mark 1.00 out of 1.00

A teacher wants to evaluate her class results for the subject she handles. She want to do the following analysis:

1. Display Class average
2. Display Maximum mark Roll no
3. Display Minimum mark Roll no

Kindly help her out. Use dictionary for storing the student details.

Input Format:

In line 1 no of students will be given

Followed by n lines containing student rollno and marks

Output Format:

Line 1 Class average

Line 2 Maximum mark Roll no

Line 3 Minimum mark Roll no

Sample Input:

```
4
01 87
02 99
03 45
04 77
```

Output:

```
77
02
03
```

**Answer:** (penalty regime: 0 %)

```
1 def class_average(student_marks):
2     total_marks = sum(student_marks.values())
3     return total_marks / len(student_marks)
4 def max_mark(student_marks):
5     max_mark = max(student_marks.values())
6     roll_no = [roll for roll, mark in student_marks.items() if mark == max_mark]
7     return max_mark, roll_no[0]
8
9 def min_mark(student_marks):
10    min_mark = min(student_marks.values())
11    roll_no = [roll for roll, mark in student_marks.items() if mark == min_mark]
12    return min_mark, roll_no[0]
13
14
15 n = int(input())
16
17 student_marks = {}
18
19 for _ in range(n):
20     roll, marks = input().split()
21     student_marks[roll] = int(marks)
22
```

|   | Input | Expected | Got |   |
|---|-------|----------|-----|---|
| ✓ | 4     | 77       | 77  | ✓ |
|   | 01 87 | 02       | 02  |   |
|   | 02 99 | 03       | 03  |   |
|   | 03 45 |          |     |   |
|   | 04 77 |          |     |   |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **7**

Correct

Mark 1.00 out of 1.00

Create a program that determines and displays the number of unique characters in a string entered by the user. For example, Hello, World! has 10 unique characters while zzz has only one unique character. Use a dictionary or set to solve this problem.

For example:

| Input         | Result |
|---------------|--------|
| Hello, World! | 10     |

**Answer:** (penalty regime: 0 %)

```
1 def count_unique_characters(s):
2
3     unique_chars = set()
4
5
6     for char in s:
7
8         if char.isprintable():
9             unique_chars.add(char)
10
11     return len(unique_chars)
12
13
14 input_string = input()
15
16
17 unique_count = count_unique_characters(input_string)
18
19 # Display the number of unique characters
20 print(unique_count)
21
```

|   | Input         | Expected | Got |   |
|---|---------------|----------|-----|---|
| ✓ | Hello, World! | 10       | 10  | ✓ |
| ✓ | zzz           | 1        | 1   | ✓ |
| ✓ | RECCSE        | 4        | 4   | ✓ |
| ✓ | AAABBBCCC     | 3        | 3   | ✓ |

Passed all tests! ✓

**Correct**

Marks for this submission: 1.00/1.00.

[◀ Week-10\\_MCQ](#)

Jump to...

[WEEK-10-Extra ▶](#)