

```
create database store;

use store;
create table countries (
    code int primary key,
    name varchar(10) not null unique ,
    continent_name varchar(20)not null
);

create table users(
    id int primary key ,
    full_name varchar(20)not null,
    email varchar(20) unique ,
    gender char(1) check (gender in('m','f' , 'M','F')) ,
    date_of_birth varchar(15) ,
    created_at datetime,
    country_code int ,
    foreign key (country_code) references countries(code)
);

create table products(
    id int primary key ,
    name varchar(10)not null,
    price int default 0 ,
    status varchar(10) check(status in ('valid','expired')) not null ,
    created_at datetime
);

create table orders(
    id int primary key ,
    user_id int ,
    foreign key (user_id) references users(id),
    status varchar (6) check(status in ('start','finish')),
    created_at datetime
);
```

```
create table order_products (
  order_id int ,
  foreign key (order_id) references orders(id),

  product_id int not null,
  foreign key (product_id) references products(id),

  quantity int default 0
);

INSERT into countries values (1,'Saudi A','Asia');
insert into users values (1234,'thekra','thekra@gmail.com','f','2-3-
2003',NOW(),1);
insert into products values(12,'iphone',4500,'valid',NOW()),
                           (13,'ipad',5000,'valid',now());
insert into orders values (221,1234,'start',NOW());
insert into order_products values (221 ,12,2);

UPDATE countries set name='KSA'where code=1;
DELETE from products where id=13;

Select *from products;
```