EXPERIMENT 9

Design input forms that validate data and display error messages using HTML, CSS, and JavaScript.

AIM:

To design an input form that validates user data such as email and phone number and displays appropriate error messages.

PROCEDURE:

Step 1: Create and Design Form

Create an HTML file and design a form with input fields for email and phone number along with a submit button.

Step 2: Apply Styling

Apply CSS styling within the same file to improve the appearance of the form using a themed user interface.

Step 3: Add Validation

Use JavaScript and Validator.js within the same file to validate user inputs and display error messages when invalid data is entered.

PROGRAM:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Form Validation</title>

<!-- CSS -->
<style>
body {
   font-family: Arial, sans-serif;
```

```
    background-color: #f4f4f4;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    margin: 0;
}
.container {
    background-color: white;
    padding: 20px;
    border-radius: 5px;
    box-shadow: 0 0 10px rgba(0,0,0,0.1);
}
form {
    display: flex;
    flex-direction: column;
}
label {
    margin-bottom: 5px;
}
input {
    margin-bottom: 10px;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 3px;
}
button {
    padding: 10px;
    background-color: #28a745;
```

```
    color: white;
    border: none;
    border-radius: 3px;
    cursor: pointer;
}
button:hover {
    background-color: #218838;
}
.error {
    color: red;
    font-size: 0.85em;
}
</style>

</head>
<body>

<div class="container">
<form id="myForm">

<label>Email:</label>
<input type="text" id="email">
<span id="emailError" class="error"></span>

<label>Phone Number:</label>
<input type="text" id="phone">
<span id="phoneError" class="error"></span>

<button type="submit">Submit</button>
```

```
</form>
</div>

<!-- Validator.js CDN -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></
script>

<!-- JavaScript -->
<script>
document.getElementById('myForm').addEventListener('submit', function(e) {
    e.preventDefault();

    let email = document.getElementById('email').value;
    let phone = document.getElementById('phone').value;

    let emailError = document.getElementById('emailError');
    let phoneError = document.getElementById('phoneError');

    emailError.textContent = "";
    phoneError.textContent = "";

    if (!validator.isEmail(email)) {
        emailError.textContent = "Please enter a valid email address.";
    }

    if (!validator.isMobilePhone(phone, 'any')) {
        phoneError.textContent = "Please enter a valid phone number.";
    }
```

```
    if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
        alert("Form submitted successfully!");
    }
});
</script>

</body>
</html>
```

OUTPUT:

1. **Form Interface:**



2. **Valid Input:**



3. **Invalid Email:**



4. **Invalid Phone:**

Email:

thendral@gmail.com

Phone Number:

98765abcde

Please enter a valid phone number.

Submit

RESULT:

Thus, the input form was successfully designed using HTML, CSS, and JavaScript

in a single file, and validation was performed using Validator.js to display

appropriate error messages.