

WEEK 6

Handson – Git

1. Git HOL

```
MINGW64/c/Users/thend
thend@Breeze MINGW64 ~
$ git --version
git version 2.55.0.windows.3

thend@Breeze MINGW64 ~
$ git config --global user.name "THENDRAL"

thend@Breeze MINGW64 ~
$ AC

thend@Breeze MINGW64 ~
$ git config --global user.name "THENDRAL"

thend@Breeze MINGW64 ~
$ git config --global user.email "230091.ec@rmkec.ac.in"

thend@Breeze MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=channel
core.autocrlf=true
core.fsmonitor=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
init.defaultBranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=THENDRAL
user.email=230091.ec@rmkec.ac.in

thend@Breeze MINGW64 ~
$
```

```
MINGW64/c/Users/thend/GitDemo
thend@Breeze MINGW64 ~/GitDemo (master)
bash: syntax error near unexpected token '('
$ git branch -M main

thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main

$ git branch -M main

thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main

thend@Breeze MINGW64 ~/GitDemo (main)
$ $ git branch -M main
bash: $: command not found

thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main

thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main

thend@Breeze MINGW64 ~/GitDemo (main)
$
thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main

thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main


thend@Breeze MINGW64 ~/GitDemo (main)
$ thend@Breeze MINGW64 ~/GitDemo (main)
bash: syntax error near unexpected token '('
$ git push -u origin main

$ git push -u origin main


thend@Breeze MINGW64 ~/GitDemo (main)
$ $ git push -u origin main
bash: $: command not found

thend@Breeze MINGW64 ~/GitDemo (main)
$
thend@Breeze MINGW64 ~/GitDemo (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
everything up-to-date

thend@Breeze MINGW64 ~/GitDemo (main)
$
```



2.Git HOL 2



```
MINGW64/c/Users/thend/GitDemo
thend@Breeze MINGW64 ~/GitDemo (GitNewBranch)
$ git add branch.txt
warning: in the working copy of 'branch.txt', LF will be replaced by CRLF the next time Git touches it

thend@Breeze MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch.txt in GitNewBranch"
[GitNewBranch 3cb80ca] Added branch.txt in GitNewBranch
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

thend@Breeze MINGW64 ~/GitDemo (GitNewBranch)
$ git push -u origin GitNewBranch
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 369 bytes | 369.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'GitNewBranch' on GitHub by visiting:
remote:   https://github.com/Thendral160/GitDemo/pull/new/GitNewBranch
remote:
to https://github.com/Thendral160/GitDemo.git
+ [new branch]      GitNewBranch -> GitNewBranch
branch 'GitNewBranch' set up to track 'origin/GitNewBranch'.

thend@Breeze MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.


thend@Breeze MINGW64 ~/GitDemo (main)
$ git merge GitNewBranch
Updating c1f6430..3cb80ca
Fast-forward
 branch.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 branch.txt

thend@Breeze MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 3cb80ca (HEAD -> main, origin/GitNewBranch, GitNewBranch) Added branch.txt in GitNewBranch
* c1f6430 (origin/main) Added .gitignore
* f62719f Added welcome.txt

thend@Breeze MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 3cb80ca).


thend@Breeze MINGW64 ~/GitDemo (main)
$ git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
to https://github.com/Thendral160/GitDemo.git
c1f6430..3cb80ca main -> main

thend@Breeze MINGW64 ~/GitDemo (main)
$
```



3.Git HOL -3

```
MINGW64 ~/Users/thendral/GitDemo
thendral@reeze MINGW64 ~/GitDemo (GitNewBranch)
$ git add branch.txt
warning: in the working copy of 'branch.txt', LF will be replaced by CRLF the next time Git touches it
thendral@reeze MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added branch.txt in GitNewBranch"
[GitNewBranch 3cb80ca] Added branch.txt in GitNewBranch
1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
thendral@reeze MINGW64 ~/GitDemo (GitNewBranch)
$ git push -u origin GitNewBranch
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 369 bytes | 369.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'GitNewBranch' on GitHub by visiting:
remote:   https://github.com/thendral160/GitDemo/pull/new/GitNewBranch
To https://github.com/thendral160/GitDemo.git
 * [new branch]   GitNewBranch -> GitNewBranch
branch 'GitNewBranch' set up to track 'origin/GitNewBranch'.
thendral@reeze MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout main
Switched to branch 'main'
your branch is up to date with 'origin/main'.
thendral@reeze MINGW64 ~/GitDemo (main)
$ git merge GitNewBranch
Updating c1f6430..3cb80ca
Fast-forward
 branch.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 branch.txt
thendral@reeze MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 3cb80ca (HEAD -> main, origin/GitNewBranch, GitNewBranch) Added branch.txt in GitNewBranch
* c1f6430 (origin/main) Added .gitignore
* f62f19f Added welcome.txt
thendral@reeze MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 3cb80ca).
thendral@reeze MINGW64 ~/GitDemo (main)
$ git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/thendral160/GitDemo.git
 c1f6430..3cb80ca main -> main
thendral@reeze MINGW64 ~/GitDemo (main)
$
```



4.Git HOL-4

```
MINGW64/c/Users/thend/GitDemo
thend@reeze MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate
* 3cb80ca (HEAD -> main, origin/GitNewBranch, GitNewBranch) Added branch.txt in GitNewBranch
* c1f6430 (origin/main) Added .gitignore
* f02f19f Added welcome.txt

thend@reeze MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 3cb80ca).

thend@reeze MINGW64 ~/GitDemo (main)
$ git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/thendral160/GitDemo.git
   c1f6430..3cb80ca  main -> main

thend@reeze MINGW64 ~/GitDemo (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

thend@reeze MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

thend@reeze MINGW64 ~/GitDemo (main)
$ git checkout -b Gitwork
Switched to a new branch 'Gitwork'

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ echo "<message>Hello from Gitwork/message" > hello.xml

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ cat hello.xml
<message>Hello from Gitwork/message>

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ git add hello.xml
git commit -m "Added hello.xml in Gitwork"
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
[Gitwork 0752612] Added hello.xml in Gitwork
1 file changed, 1 insertion(+)
create mode 100644 hello.xml

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

thend@reeze MINGW64 ~/GitDemo (main)
$ echo "<message>Hello from Main/message" > hello.xml

thend@reeze MINGW64 ~/GitDemo (main)
$
```

```
MINGW64/c/Users/thend/GitDemo
* 3cb80ca (HEAD -> main, origin/GitNewBranch, GitNewBranch) Added branch.txt in GitNewBranch
* c1f6430 (origin/main) Added .gitignore
* f02f19f Added welcome.txt

thend@reeze MINGW64 ~/GitDemo (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 3cb80ca).

thend@reeze MINGW64 ~/GitDemo (main)
$ git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/thendral160/GitDemo.git
   c1f6430..3cb80ca  main -> main

thend@reeze MINGW64 ~/GitDemo (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

thend@reeze MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

thend@reeze MINGW64 ~/GitDemo (main)
$ git checkout -b Gitwork
Switched to a new branch 'Gitwork'

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ echo "<message>Hello from Gitwork/message" > hello.xml

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ cat hello.xml
<message>Hello from Gitwork/message>

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ git add hello.xml
git commit -m "Added hello.xml in Gitwork"
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
[Gitwork 0752612] Added hello.xml in Gitwork
1 file changed, 1 insertion(+)
create mode 100644 hello.xml

thend@reeze MINGW64 ~/GitDemo (Gitwork)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

thend@reeze MINGW64 ~/GitDemo (main)
$ echo "<message>Hello from Main/message" > hello.xml

thend@reeze MINGW64 ~/GitDemo (main)
$ git add hello.xml
git commit -m "Added hello.xml in main"
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
[main 682f6f6] Added hello.xml in main
```

```
MINGW64~/Users/thend/GitDemo
$ echo "<message>Hello from Main</message>" > hello.xml

thend@reeze MINGW64 ~/GitDemo (main)
$ git add hello.xml
$ git commit -m "Added hello.xml in main"
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
[main 682f6f6] Added hello.xml in main
1 file changed, 1 insertion(+)
create mode 100644 hello.xml

thend@reeze MINGW64 ~/GitDemo (main)
$ git log --oneline --graph --decorate --all
* 682f6f6 (HEAD -> main) Added hello.xml in main
* 0752612 (GitWork) Added hello.xml in GitWork
/
* 3cb80ca (origin/main, origin/GitNewBranch) Added branch.txt in GitNewBranch
* c1f6430 Added .gitignore
* f67f19f Added welcome.txt

thend@reeze MINGW64 ~/GitDemo (main)
$ git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

thend@reeze MINGW64 ~/GitDemo (main|MERGING)
$ notepad hello.xml


thend@reeze MINGW64 ~/GitDemo (main|MERGING)
$ git add hello.xml
$ git commit -m "Resolved merge conflict"
[main f768f26] Resolved merge conflict

thend@reeze MINGW64 ~/GitDemo (main)
$ notepad .gitignore

thend@reeze MINGW64 ~/GitDemo (main)
$ git add .gitignore
$ git commit -m "Ignored backup files"
[main 35c212c] Ignored backup files
1 file changed, 2 insertions(+), 1 deletion(-)

thend@reeze MINGW64 ~/GitDemo (main)
$ git branch -d GitWork
Deleted branch GitWork (was 0752612).

thend@reeze MINGW64 ~/GitDemo (main)
$ git push
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 12 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (12/12), 1.14 KiB | 1.14 MiB/s, done.
Total 12 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 1 local object.
to https://github.com/thendral160/GitDemo.git
3cb80ca..35c212c main -> main
```



5 . Git-Hol – 5

```
MINGW64 ~/Users/thend/GitDemo
thend@reeze MINGW64 ~
$ git status
fatal: not a git repository (or any of the parent directories): .git
thend@reeze MINGW64 ~
$ cd ~/GitDemo
thend@reeze MINGW64 ~/GitDemo (main)
$ pwd
/c/Users/thend/GitDemo
thend@reeze MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
thend@reeze MINGW64 ~/GitDemo (main)
$ cd ~/GitDemo
thend@reeze MINGW64 ~/GitDemo (main)
$ [[200-cd ~/GitDemo
bash: $'\E[200-cd ~/GitDemo
git statusgit status
thend@reeze MINGW64 ~/GitDemo (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
thend@reeze MINGW64 ~/GitDemo (main)
$ git branch
* main
thend@reeze MINGW64 ~/GitDemo (main)
$ git pull origin main
From https://github.com/Thendral160/GitDemo
+ branch      main      -> FETCH_HEAD
Already up to date.
thend@reeze MINGW64 ~/GitDemo (main)
$ git push origin main
Everything up-to-date
thend@reeze MINGW64 ~/GitDemo (main)
$
```

