

Medicine Dosage & Storage Reference

Category	Medicine Name	Standard Dosage (Adult)	Storage Instructions
1. Pain Relief & Anti-inflammatory Medications	Paracetamol 500mg	1 to 2 tablets every 4–6 hours as needed. Do not exceed 8 tablets (4\text{g}) in 24 hours.	Store below 25°C in a dry place. Protect from direct heat and light.
	Ibuprofen 400mg	1 tablet every 4–6 hours with food. Do not exceed 3 tablets (1200\text{mg}) per day unless directed by a doctor.	Store below 25°C. Keep the container tightly closed to protect from moisture.
	Aspirin 100mg	Usually 1 tablet daily taken with water, primarily used as a low-dose blood thinner.	Store below 25°C. Discard immediately if pills have a strong, vinegar-like smell.
2. Antibiotics & Antifungals	Amoxicillin 250mg	1 to 2 capsules every 8 hours, finished completely as prescribed.	Capsules: Store below 25°C.
	Azithromycin 500mg	Typically 1 tablet daily for 3 days, or as a single-day loading dose followed by 250mg for 4 days.	Store below 30°C in a dry place.
	Fluconazole 150mg	Often taken as a single oral dose for fungal/yeast infections.	Store below 30°C. Protect from moisture.
3. Gastrointestinal & Metabolic Support	Omeprazole	1 capsule (20mg–40mg) daily, taken 30–60 minutes before breakfast.	Store below 25°C. Keep blister packs intact until immediately before use to protect from moisture.
	Metformin 500mg	1 tablet 1 to 3 times daily, taken strictly with or immediately after meals to reduce stomach upset.	Store below 25°C in a dry location.
	Insulin	Individualized subcutaneous injection based on glucose monitoring.	Unopened vials/pens: Store in the refrigerator (2°C–8°C). Do not freeze.
4. Allergy & Respiratory Medications	Cetirizine	1 tablet (10mg) once daily. Can cause mild drowsiness in some individuals.	Store below 25°C in a dry area.
	Loratadine	1 tablet (10mg) once daily. Non-drowsy formulation.	Store below 25°C. Protect from light.
	Diphenhydramine	25mg to 50mg every 4–6 hours. Frequently causes drowsiness.	Store below 25°C. Keep away from excessive moisture.
	Promethazine	12.5mg to 25mg up to 3–4 times daily, or before bedtime. Highly sedating.	Store below 25°C. Protect entirely from light.
	Cough Syrup	Typically 5ml to 10ml every 4 hours as required (depends heavily on active ingredients).	Store at room temperature (15°C–30°C). Keep bottle cap tightly sealed.
	Salbutamol Inhaler	1 to 2 puffs as needed for acute wheezing or shortness of breath.	Store below 30°C. Protect from direct sunlight, freezing, and accidental punctures.
5. Cardiovascular, Steroids, Vitamins & Topicals	Atorvastatin 20mg	1 tablet daily, preferably taken at the same time each evening.	Store below 25°C. Keep out of reach of moisture.
	Dexamethasone	Individualized dose determined by a physician; usually taken in the morning with food.	Store below 25°C. Protect from light.
	Vitamin C	500mg to 1000mg daily to support immune function.	Store below 25°C. Highly sensitive to moisture and light.
	Hydrocortisone	Apply a thin film to the affected skin area 1 to 2 times daily. Do not use on broken skin.	Store below 25°C. Do not freeze the tube.
	Eye Drops	Instill 1 to 2 drops into the affected eye(s) as directed.	Store at room temperature or in the refrigerator depending on the brand. Discard exactly 28 days after opening.