
```
In [8]: import pandas as pd
         import numpy as np
         import seaborn as sns
         import matplotlib.pyplot as plt
         from sklearn.linear_model import LinearRegression
         from sklearn.tree import DecisionTreeRegressor
         from sklearn.model_selection import train_test_split
         from sklearn.metrics import mean_squared_error, mean_absolute_error, r2_score
         from sklearn.preprocessing import StandardScaler
         DATASET_FILE = f'C:/assignments/Ai for eng/Portfolio 1/dataSet/Folds5x2_pp.xlsx'
In [12]: df = pd.read excel(DATASET FILE)
         print(df)
                ΑT
                        V
                                AP
                                       RH
                                               PΕ
       0
             14.96 41.76
                           1024.07
                                    73.17
                                           463.26
       1
             25.18 62.96
                           1020.04
                                    59.08
                                          444.37
       2
              5.11 39.40
                           1012.16
                                    92.14
                                          488.56
       3
             20.86 57.32
                           1010.24
                                    76.64 446.48
       4
             10.82 37.50
                           1009.23
                                    96.62 473.90
                                      . . .
                                    91.00 460.03
       9563
             16.65 49.69
                           1014.01
       9564 13.19 39.18 1023.67
                                    66.78 469.62
       9565 31.32 74.33
                           1012.92
                                    36.48 429.57
       9566 24.48 69.45 1013.86
                                    62.39 435.74
       9567 21.60 62.52 1017.23 67.87 453.28
       [9568 rows x 5 columns]
In [13]: print(df.head(5))
             AT
                     ٧
                             AP
                                    RH
                                            PΕ
                                 73.17
       0 14.96 41.76 1024.07
                                        463.26
          25.18 62.96
                       1020.04
                                 59.08
                                       444.37
          5.11 39.40
                       1012.16
                                 92.14
                                       488.56
       3 20.86 57.32
                       1010.24
                                 76.64
                                       446.48
       4 10.82 37.50 1009.23 96.62 473.90
In [14]: print(df.tail(5))
                ΑT
                        ٧
                                AΡ
                                       RH
                                               PΕ
       9563
             16.65 49.69
                           1014.01
                                    91.00 460.03
       9564 13.19 39.18
                                    66.78 469.62
                           1023.67
       9565 31.32 74.33
                           1012.92
                                    36.48 429.57
       9566 24.48 69.45
                           1013.86
                                    62.39 435.74
       9567 21.60 62.52 1017.23 67.87 453.28
In [44]: #dataset exploration
         print(df.describe())
```


```
RH
                                                                             PΕ
                        ΑT
        count
               9568.000000
                            9568.000000
                                         9568.000000
                                                       9568.000000
                                                                    9568.000000
                                                         73.308978
                                                                     454.365009
        mean
                 19.651231
                              54.305804
                                         1013.259078
                  7.452473
                              12.707893
                                             5.938784
                                                         14.600269
                                                                      17.066995
        std
                  1.810000
                              25.360000
                                          992.890000
                                                         25.560000
                                                                     420.260000
        min
        25%
                 13.510000
                              41.740000
                                         1009.100000
                                                         63.327500
                                                                     439.750000
        50%
                 20.345000
                              52.080000
                                         1012.940000
                                                         74.975000
                                                                     451.550000
        75%
                 25.720000
                              66.540000
                                         1017.260000
                                                         84.830000
                                                                     468.430000
                 37.110000
                              81.560000 1033.300000
        max
                                                        100.160000
                                                                     495.760000
In [16]: #checking whether it has null values or not
         print(df.isnull().sum())
        ΑT
        ٧
              0
        AΡ
              0
        RH
              0
        PΕ
              0
        dtype: int64
In [17]: print(df.corr())
                                      AΡ
                                                           PΕ
                             ٧
                                                RH
                  ΑT
        AT 1.000000
                      0.844107 -0.507549 -0.542535 -0.948128
            0.844107 1.000000 -0.413502 -0.312187 -0.869780
        AP -0.507549 -0.413502 1.000000
                                          0.099574 0.518429
        RH -0.542535 -0.312187 0.099574
                                          1.000000
                                                    0.389794
        PE -0.948128 -0.869780 0.518429
                                          0.389794
                                                    1.000000
In [75]: sns.pairplot(df)
        C:\ProgramData\anaconda3\Lib\site-packages\seaborn\ oldcore.py:1119: FutureWarning:
        use inf as na option is deprecated and will be removed in a future version. Convert
        inf values to NaN before operating instead.
          with pd.option context('mode.use inf as na', True):
        C:\ProgramData\anaconda3\Lib\site-packages\seaborn\ oldcore.py:1119: FutureWarning:
        use_inf_as_na option is deprecated and will be removed in a future version. Convert
        inf values to NaN before operating instead.
          with pd.option context('mode.use inf as na', True):
        C:\ProgramData\anaconda3\Lib\site-packages\seaborn\_oldcore.py:1119: FutureWarning:
        use inf as na option is deprecated and will be removed in a future version. Convert
        inf values to NaN before operating instead.
          with pd.option context('mode.use inf as na', True):
        C:\ProgramData\anaconda3\Lib\site-packages\seaborn\ oldcore.py:1119: FutureWarning:
        use inf as na option is deprecated and will be removed in a future version. Convert
        inf values to NaN before operating instead.
          with pd.option context('mode.use_inf_as_na', True):
        C:\ProgramData\anaconda3\Lib\site-packages\seaborn\ oldcore.py:1119: FutureWarning:
        use inf as na option is deprecated and will be removed in a future version. Convert
        inf values to NaN before operating instead.
          with pd.option context('mode.use inf as na', True):
```

Out[75]: <seaborn.axisgrid.PairGrid at 0x26f5446d6d0>




In [19]: sns.boxplot(data=df)

Out[19]: <Axes: >



In [20]: sns.scatterplot(data=df)

Out[20]: <Axes: >




In [65]: sns.displot(data=df)

C:\ProgramData\anaconda3\Lib\site-packages\seaborn\\_oldcore.py:1119: FutureWarning: use\_inf\_as\_na option is deprecated and will be removed in a future version. Convert inf values to NaN before operating instead.


with pd.option\_context('mode.use\_inf\_as\_na', True):

Out[65]: <seaborn.axisgrid.FacetGrid at 0x26f4a0ad410>



In [22]: sns.heatmap(data=df)

Out[22]: <Axes: >



In [71]: sns.jointplot(data=df)


C:\ProgramData\anaconda3\Lib\site-packages\seaborn\\_oldcore.py:1119: FutureWarning: use\_inf\_as\_na option is deprecated and will be removed in a future version. Convert inf values to NaN before operating instead.

with pd.option context('mode.use inf as na', True):

C:\ProgramData\anaconda3\Lib\site-packages\seaborn\\_oldcore.py:1119: FutureWarning: use\_inf\_as\_na option is deprecated and will be removed in a future version. Convert inf values to NaN before operating instead.


with pd.option context('mode.use inf as na', True):

Out[71]: <seaborn.axisgrid.JointGrid at 0x26f4eed0ed0>




In [73]: sns.regplot(x='AT', y='PE', data=df)

Out[73]: <Axes: xlabel='AT', ylabel='PE'>




In [67]: sns.regplot(x='AT', y='PE', data=df)

Out[67]: <Axes: xlabel='V', ylabel='PE'>




```
In [68]: sns.regplot(x='AP', y='PE', data=df)
```

Out[68]: <Axes: xlabel='AP', ylabel='PE'>



In [27]: sns.regplot(x='RH', y='PE', data=df)

Out[27]: <Axes: xlabel='RH', ylabel='PE'>




```
In [48]: scaler = StandardScaler()
         # Feature
         X = df[['AT', 'V', 'AP', 'RH']]
         X_normalized = scaler.fit_transform(X)
         # Target
         y = df['PE']
         # spliting the data set
         X_train, X_test, y_train, y_test = train_test_split(X_normalized, y, test_size=0.2,
         print(f'X: {X.size}')
         print(f'y: {y.size}')
         print("Original :", X.shape)
         print("Normalized :", X_normalized.shape)
        X: 38272
        y: 9568
        Original : (9568, 4)
        Normalized : (9568, 4)
In [46]: reg_model = LinearRegression()
         print(reg_model)
        LinearRegression()
In [30]: reg_model.fit(X_train, y_train)
```

▼ LinearRegression

Out[30]:

```
LinearRegression()
In [31]: train_score = reg_model.score(X_train, y_train)
In [32]: y_pred = reg_model.predict(X_test)
In [33]: print(f'Training Score: {train_score}')
         print(f'Predictions: {y_pred}')
         print(f'Coefficients: {reg model.coef }')
         print(f'Intercept: {reg_model.intercept_}')
         print(f'Equation: y = {reg_model.coef_[0]} * AT + {reg_model.coef_[1]} * V + {reg_m
         print(f'Accuracy: {reg_model.score(X_test, y_test)}')
         r2 = r2_score(y_test, y_pred)
         print(f'R2 Score: {r2:.4f}')
         mse = mean_squared_error(y_test, y_pred)
         print(f'Mean Squared Error (MSE): {mse:.4f}')
         mae = mean_absolute_error(y_test, y_pred)
         print(f'Mean Absolute Error (MAE): {mae:.4f}')
        Training Score: 0.928331545565795
        Predictions: [455.68020791 438.73212215 434.16444 ... 482.16817365 435.41524413
         458.76150613]
        Coefficients: [-14.79909089 -2.94926621 0.3693725 -2.30844154]
        Intercept: 454.37288174293514
        Equation: y = -14.799090887518005 * AT + -2.9492662148344597 * V + 0.369372503902468
        4 * AP + -2.3084415408470145 * RH + 454.37288174293514
        Accuracy: 0.9301046431962188
        R<sup>2</sup> Score: 0.9301
        Mean Squared Error (MSE): 20.2737
        Mean Absolute Error (MAE): 3.5959
In [58]: |plot_actual_vs_predicted('REGRESSION MODEL ON NORMAL DATASET', y_test, y_pred, 50)
```

## REGRESSION MODEL ON NORMAL DATASET



```
In [35]: tree_model = DecisionTreeRegressor()
    print(tree_model)
    tree_model.fit(X_train, y_train)
```

DecisionTreeRegressor()

Out[35]: • DecisionTreeRegressor

DecisionTreeRegressor()

```
In [36]: train_score = tree_model.score(X_train, y_train)
         y_pred = tree_model.predict(X_test)
         print(f'Training Score: {train_score}')
         print(f'Predictions: {y_pred}')
         print(f'Feature Importances: {tree_model.feature_importances_}')
         r2 = r2_score(y_test, y_pred)
         print(f'R2 Score: {r2:.4f}')
         mse = mean_squared_error(y_test, y_pred)
         print(f'Mean Squared Error (MSE): {mse:.4f}')
         mae = mean_absolute_error(y_test, y_pred)
         print(f'Mean Absolute Error (MAE): {mae:.4f}')
         # Plot feature importances
         plt.bar(X.columns, tree_model.feature_importances_)
         plt.xlabel('Features')
         plt.ylabel('Importance')
         plt.title('Feature Importances')
         plt.show()
```


Training Score: 1.0

Predictions: [456.57 436.96 431.73 ... 482.39 429.28 456.35] Feature Importances: [0.90524682 0.05652531 0.02073968 0.0174882 ]

R<sup>2</sup> Score: 0.9308


Mean Squared Error (MSE): 20.0799 Mean Absolute Error (MAE): 3.0563

## Feature Importances



In [50]: plot\_actual\_vs\_predicted('TREE BASED MODEL ON NORMAL DATASET', y\_test, y\_pred, 50)





```
In [52]: from sklearn.feature_selection import SelectKBest, f_regression
         from sklearn.decomposition import PCA
         from sklearn.preprocessing import PolynomialFeatures
         k_best_features = 2
         selector = SelectKBest(score_func=f_regression, k=k_best_features)
         X_selected = selector.fit_transform(X_normalized, y)
         n_{components_pca} = 2
         pca = PCA(n_components=n_components_pca)
         X_pca = pca.fit_transform(X_normalized)
         degree poly = 2
         poly = PolynomialFeatures(degree=degree_poly)
         X_poly_scaled = poly.fit_transform(X_normalized)
         feature_names = poly.get_feature_names_out(X.columns)
         print("Polynomial Feature Names:")
         print(feature names)
         print("\nFirst 5 rows of the transformed dataset:")
         print(X_poly_scaled[:5])
         print("Original Shape:", X.shape)
         print("Normalized Shape:", X normalized.shape)
         print("Selected Shape:", X_selected.shape)
         print("PCA Shape:", X_pca.shape)
         print("Poly Scaled Shape:", X_poly_scaled.shape)
         X_train, X_test, y_train, y_test = train_test_split(X_poly_scaled, y, test_size=0.2
         print(f'X_train shape: {X_train.shape}')
```

```
print(f'X_test shape: {X_test.shape}')
         print(f'y_train shape: {y_train.shape}')
         print(f'y test shape: {y test.shape}')
        Polynomial Feature Names:
        ['1' 'AT' 'V' 'AP' 'RH' 'AT^2' 'AT V' 'AT AP' 'AT RH' 'V^2' 'V AP' 'V RH'
         'AP^2' 'AP RH' 'RH^2']
        First 5 rows of the transformed dataset:
        [ 1.00000000e+00 -6.29519384e-01 -9.87296587e-01 1.82048840e+00
          -9.51935258e-03 3.96294655e-01 6.21522339e-01 -1.14603273e+00
           5.99261697e-03 9.74754551e-01 -1.79736198e+00 9.39842431e-03
           3.31417800e+00 -1.73298709e-02 9.06180735e-05]
         [ 1.00000000e+00 7.41909107e-01 6.81045124e-01 1.14186280e+00
          -9.74620516e-01 5.50429122e-01 5.05273579e-01 8.47158411e-01
          -7.23079836e-01 4.63822461e-01 7.77660094e-01 -6.63760550e-01
           1.30385066e+00 -1.11288291e+00 9.49885151e-01]
         [ 1.00000000e+00 -1.95129733e+00 -1.17301765e+00 -1.85077563e-01
           1.28983970e+00 3.80756128e+00 2.28890620e+00 3.61141356e-01
          -2.51686077e+00 1.37597040e+00 2.17099247e-01 -1.51300473e+00
           3.42537044e-02 -2.38720389e-01 1.66368646e+00]
         [ 1.00000000e+00 1.62205478e-01 2.37203273e-01 -5.08392982e-01
           2.28159926e-01 2.63106172e-02 3.84756703e-02 -8.24641269e-02
           3.70087900e-02 5.62653925e-02 -1.20592479e-01 5.41202811e-02
           2.58463424e-01 -1.15994905e-01 5.20569519e-02]
         [ 1.00000000e+00 -1.18506869e+00 -1.32253884e+00 -6.78470364e-01
           1.59669940e+00 1.40438781e+00 1.56729937e+00 8.04033989e-01
          -1.89219848e+00 1.74910897e+00 8.97303406e-01 -2.11169697e+00
           4.60322035e-01 -1.08331323e+00 2.54944899e+00]]
        Original Shape: (9568, 4)
        Normalized Shape: (9568, 4)
        Selected Shape: (9568, 2)
        PCA Shape: (9568, 2)
        Poly Scaled Shape: (9568, 15)
        X train shape: (7654, 15)
        X test shape: (1914, 15)
        y_train shape: (7654,)
       y test shape: (1914,)
In [39]: reg model.fit(X train, y train)
         train_score = reg_model.score(X_train, y_train)
         print(f'Training Score: {train_score}')
         print(f'Predictions: {y_pred}')
         print(f'Coefficients: {reg model.coef }')
         print(f'Intercept: {reg_model.intercept_}')
         print(f'Equation: y = {reg_model.coef_[0]} * AT + {reg_model.coef_[1]} * V + {reg_m
         print(f'Accuracy: {reg_model.score(X_test, y_test)}')
         r2 = r2_score(y_test, y_pred)
         print(f'R2 Score: {r2:.4f}')
         mse = mean_squared_error(y_test, y_pred)
         print(f'Mean Squared Error (MSE): {mse:.4f}')
         mae = mean_absolute_error(y_test, y_pred)
         print(f'Mean Absolute Error (MAE): {mae:.4f}')
```

```
Training Score: 0.9377092268931407

Predictions: [456.57 436.96 431.73 ... 482.39 429.28 456.35]

Coefficients: [ 0.00000000e+00 -1.34240367e+01 -3.80720801e+00 7.60908552e-01 -1.78462369e+00 1.00085045e+00 9.80509667e-01 1.39188923e-01 -6.01410937e-01 -9.84665994e-02 1.71880579e-01 1.24857352e-02 -2.64540651e-01 -3.15554253e-01 -4.09857299e-01]

Intercept: 453.1795000724065

Equation: y = 0.0 * AT + -13.424036734708139 * V + -3.8072080130992547 * AP + 0.7609 085522917225 * RH + 453.1795000724065


Accuracy: 0.9382776706597626

R² Score: 0.9308

Mean Squared Error (MSE): 20.0799

Mean Absolute Error (MAE): 3.0563
```

In [51]: plot\_actual\_vs\_predicted('REGRESSION MODEL ON FEATURE ENGINEERED DATASET', y\_test,



```
In [55]:
    tree_model.fit(X_train, y_train)
    train_score = tree_model.score(X_train, y_train)
    y_pred = tree_model.predict(X_test)
    print(f'Training Score: {train_score}')
    print(f'Predictions: {y_pred}')
    print(f'Feature Importances: {tree_model.feature_importances_}')

    r2 = r2_score(y_test, y_pred)
    print(f'R2 Score: {r2:.4f}')

    mse = mean_squared_error(y_test, y_pred)
    print(f'Mean Squared Error (MSE): {mse:.4f}')

mae = mean_absolute_error(y_test, y_pred)
    print(f'Mean Absolute Error (MAE): {mae:.4f}')
```

```
feature_names = poly.get_feature_names_out(X.columns)
assert len(feature_names) == len(tree_model.feature_importances_)

plt.figure(figsize=(12, 6))
plt.bar(feature_names, tree_model.feature_importances_)
plt.xlabel('Polynomial Features')
plt.ylabel('Importance')
plt.title('Feature Importances for Polynomial Features')
plt.xticks(rotation=90)
plt.show()
```

Training Score: 1.0

Predictions: [453.62 434.77 438.04 ... 485.31 439.03 456.59]

Feature Importances: [0. 0.81631505 0.01140105 0.00427166 0.00345139 0.01384


155

0.10530994 0.00911107 0.0044146 0.00719858 0.00563522 0.00476022

0.00369013 0.0052123 0.00538725]

R<sup>2</sup> Score: 0.9242

Mean Squared Error (MSE): 21.9877 Mean Absolute Error (MAE): 3.2316



In [57]: plot\_actual\_vs\_predicted('TREE BASED MODEL ON FEATURE ENGINEERED DATASET', y\_test,

