

Report for the Course Modelling in Computational Science, HT23

Project 2: Cell reprogramming

Theo Koppenhöfer
(with Jimmy Gunnarson)

Lund

October 2, 2023




Figure 1: A flowchart showing the dependence of the transcription factors.

Introduction

The setup

The default parameters are given by We implemented the model as given in [1]. One

Parameter	value
Over expression N_{over}	0
Over expression O_{over}	0
Over expression T_{over}	0.05
Probability p_N	1
Probability p_O	1
Probability p_T	1
Hill coefficient K_{NT}	0.2
Leukemia inhibiting factor LIF	0
Dissociation constant K_d	0.1
Dissociation constant K_O	0.3
Dissociation constant K_{NT}	0.2

Table 1: Default parameter choices

can obtain the differential equations

$$\begin{aligned}\partial_t [N_{\text{total}}] &= N_{\text{over}} + \text{LIF} + p_N \cdot \frac{\frac{[O_{\text{total}}]}{K_O}}{1 + \frac{[O_{\text{total}}]}{K_O}} - [N_{\text{total}}] \\ \partial_t [O_{\text{total}}] &= O_{\text{over}} + \text{LIF} + p_O \cdot \frac{\frac{[O_{\text{total}}]}{K_O}}{1 + \frac{[O_{\text{total}}]}{K_O}} \cdot A([NT], O_{\text{total}}) - [O_{\text{total}}] \\ \partial_t [T_{\text{total}}] &= T_{\text{over}} + p_T \cdot \frac{\frac{[O_{\text{total}}]}{K_O}}{1 + \frac{[O_{\text{total}}]}{K_O}} \cdot A([NT], T_{\text{total}}) - [T_{\text{total}}]\end{aligned}$$

where

$$A([NT], O_{\text{total}}) = A([T_{\text{total}}]) = \frac{\left(\frac{[NT]}{K_{NT}}\right)^n}{1 + \left(\frac{[NT]}{K_{NT}}\right)^n}.$$

The experiments

Variying Nanog, Oct4 and Tet1 seperately

Our first experiment series was taken from [1]. In the

Conclusion




Figure 2: Overexpression of 0.3.




Figure 3: Overexpression of 0.2.




Figure 4: Overexpression of 0.13.




Figure 5: Overexpression of 0.1.




Figure 6: Nanog and Oct4 active.




Figure 7: Withdrawing LIF.




Figure 8: Withdrawing LIF.

Bibliography

- [1] V. Olariu, C. Lökvist, and K. Sneppen, “Nanog, oct4 and tet1 interplay in establishing pluripotency,” *Scientific Reports*, vol. 6, no. 1, p. 25 438, May 2016, ISSN: 2045-2322. DOI: 10.1038/srep25438. [Online]. Available: <https://doi.org/10.1038/srep25438>.
- [2] computational-science-HT23, *Github repository to the project*. Online, 2023. [Online]. Available: <https://github.com/TheoKoppenhoefer/computational-science-HT23>.
- [3] V. Olariu, *Modelling in computational science, bern01, 7.5hp, Practical and theoretical knowledge of numerical methods used for solving ode models for real life science problems*. BERN01, University of Lund, Sep. 2023.