

# Stagnation points of harmonic vector fields and the domain topology

Some applications of Morse theory

Theo Koppenhöfer

March 19, 2024

### Question (Flowthrough with stagnation point)

Does there exist a domain  $X \subset \mathbb{R}^d$  homeomorphic to a ball and a harmonic vector field  $u: X \rightarrow \mathbb{R}^d$  on  $X$  such that

1.  $u$  has an interior stagnation point
2. the boundaries on which  $u$  enters and leaves the region are simply connected?

## Question (Flowthrough with stagnation point)

Does there exist a domain  $X \subset \mathbb{R}^d$  homeomorphic to a ball and a harmonic vector field  $u: X \rightarrow \mathbb{R}^d$  on  $X$  such that

1.  $u$  has an interior stagnation point
2. the boundaries on which  $u$  enters and leaves the region are simply connected?

## Answer

- ▶  $d = 2$  dimensions: Not possible (known).
- ▶ cylinders in  $d = 3$  dimensions: Not possible (known).
- ▶  $d = 3$  dimensions: Number of stagnation points has to be even.
- ▶  $d = 4$  dimensions: Possible for  $X = B_1$ ,  $u = \nabla f$  with

$$f = x_1^2 + x_2^2 - x_3^2 - x_4^2.$$







Figure: This kind of situation is not possible.


But if one allows for holes in  $d = 2$  dimensions it becomes possible.



**Figure:** A plot of  $u = \nabla^\perp \psi$  in the region  $\psi^{-1}([-0.5, 2]) \cap (\mathbb{R} \times [-2, 2])$ . Here  $\psi := \Phi_2(x - e_1) + x_1$ .

For  $d = 3$  dimensions we have for  $r$  sufficiently large the example  $X = B_r$ ,  $u = \nabla f$  with

$$f = \frac{x_1^2}{2} - \frac{x_1^3}{3} - \frac{x_1 x_2^2}{2} + x_1 x_2^2 + x_2 x_3$$



**Figure:** A stream plot of the function  $u$ . The interior stagnation points are highlighted in black.  $\Sigma^+$  is shaded red,  $\Sigma^-$  blue.




Figure: Stereographic projection of the surface  $\Sigma$ .  $\Sigma^+$  is shaded red,  $\Sigma^-$  blue.



One can perturb this solution to show that there exists a harmonic vector field on  $B_r$  with interior stagnation point such that  $\Sigma^+$  and  $\Sigma^-$  have positive distance from one another and are simply connected.

### Question (Harmonic vector fields without inflow or outflow)

Let  $u$  be a harmonic vector field in a domain  $X$  such that at every boundary point it is tangential to the boundary and non-vanishing. What can be said about the relation between the number of stagnation points and the domain topology?

In  $d = 2$  dimensions one essentially has the relation

$$M = \chi(X)$$

where  $M$  is the number of stagnation points and  $\chi(X)$  the Euler characteristic of  $X$ .




Figure: A plot of  $u = \nabla^\perp \psi$  in the domain  $\psi^{-1}([-1, 1])$ . Here  $\psi := \Phi_2(x - e_1) + \Phi_2(x + e_1)$ .

In  $d = 3$  dimensions one has essentially an even number of stagnation points.

# Sources I

- [1] A. A. Agrachëv and S. A. Vakhrameev, “Morse theory and optimal control problems,” in *Nonlinear synthesis (Sopron, 1989)*, ser. Progr. Systems Control Theory, vol. 9, Birkhäuser Boston, Boston, MA, 1991, pp. 1–11, ISBN: 0-8176-3484-3.
- [2] H.-D. Alber, “Existence of three-dimensional, steady, inviscid, incompressible flows with nonvanishing vorticity,” *Math. Ann.*, vol. 292, no. 3, pp. 493–528, 1992, ISSN: 0025-5831,1432-1807. DOI: 10.1007/BF01444632. [Online]. Available: <https://doi.org/10.1007/BF01444632>.
- [3] G. Alessandrini and R. Magnanini, “The index of isolated critical points and solutions of elliptic equations in the plane,” *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)*, vol. 19, no. 4, pp. 567–589, 1992, ISSN: 0391-173X,2036-2145. [Online]. Available: [http://www.numdam.org/item?id=ASNSP\\_1992\\_4\\_19\\_4\\_567\\_0](http://www.numdam.org/item?id=ASNSP_1992_4_19_4_567_0).

## Sources II

- [4] V. I. Arnold, S. M. Gusein-Zade, and A. N. Varchenko, *Singularities of differentiable maps. Volume 1*, ser. Modern Birkhäuser Classics. Birkhäuser/Springer, New York, 2012, pp. xii+382, Classification of critical points, caustics and wave fronts, Translated from the Russian by Ian Porteous based on a previous translation by Mark Reynolds, Reprint of the 1985 edition, ISBN: 978-0-8176-8339-9.
- [5] A. Banyaga and D. Hurtubise, *Lectures on Morse homology*, ser. Kluwer Texts in the Mathematical Sciences. Kluwer Academic Publishers Group, Dordrecht, 2004, vol. 29, pp. x+324, ISBN: 1-4020-2695-1. DOI: 10.1007/978-1-4020-2696-6. [Online]. Available: <https://doi.org/10.1007/978-1-4020-2696-6>.

## Sources III

- [6] S. Boyd and L. Vandenberghe, *Convex optimization*. Cambridge University Press, Cambridge, 2004, pp. xiv+716, ISBN: 0-521-83378-7. DOI: 10.1017/CB09780511804441. [Online]. Available: <https://doi.org/10.1017/CB09780511804441>.
- [7] J.-P. Brasselet, J. Seade, and T. Suwa, *Vector fields on singular varieties*, ser. Lecture Notes in Mathematics. Springer-Verlag, Berlin, 2009, vol. 1987, pp. xx+225, ISBN: 978-3-642-05204-0. DOI: 10.1007/978-3-642-05205-7. [Online]. Available: <https://doi.org/10.1007/978-3-642-05205-7>.
- [8] J. Cantarella, D. DeTurck, and H. Gluck, "Vector calculus and the topology of domains in 3-space," *Amer. Math. Monthly*, vol. 109, no. 5, pp. 409–442, 2002, ISSN: 0002-9890,1930-0972. DOI: 10.2307/2695643. [Online]. Available: <https://doi.org/10.2307/2695643>.



## Sources IV

- [9] J. L. Cisneros Molina, D. T. Lê, and J. Seade, Eds., *Handbook of geometry and topology of singularities. I*. Springer, Cham, 2020, pp. xviii+601, ISBN: 978-3-030-53060-0. DOI: 10.1007/978-3-030-53061-7. [Online]. Available: <https://doi.org/10.1007/978-3-030-53061-7>.
- [10] D. A. Cox, J. Little, and D. O'Shea, *Ideals, varieties, and algorithms*, Fourth, ser. Undergraduate Texts in Mathematics. Springer, Cham, 2015, pp. xvi+646, An introduction to computational algebraic geometry and commutative algebra, ISBN: 978-3-319-16721-3. DOI: 10.1007/978-3-319-16721-3. [Online]. Available: <https://doi.org/10.1007/978-3-319-16721-3>.

## Sources V

- [11] L. C. Evans, *Partial differential equations*, Second, ser. Graduate Studies in Mathematics. American Mathematical Society, Providence, RI, 2010, vol. 19, pp. xxii+749, ISBN: 978-0-8218-4974-3. DOI: 10.1090/gsm/019. [Online]. Available: <https://doi.org/10.1090/gsm/019>.
- [12] T. W. Gamelin, *Complex analysis*, ser. Undergraduate Texts in Mathematics. Springer-Verlag, New York, 2001, pp. xviii+478, ISBN: 0-387-95069-9. DOI: 10.1007/978-0-387-21607-2. [Online]. Available: <https://doi.org/10.1007/978-0-387-21607-2>.
- [13] A. Gathmann, *Plane algebraic curves*, Lecture notes, 2023.

## Sources VI

- [14] D. G. C. Handron, "Generalized billiard paths and Morse theory for manifolds with corners," *Topology Appl.*, vol. 126, no. 1-2, pp. 83–118, 2002, ISSN: 0166-8641,1879-3207. DOI: 10.1016/S0166-8641(02)00036-6. [Online]. Available: [https://doi.org/10.1016/S0166-8641\(02\)00036-6](https://doi.org/10.1016/S0166-8641(02)00036-6).
- [15] J. Harris, *Algebraic geometry*, ser. Graduate Texts in Mathematics. Springer-Verlag, New York, 1992, vol. 133, pp. xx+328, A first course, ISBN: 0-387-97716-3. DOI: 10.1007/978-1-4757-2189-8. [Online]. Available: <https://doi.org/10.1007/978-1-4757-2189-8>.
- [16] R. Hartshorne, *Algebraic geometry*, ser. Graduate Texts in Mathematics. Springer-Verlag, New York-Heidelberg, 1977, vol. No. 52, pp. xvi+496, ISBN: 0-387-90244-9.
- [17] A. Hatcher, *Algebraic topology*. Cambridge University Press, Cambridge, 2002, pp. xii+544, ISBN: 0-521-79160-X.

## Sources VII

- [18] M. W. Hirsch, *Differential topology*, ser. Graduate Texts in Mathematics. Springer-Verlag, New York, 1994, vol. 33, pp. x+222, Corrected reprint of the 1976 original, ISBN: 0-387-90148-5.
- [19] J. Jahn, *Introduction to the theory of nonlinear optimization*, Fourth. Springer, Cham, 2020, pp. x+323, ISBN: 978-3-030-42760-3. DOI: 10.1007/978-3-030-42760-3\\_1. [Online]. Available: [https://doi.org/10.1007/978-3-030-42760-3\\_1](https://doi.org/10.1007/978-3-030-42760-3_1).
- [20] G. Katz, “Flows in Flatland: A romance of few dimensions,” *Arnold Math. J.*, vol. 3, no. 2, pp. 281–317, 2017, ISSN: 2199-6792,2199-6806. DOI: 10.1007/s40598-016-0059-1. [Online]. Available: <https://doi.org/10.1007/s40598-016-0059-1>.

## Sources VIII

- [21] —, “Traversally generic & versal vector flows: Semi-algebraic models of tangency to the boundary,” *Asian J. Math.*, vol. 21, no. 1, pp. 127–168, 2017, ISSN: 1093-6106,1945-0036. DOI: 10.4310/AJM.2017.v21.n1.a3. [Online]. Available: <https://doi.org/10.4310/AJM.2017.v21.n1.a3>.
- [22] D. Lortz, “Ueber die existenz toroidaler magnetohydrostatischer gleichgewichte ohne rotationstransformation,” *Z. Angew. Math. Phys.*, vol. 21, pp. 196–211, 1970, ISSN: 0044-2275,1420-9039. DOI: 10.1007/BF01590644. [Online]. Available: <https://doi.org/10.1007/BF01590644>.
- [23] master-thesis, *Github repository to the thesis*. Online, 2023. [Online]. Available: <https://github.com/TheoKoppenhoefer/master-thesis>.

## Sources IX

- [24] J. Milnor, *Morse theory*, ser. Annals of Mathematics Studies. Princeton University Press, Princeton, NJ, 1963, vol. No. 51, pp. vi+153, Based on lecture notes by M. Spivak and R. Wells.
- [25] J. W. Milnor, *Topology from the differentiable viewpoint*. University Press of Virginia, Charlottesville, VA, 1965, pp. ix+65, Based on notes by David W. Weaver.
- [26] M. Morse, "Relations between the critical points of a real function of  $n$  independent variables," *Trans. Amer. Math. Soc.*, vol. 27, no. 3, pp. 345–396, 1925, ISSN: 0002-9947,1088-6850. DOI: 10.2307/1989110. [Online]. Available: <https://doi.org/10.2307/1989110>.
- [27] ———, "Equilibrium points of harmonic potentials," *J. Analyse Math.*, vol. 23, pp. 281–296, 1970, ISSN: 0021-7670,1565-8538. DOI: 10.1007/BF02795505. [Online]. Available: <https://doi.org/10.1007/BF02795505>.

## Sources X

- [28] M. Morse and S. S. Cairns, *Critical point theory in global analysis and differential topology: An introduction*, ser. Pure and Applied Mathematics. Academic Press, New York-London, 1969, vol. Vol. 33, pp. xii+389.
- [29] Z. Nehari, *Conformal mapping*. Dover Publications, Inc., New York, 1975, pp. vii+396, Reprinting of the 1952 edition.
- [30] R. Shelton, "Critical points of harmonic functions on domains in  $\mathbf{R}^3$ ," *Trans. Amer. Math. Soc.*, vol. 261, no. 1, pp. 137–158, 1980, ISSN: 0002-9947,1088-6850. DOI: 10.2307/1998322. [Online]. Available: <https://doi.org/10.2307/1998322>.
- [31] S. Smale, "Morse inequalities for a dynamical system," *Bull. Amer. Math. Soc.*, vol. 66, pp. 43–49, 1960, ISSN: 0002-9904. DOI: 10.1090/S0002-9904-1960-10386-2. [Online]. Available: <https://doi.org/10.1090/S0002-9904-1960-10386-2>.
- [32] Wahlén, Erik, *In private communication*. 2023.

## Sources XI

- [33] J. L. Walsh, *The Location of Critical Points of Analytic and Harmonic Functions*, ser. American Mathematical Society Colloquium Publications. American Mathematical Society, New York, 1950, vol. Vol. 34, pp. viii+384.



Thank you for your attention.