


Izar replica 2:  $J_2/J_1 = 0.29$ ,  $D = 8$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin

Plaquette pin




—□— strongest    —○— middle    —△— weakest

Izar replica 2:  $J_2/J_1 = 0.29$ ,  $D = 9$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only



Dimer-plaquette pin

Plaquette pin



—□— strongest    —○— middle    —△— weakest

Izar replica 2:  $J_2/J_1 = 0.3$ ,  $D = 8$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only





□ strongest    ○ middle    △ weakest

Izar replica 2:  $J_2/J_1 = 0.3$ ,  $D = 9$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin

Plaquette pin




—□— strongest    —○— middle    ·△· weakest

Izar replica 2:  $J_2/J_1 = 0.31$ ,  $D = 8$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin

Plaquette pin




—□— strongest    —○— middle    —△— weakest

Izar replica 2:  $J_2/J_1 = 0.31$ ,  $D = 9$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin

Plaquette pin





□ strongest    ○ middle    △ weakest

Izar replica 2:  $J_2/J_1 = 0.32$ ,  $D = 8$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin


Plaquette pin




—□— strongest    —○— middle    ··△·· weakest

Izar replica 2:  $J_2/J_1 = 0.32$ ,  $D = 9$ ;  $C(h) = C_0 + c_1h + c_2h^2$  from  $h > 0$  only

Dimer-plaquette pin



Plaquette pin



—□— strongest    —○— middle    —△— weakest