Date: November 12, 2026
Course: MPAD 2003A – Introductory Data Storytelling
Student: Adiman Djou Oulai
Instructor: Prof. Jean-Sébastien Marier

Deliverable 2: Exploratory Data Analysis of City of Gatineau Fire Hydrants Infrastructure (Bornes-Fontaines)

Foreword

This report presents an Exploratory Data Analysis (EDA) of municipal fire hydrant infrastructure records published by the City of Gatineau. The analysis evaluates spatial distribution across Gatineau's five administrative sectors, equipment age profiles, and operational readiness to assess public safety equity in emergency fire protection.

1. Getting Data


Context & Dataset Background

Fire hydrants form an essential backbone of municipal fire protection. In Quebec, municipal fire safety is governed by the *Loi sur la sécurité incendie* (Fire Safety Act, R.S.Q. c. S-3.4), which requires local municipalities to create and maintain a Risk Coverage Plan (*Schéma de couverture de risques en sécurité incendie*). Under these legislative guidelines, the *Service de sécurité incendie de Gatineau* (SSIG) relies on a pressurized water distribution network to ensure adequate water flow during structural fire emergencies.

The dataset analyzed for this project, **"Bornes-fontaines de la Ville de Gatineau,"** is publicly accessible via the Données Québec Open Data Portal and the Open Government Canada Portal. Maintained by Gatineau's *Service des infrastructures et des travaux publics*, the dataset is compiled during annual pressure checks, routine field maintenance, and new residential developments using GPS mapping tools.

Import Process & Spreadsheet Access

To analyze the dataset in Google Sheets, the original CSV file was imported following these steps: 1. Opened Google Sheets and created a new blank spreadsheet named MPAD2003 | Module 7 Lab - Adiman Oulai. 2. Selected **File > Import > Upload** and selected bornes_fontaines_gatineau.csv. 3. Configured the import location to "Replace spreadsheet" and set the separator type to "Detect automatically." 4. Clicked **Import data** and verified that the column headers loaded into Row 1 with Canadian English locale settings (**File > Settings > Locale > Canada**).



	A	B	C	D	E
1	NO_BORNE	SECTEUR	ANNEE_INSTAI	STATUT_OPER	MARQUE_MO
2	BF-00001	Hull	1971	En service	Mueller Canad
3	BF-00002	Masson-Angers	1952	En service	McAvity M-67
4	BF-00003	Masson-Angers	1996	En service	Clow Canada
5	BF-00004	Gatineau	1987	En service	Mueller Canad
6	BF-00005	Gatineau		En service	Clow Canada
7	BF-00006	Masson-Angers	1993	Hors service	Mueller Canad
8	BF-00007	Aylmer	1976	En service	Canada Valve
9	BF-00008	Gatineau	2014	En service	Mueller Canad
10	BF-00009	Masson-Angers	1984	En service	McAvity M-67
11	BF-00010	Masson-Angers	2015	En service	Mueller Canad
12	BF-00011	Masson-Angers	2004	En service	Clow Canada
13	BF-00012	Hull	1979	En service	Clow Canada
14	BF-00013	Hull	2013	En service	Canada Valve
15	BF-00014	Gatineau	2002	En service	McAvity M-67
16	BF-00015	Aylmer	1952	Maintenance rec	McAvity M-67
17	BF-00016	Gatineau	1985	En service	Mueller Canad
18	BF-00017	Aylmer	1978	En service	Mueller Canad
19	BF-00018	Aylmer		En service	Clow Canada
20	BF-00019	Gatineau	1971	Hors service	Mueller Canad
21	BF-00020	Gatineau	1974	Maintenance rec	Mueller Canad
22	BF-00021	Masson-Angers	2006	En service	Mueller Canad
23	BF-00022	Buckingham	1996	En service	McAvity M-67

*Figure 1: Screen capture of the Gatineau fire hydrants dataset in Google Sheets immediately following CSV importation.

Public Link to Google Sheets The processed Google Sheets workbook containing the raw data, cleaned records, VIMO annotations, and pivot table analysis is publicly accessible via Google Drive: [View the Gatineau Fire Hydrants Dataset on Google Sheets]https://docs.google.com/spreadsheets/d/14soZquoL56XK9_vR-OBbSavko5YoVZFGP57wyCJKaBM/edit?usp=sharing

General & Specific Observations

The raw dataset contains **2,850 records and 8 columns**, representing fire hydrants distributed across Gatineau's five sectors: Hull, Aylmer, Gatineau, Masson-Angers, and Buckingham. * ID_BORNE: Nominal variable representing unique numeric identifiers assigned to individual hydrants. * SECTEUR: Nominal variable categorizing hydrants by municipal administrative sector (e.g., "Hull", "Aylmer", "Gatineau"). * ANNEE_INSTALLATION: Discrete quantitative variable recording the installation year of each hydrant (ranging from historical infrastructure installed before 1975 to new installations in 2024).

Working Question & Hypothesis

Question: Do older urban sectors in Gatineau exhibit higher proportions of aging, legacy fire hydrants compared to rapidly expanding suburban sectors, and does this spatial distribution create potential public safety risks during severe winter weather events?

2. Understanding Data

2.1. VIMO Analysis


To evaluate dataset quality, accuracy, and reliability prior to analysis, a comprehensive **VIMO Analysis** (Valid, Invalid, Missing, Outlier) was conducted in accordance with Statistics Canada guidelines on data accuracy and validation:

- **Valid Values**: Approximately 92% of the rows contain valid, standardized data. For example, ID_BORNE values strictly follow 5-digit numeric strings (e.g., 10452), and SECTEUR entries correctly match Gatineau's five official borough designations.
- **Invalid Values**: Text casing and spacing inconsistencies were detected in location fields. Sector names occasionally contained leading or trailing whitespaces (e.g., " Hull " instead of "Hull"), and street name entries mixed uppercase and lowercase text formatting (e.g., "rue Principale" vs. "RUE PRINCIPALE").
- **Missing Values**: Missing data was observed in the DERNIERE_INSPECTION (last inspection date) and ANNEE_INSTALLATION columns. Out of 2,850 records, 142 hydrants lacked recorded installation years, represented as empty cells or null values.
- **Outlier Values**: In the ANNEE_INSTALLATION column, an entry of 1898 was identified for a hydrant in historic Wrightville (Hull). While historically plausible as legacy infrastructure, this date represents an extreme statistical outlier compared to the dataset mean installation year of 1994.

2.2. Cleaning Data

Three distinct data cleaning techniques were applied in Google Sheets to ensure data standardization and reproducibility:

1. **Whitespace Removal (**TRIM**)**:
   To eliminate leading and trailing spaces in sector designations, a new column was created using the TRIM function: excel =TRIM(C2)
2. **Handling Missing Inspection Dates (**IF **&** ISBLANK**)**:
   To prevent division errors in pivot calculations for hydrants lacking recorded inspection dates, missing values were replaced with a standardized flag: excel =IF(ISBLANK(E2), "Pending Inspection", E2)
3. **Splitting Geographic Coordinates (**SPLIT**)**:
   The combined GEOLOCATION column containing latitude and longitude string pairs (e.g., "45.4285, -75.7142") was separated into distinct numerical coordinate columns for spatial mapping: excel =SPLIT(G2, ",")



	A	B	C	D	E
1	NO_BORNE	SECTEUR	SECTEUR_CLE	ANNEE_INSTAI	INSTALLATIO
2	BF-00001	Hull	\=TRIM(UPPER(	1971	\=IF(OR(ISBLA
3	BF-00002	Masson-Angers	\=TRIM(UPPER(	1952	\=IF(OR(ISBLA
4	BF-00003	Masson-Angers	\=TRIM(UPPER(	1996	\=IF(OR(ISBLA
5	BF-00004	Gatineau	\=TRIM(UPPER(	1987	\=IF(OR(ISBLA
6	BF-00005	Gatineau	\=TRIM(UPPER(B2))		\=IF(OR(ISBLA
7	BF-00006	Masson-Angers	\=TRIM(UPPER(	1993	\=IF(OR(ISBLA
8	BF-00007	Aylmer	\=TRIM(UPPER(	1976	\=IF(OR(ISBLA
9	BF-00008	Gatineau	\=TRIM(UPPER(	2014	\=IF(OR(ISBLA
10	BF-00009	Masson-Angers	\=TRIM(UPPER(	1984	\=IF(OR(ISBLA
11	BF-00010	Masson-Angers	\=TRIM(UPPER(	2015	\=IF(OR(ISBLA
12	BF-00011	Masson-Angers	\=TRIM(UPPER(	2004	\=IF(OR(ISBLA
13	BF-00012	Hull	\=TRIM(UPPER(	1979	\=IF(OR(ISBLA
14	BF-00013	Hull	\=TRIM(UPPER(	2013	\=IF(OR(ISBLA
15	BF-00014	Gatineau	\=TRIM(UPPER(	2002	\=IF(OR(ISBLA
16	BF-00015	Aylmer	\=TRIM(UPPER(	1952	\=IF(OR(ISBLA
17	BF-00016	Gatineau	\=TRIM(UPPER(	1985	\=IF(OR(ISBLA
18	BF-00017	Aylmer	\=TRIM(UPPER(	1978	\=IF(OR(ISBLA
19	BF-00018	Aylmer	\=TRIM(UPPER(B2))		\=IF(OR(ISBLA
20	BF-00019	Gatineau	\=TRIM(UPPER(	1971	\=IF(OR(ISBLA
21	BF-00020	Gatineau	\=TRIM(UPPER(	1974	\=IF(OR(ISBLA
22	BF-00021	Masson-Angers	\=TRIM(UPPER(	2006	\=IF(OR(ISBLA
23	BF-00022	Buckingham	\=TRIM(UPPER(	1996	\=IF(OR(ISBLA

Figure 2: Screen capture of the cleaned dataset in Google Sheets showing standardized sector names and split coordinate columns.

2.3. Analyzing Data

Pivot Table Analysis

A Pivot Table was constructed to aggregate hydrant counts (COUNTA of ID_BORNE) and calculate the average installation year (AVERAGE of ANNEE_INSTALLATION) across Gatineau's administrative sectors:

Municipal Sector (SECTEUR)	Total Hydrants (COUNTA)	Percentage of Total	Average Installation Year
Gatineau (Secteur)	1,025	36.0%	1996
Hull	740	26.0%	1984
Aylmer	615	21.6%	2004
Buckingham	280	9.8%	1988
Masson-Angers	190	6.6%	2001
Grand Total	**2,850**	**100.0%**	**1995**




Figure 3: Screen capture of the Google Sheets Pivot Table with the Pivot Table Editor panel visible on the right.

Exploratory Chart

An exploratory column chart was generated from the Pivot Table data, highlighting the contrast in average infrastructure age across municipal sectors.




Figure 4: Exploratory column chart comparing average hydrant installation years across Gatineau sectors.

Key Findings & Insights

1. **Age Disparity**: Hull possesses the oldest fire hydrant infrastructure in the city, with an average installation year of **1984**, compared to Aylmer's average installation year of **2004**.
2. **Infrastructure Density**: Hull and central Gatineau account for **62% of all hydrants**, reflecting high urban density and multi-family residential zoning.
3. **Winter Risk Implications**: Older hydrants in dense urban sectors like Hull are subjected to higher freeze-thaw degradation cycles and post-snowstorm burial risks along narrow street corridors.

3. Delivering Data

Title: *"Buried and Aging: Auditing Gatineau's Fire Hydrant Network and Winter Safety Equity"*

The exploratory data analysis reveals a fundamental infrastructure divide within Gatineau. While rapidly growing suburban sectors benefit from modern hydrant installations, dense urban core areas like Hull rely on aging infrastructure installed over 40 years ago. During severe winter snowstorms, heavy snowbank accumulation along narrow urban streets frequently covers older hydrants, forcing firefighters to spend critical minutes digging out water sources during structural fires.

Reporting Needs & Next Steps

To develop this quantitative analysis into a full investigative story for ArcGIS StoryMaps, the following reporting steps will be executed: 1. **FOIA / Access to Information Requests**: Submit official requests to the City of Gatineau for municipal winter clearing logs, 311 hydrant obstruction complaints, and SSIG pressure inspection failure reports. 2. **Expert & Community Interviews**: * **Municipal Officials**: Interview representatives from the *Service de sécurité incendie de Gatineau* (SSIG) regarding winter operational response protocols and maintenance schedules. * **Urban Planners & Councillors**: Interview Ward Councillors for Hull and Wrightville regarding infrastructure renewal budgets. * **Residents & Advocates**: Interview neighborhood association representatives in older sectors who experience post-storm snow removal delays.

4. References

- Bounegru, L., & Gray, J. (Eds.). (2021). *The data journalism handbook: Towards a critical data practice*. Amsterdam University Press. (Online Edition: https://datajournalism.com/read/handbook/two)
- Gray, J., Chambers, L., & Bounegru, L. (Eds.). (2012). *The data journalism handbook: How journalists can use data to improve the news*. O'Reilly Media. https://datajournalism.com/read/handbook/one

Service de sécurité incendie de Gatineau. (2022). *Schéma de couverture de risques en sécurité incendie de la Ville de Gatineau 2022–2027*. Ville de Gatineau. https://www.gatineau.ca or https://www.gatineau.ca/portail/default.aspx?p=guichet_municipal/participation_citoyenne/consultations_publiques/consultations_publiques_2022/schema_couverture_risques_incendie

-
-

Statistics Canada. (2021). *Data accuracy and validation: Methods to ensure the quality of data* (Catalogue No. 89-20-0006). Government of Canada. https://www150.statcan.gc.ca/n1/edu/power-pouvoir/toc-tdm/5214718-eng.htm

-
-

Statistics Canada. (2021). *Data accuracy and validation: Methods to ensure the quality of data* (Catalogue No. 89-20-0006). Government of Canada. https://www.statcan.gc.ca/en/wtc/data-literacy/catalogue/892000062020008

-
-

Ville de Gatineau. (2024). *Bornes-fontaines de la Ville de Gatineau* [Data set]. Données Québec / Open Government Canada.https://open.canada.ca/data/en/dataset/eb04d8ab-0cff-4ae7-b63b-4ed6c6133be0 (Données Québec: https://www.donneesquebec.ca/recherche/dataset)

-

Artificial Intelligence (AI) Disclosure

In compliance with course academic integrity guidelines, artificial intelligence Ai was used as a structural coach and proofreading assistant for this report. Specifically, Ai assisted in checking errors, organizing VIMO classifications, and reviewing APA citation structures. All data cleaning, calculations in Google Sheets, text, research and editorial interpretations were independently conducted and verified by the me. (adiman oulai)