

attribute	content	type
Sys.spin_system	define spin system: “rp” (radical pair), “doub” (doublet), “trip” (triplet), “tdp” (triplet doublet pair)	string
Sys.precursor	define precursor state: “zf”, “eigen”, “singlet”, “triplet-zf”, “triplet-eigen”, “coupled”, “basis”	string
Sys.population	populations of the initial density matrix diagonals	list of floats
Sys.g1	diagonal elements of the g1-tensor (acceptor)	list of floats
Sys.g1_frame	euler angles, rotate g1-tensor to the lab. frame	list of floats
Sys.g2	diagonal elements of the g2-tensor (donor)	list of floats
Sys.g2_frame	euler angles, rotate g2-tensor to the lab. frame	list of floats
Sys.g_tri	diagonal elements of the g-tensor of a triplet	list of floats
Sys.g_tri_frame	euler angles, rotate g_tri to the lab. frame	list of floats
Sys.g	diagonal elements of the g-tensor of a doublet	list of floats
Sys.g_frame	euler angles, rotate g to the lab. frame	list of floats
Sys.width_gauss	gaussian line width in mT	float
Sys.donor_list	index of cores assigned to the donor	list of str/int
Sys.acceptor_list	index of cores assigned to the acceptor	list of str/int
Sys.A1	diagonal elements of A1-tensor	list of floats
Sys.A2	diagonal elements of A2-tensor	list of floats
Sys.A3	diagonal elements of A3-tensor	list of floats
Sys.A4	diagonal elements of A4-tensor	list of floats
Sys.A5	diagonal elements of A5-tensor	list of floats
Sys.A1_frame	euler angles, rotate A1-tensor to the lab. frame	list of floats
Sys.A2_frame	euler angles, rotate A2-tensor to the lab. frame	list of floats
Sys.A3_frame	euler angles, rotate A3-tensor to the lab. frame	list of floats
Sys.A4_frame	euler angles, rotate A4-tensor to the lab. frame	list of floats
Sys.A5_frame	euler angles, rotate A5-tensor to the lab. frame	list of floats
Sys.I1	spin quantum number of core group 1 (integer or half)	float

attribute	content	type
Sys.I2	spin quantum number of core group 2 (integer or half)	float
Sys.I3	spin quantum number of core group 3 (integer or half)	float
Sys.I4	spin quantum number of core group 4 (integer or half)	float
Sys.I5	spin quantum number of core group 5 (integer or half)	float
Sys.n1	number of cores in core group 1	integer
Sys.n2	number of cores in core group 2	integer
Sys.n3	number of cores in core group 3	integer
Sys.n4	number of cores in core group 4	integer
Sys.n5	number of cores in core group 5	integer
Sys.A	diagonal elements of all A-tensors (assigned to spins i and optionally j)	list $[[A_i], [A_j]]$
Sys.A_frame	euler angles, rotate all A-tensors to the lab. frame	list $[[Fr_i], [Fr_j]]$
Sys.I	spin quantum numbers of all cores	list $[[A_i], [A_j]]$
Sys.D	zero-field-splitting constant of two interacting electronic species D in MHz	float
Sys.E	zero field-splitting constant of two interacting electronic species E in MHz	float
Sys.J_ex	exchange-coupling constant J of two interacting electronic species J in MHz	float
Sys.D_tri	zero-field-splitting constant of a triplet in MHz	float
Sys.E_tri	zero-field-splitting constant of a triplet in MHz	float
Sys.D_frame	euler angles, rotate D-tensor to lab. frame	list of floats
Sys.D_tri_frame	euler angles, rotate triplet D-tensor to lab. frame	list of floats
Sys.T_relax_1	longitudinal relaxation time	float
Sys.T_relax_2	transversal relaxation time	float
Sys.decay	decay time (exponential) for hilbert space calculations in s	float
Sys.dynamics	Matrix with rateconstants of relaxation process in 1/s	np.ndarray
Exp.B_z	magnetic field array in mT	np.ndarray
Exp.t_scale	borders of the time variation in s	list of floats
Exp.t_points	number of time field points	integer

attribute	content	type
Exp.B_mw	amplitude of the microwave field in mT	float
Exp.freq_mw	microwave frequency in Hz	float
SimOpt.grid_points	number of points between $\vartheta = 0$ and $\vartheta = \pi/2$ on the orientational sphere	integer
SimOpt.grid	Type of grid on the sphere for powder averaging. Can be either "fibonacci" or "sophe" or "single"	string
SimOpt.theta	User-chosen orientation-angles for theta if SimOpt.grid = "single"	list
SimOpt.phi	User-chosen orientation-angles for phi if SimOpt.grid = "single"	list
SimOpt.width_intp	Width for the interpolation in case of sophe-grid in mT	float
SimOpt.space	define in which space the time evolution will be calculated, either "hilbert" or "liouville"	string
SimOpt.pop_evolution	Decides wether the population evolution is calculated (and saved in cal) or not	boolean
SimOpt.eigval_mode	Decides wether only the eigenvalues shall be calculated	boolean
SimOpt.cpu_cores	Number of CPU cores used for time evolution, 0 uses all available cores	integer